



ACKNOWLEDGMENTS

The Bergen County Community Health Needs Assessment (CHNA) and Strategic Planning process was made possible through the generous support of Bergen New Bridge Medical Center, Englewood Health, Hackensack Meridian Health Hackensack University Medical Center, Hackensack Meridian Health Pascack Valley Medical Center, Holy Name Medical Center, Ramapo Ridge Psychiatric Hospital (a part of Christian Health Care Center), and The Valley Hospital. Representatives from these seven hospitals, along with representatives of the Bergen County Department of Health Services (BCDHS) and the Community Health Improvement Partnership (CHIP) of Bergen County, worked collaboratively for more than a year to plan and execute this assessment. A Steering Committee comprised of representatives from each hospital and BCDHS guided this project. John Snow, Inc. (JSI) was hired by the Steering Committee to assist with the assessment.

Hundreds of individuals who live, work, and learn in Bergen County were engaged to participate in the assessment process. JSI administered a mail-based random household survey and received approximately 1,350 responses; the survey oversampled in areas of the County with higher percentages of Black/African American residents, Hispanic/Latino residents, and low-income households to achieve a sample that was representative of Bergen County demographics. Information was also gathered through interviews, focus groups, and community listening sessions. Finally, over 350 community residents responded to a web-based survey to capture opinions and perceptions of leading social determinants of health, barriers to care, vulnerable populations, and access to health care services.

The information gathered throughout this assessment will allow the hospitals, the BCHDS, the CHIP, and health and social service providers to gain a better understanding of health needs and barriers to care in Bergen County. The assessment results will be used to guide the development of strategic plans to address these issues and improve where, when, and how healthcare is provided. The Steering Committee would like to extend their sincere appreciation to all those who invested their time, effort, and expertise to ensure the development of a comprehensive and robust assessment.

2019 BERGEN COUNTY COMMUNITY HEALTH NEEDS ASSESSMENT STEERING COMMITTEE

Carolyn Bryan, Hackensack Meridian Health Pascack Valley Medical Center
Donnalee Corrieri, Bergen New Bridge Medical Center
Colette Cummings, The Valley Hospital
Rebecca Dauerman, Ramapo Ridge Psychiatric Hospital (part of Christian Health Care Center)
Balpreet Grewal-Virk, Hackensack Meridian Health Hackensack University Medical Center
Marianne Kennelly, Ramapo Ridge Psychiatric Hospital (part of Christian Health Care Center)
Marla Klein, Bergen County Department of Health Services
Elisabeth Lucas, The Valley Hospital
Lauren Menkes, Englewood Health
Elizabeth Rubock, Bergen County Department of Health Services
Jennifer Yanowitz, Englewood Health
Catherine Yaxley, Holy Name Medical Center

EXECUTIVE SUMMARY

OVERVIEW AND PURPOSE

This Community Health Needs Assessment (CHNA) and the associated Implementation Strategy (IS) were prepared for Ramapo Ridge Psychiatric Hospital, a part of Christian Health Care Center. Christian Health Care Center has always believed in the value and dignity of each and every person, no matter what challenges he or she may face. Today, RRPH carries on this original mission to provide loving and compassionate care to people with mental health issues. RRPH is a 58-bed psychiatric hospital licensed by the state of New Jersey and is accredited by the Joint Commission. The program consists of two divisions: a general adult psychiatric program and a geriatric psychiatric program, which specializes in the diagnosis and treatment of illness that have a particular impact on older adults, including Alzheimer's and Parkinson's. RRPH is also Joint Commission certified in disease specific care for the management of dementia.

In addition to its commitment to clinical excellence, RRPH is committed to being an active partner and collaborator with the communities it serves. RRPH's focus on population and community health extends to community partnerships with other organizations to enhance individual and public health, prevent disease, support lifelong wellness, reduce the burden of mental health challenges and substance use disorders, and meet the cultural, social, spiritual, and holistic needs of specific populations.

The CHNA was conducted in collaboration with the Bergen County Department of Health Services (BCDHS), the Community Health Partnership of Bergen County (CHIP), and the other six acute care facilities in Bergen County: Bergen New Bridge Medical Center, Englewood Health, Hackensack Meridian *Health* Hackensack University Medical Center, Hackensack Meridian *Health* Pascack Valley Medical Center, Holy Name Medical Center, and The Valley Hospital. The assessment engaged hundreds of community residents throughout Bergen County and a range of other community stakeholders, including service providers, community advocates, state and local public officials, faith leaders, and representatives from community-based organizations. The process that was applied to conduct the CHNA and develop the Implementation Strategy exemplifies the spirit of collaboration and community engagement that is such a vital part of RRPH's mission.

This CHNA provides information that will be used to make sure that RRPH's community health programs are appropriately focused and are delivered in ways that are responsive to the needs of those in its primary service area. The assessment also allows CCHC, as a non-profit entity with a licensed psychiatric hospital, to fulfill federal Community Benefits requirements per the Federal Internal Revenue Service (IRS) as part of the Affordable Care Act.

APPROACH AND METHODS

The assessment began in December 2018 and was conducted in three phases, which allowed for the collection of an extensive amount of quantitative and qualitative data (Phase 1); engagement of

community residents, key stakeholders, and service providers (Phase 2); and analysis and prioritization of findings for use in developing a data-driven Implementation Strategy (Phase 3).

2019 Bergen County CHNA: Project Phases

Phase 1 Preliminary Assessment and Engagement	Phase 2 Targeted Engagement	Phase 3 Strategic Planning and Reporting
 Secondary Data Collection Key Informant Interviews Resource Inventory Steering Committee Meetings 	 Bergen County Random Household Survey Focus Groups Community Listening Sessions Bergen County Community Health Perceptions Survey Steering Committee Meetings 	 Steering Committee Prioritization Meeting Individual Hospital and BCHDS/CHIP Prioritization Meeting Final Reporting

Many individuals from across Bergen County were engaged in the assessment and planning process, including:

- Health and social service providers
- BCDHS and CHIP leadership and staff
- Faith leaders
- Community residents


- Hospital leadership, clinicians, and staff
- Health and public health officials
- Community organizers and advocates

RAMAPO RIDGE PSYCHIATRIC HOSPITAL COMMUNITY HEALTH PRIORITIES AND VULNERABLE POPULATIONS

The CHNA was designed as a population-based assessment, meaning the goal was to identify a full range of community health issues across the demographic and socioeconomic segments of the population. The issues identified were framed in a broad context to ensure that the breadth of unmet needs and community health issues were recognized.

Following an integrated analysis of assessment findings, and prioritization/strategic planning meetings with RRPH's leadership and staff, three priority areas emerged: behavioral health (mental health and substance use disorder), chronic/complex conditions and risk factors, and social determinants of health and health disparities.

To plan community health initiatives and to comply with federal guidelines, there was an effort to identify segments of the population with complex health needs or that face significant barriers to care. Given the assessment findings and RRPH's clinical expertise, five population segments were identified: older adults, youth and adolescents, low resource individuals and families, individuals with chronic/complex conditions, and individuals that are developmentally disabled.



KEY FINDINGS/THEMES

Below is a listing of key findings and themes, organized by chapters of the CHNA report. These findings were used as the basis for the development of Implementation Strategies for the CHIP of Bergen County and individual hospitals. For more detailed findings, data sources, and data on disparities by gender identity, race/ethnicity, income, and age, please see the full Community Health Needs Assessment report. Key findings are listed in the order in which they are discussed in this Community Health Needs Assessment report and are not hierarchical.

Key Findings: Wellness, Prevention, and Risk Factors

- All-cause and premature mortality were lower in Bergen County than New Jersey overall
- One-third (33.2%) of Bergen County Random Household Survey respondents were overweight, while approximately one in five were obese (22.8%)
- Nearly a third (32.9%) of Bergen County Random Household Survey respondents reported that they did not participate in any physical activity or exercise in the past 30 days
- Over 70% of Bergen County Random Household Survey respondents reported that they had a primary care visit and a dental visit within the past year
- Individuals engaged during this assessment prioritized the risk factors associated with chronic and complex conditions (e.g., obesity, poor nutrition, sedentary lifestyle) as key issues of concern

Key Findings: Chronic and Complex Conditions

- Heart disease (#1) and cancer (#2) were the leading causes of death in Bergen County
- Approximately 1 in 4 (26.5%) Bergen County Random Household Survey respondents had been diagnosed with high blood pressure
- Approximately 1 in 10 (9.7%) Bergen County Random Household Survey respondents had ever been diagnosed with cancer
- Approximately 1 in 10 (11.5%) Bergen County Random Household Survey respondents had ever been diagnosed with diabetes.
- 14.1% of Bergen County Random Household Survey respondents had been diagnosed with asthma

- Influenza and pneumonia mortality rates were significantly high in Bergen County compared to New Jersey overall
- Individuals engaged in this assessment identified older adults, especially those with multiple chronic conditions and those who lack a regular caregiver, as a vulnerable population

Key Findings: Mental Health and Substance Use

- 6.8% of Bergen County Random Household Survey respondents reported that their mental health was poor for 15 or more days in the past month
- Nearly 1 in 10 (9.7%) of Bergen County Random Household Survey respondents had ever been diagnosed with a depressive disorder
- Over 1 in 10 (12.7%) of Bergen County Random Household Survey respondents had ever been diagnosed with an anxiety disorder
- 18.9% of Bergen County Random Household Survey respondents were current smokers
- Individuals engaged in this assessment characterized e-cigarette and vaping as a critical concern, especially for youth and adolescents
- 15.4% of Bergen County Random Household Survey respondents reported binge drinking in the past 30 days
- Drug-related deaths in Bergen County have increased since 2014, from 8.8 deaths to 13.8 deaths per 100,000
- The number of suspected opioid-overdose deaths has continued to increase annually since 2014; the number of opioids dispensed has decreased annually since 2015

Key Findings: Social Determinants of Health and Access to Care

- Nearly one third (30.5%) of Bergen County residents were foreign-born, and 14.5% of residents have limited English proficiency
- Educational attainment is high and unemployment is low
- The percentage of individuals and families in poverty is low compared to New Jersey overall. Despite this, individuals engaged in this assessment reported that there were pockets of poverty throughout Bergen County, even in affluent communities, and income, poverty, and employment were issues of concern
- Individuals engaged in this assessment identified housing issues including lack of housing stock and housing affordability –as a major barrier to good health and well-being
- Individuals engaged in this assessment identified access to transportation resources, especially for older adults, low-income populations, and those without a personal vehicle as a barrier to accessing health and social services
- Nearly one-fifth (18.5%) of respondents to the Bergen County Random Household Survey reported that it was very or somewhat difficult to buy fresh produce or vegetables
- Less than 10% of Bergen County residents lacked health insurance. Despite this, respondents to the Bergen County Random Household Survey identified lack of health insurance as the leading social factor or barrier that limited access to care or impacted the health of those living in the community

TABLE OF CONTENTS

Acknowledgments Executive Summary	
Executive Summary	············ 4
Background and Approach	
Overview & Purpose	
Approach & Methods	9
Population Characteristics and Social Determinants of Health	15
Key Findings	23
Key Findings: Wellness, Prevention, and Risk Factors	2 4
Overall Health Status	
Nutrition & Weight	26
Physical Activity	28
Routine Health Visits	29
Key Findings: Chronic and Complex Conditions	
Cardiovascular & Cerebrovascular Diseases	
Cancer	35
Diabetes	
Asthma	
Infectious Disease	
Older Adult Health/Healthy Aging	
Maternal & Infant Health	44
Key Findings: Mental Health and Substance Use	
Mental Health	
Journalité d'ac	7/
Key Findings: Social Determinants of Health and Access to Care	55
Perceived Barriers to Care	
Health Insurance	56
Service Utilization	
Summary Implementation Strategy	61
Appendices	

BACKGROUND AND APPROACH

OVERVIEW & PURPOSE

This Community Health Needs Assessment (CHNA) and the associated Implementation Strategy (IS) were prepared for Ramapo Ridge Psychiatric Hospital, a part of Christian Health Care Center. Christian Health Care Center has always believed in the value and dignity of each and every person, no matter what challenges he or she may face. Today, RRPH carries on this original mission to provide loving and compassionate care to people with mental health issues. RRPH is a 58-bed psychiatric hospital licensed by the state of New Jersey and is accredited by the Joint Commission. The program consists of two divisions: a general adult psychiatric program and a geriatric psychiatric program, which specializes in the diagnosis and treatment of illness that have a particular impact on older adults, including Alzheimer's and Parkinson's. RRPH is also Joint Commission certified in disease specific care for the management of dementia.

In addition to its commitment to clinical excellence, RRPH is committed to being an active partner and collaborator with the communities it serves. RRPH's focus on population and community health extends to community partnerships with other organizations to enhance individual and public health, prevent disease, support lifelong wellness, reduce the burden of mental health challenges and substance use disorders, and meet the cultural, social, spiritual, and holistic needs of specific populations.

The CHNA was conducted in collaboration with the Bergen County Department of Health Services (BCDHS), the Community Health Partnership of Bergen County (CHIP), and the other six acute care facilities in Bergen County: Bergen New Bridge Medical Center, Englewood Health, Hackensack Meridian Health Hackensack University Medical Center, Hackensack Meridian Health Pascack Valley Medical Center, Holy Name Medical Center, and The Valley Hospital. The assessment engaged hundreds of community residents throughout Bergen County, and a range of other community stakeholders, including service providers, community advocates, state and local public officials, faith leaders, and representatives from community-based organizations. The process that was applied to conduct the CHNA and develop the Implementation Strategy exemplifies the spirit of collaboration and community engagement that is such a vital part of RRPH's mission.

This CHNA provides information that will be used to make sure that RRPH's community health programs are appropriately focused and are delivered in ways that are responsive to the needs of those in its primary service area. The assessment also allows CCHC, as a non-profit entity with a licensed psychiatric hospital, to fulfill federal Community Benefits requirements per the Federal Internal Revenue Service (IRS) as part of the Affordable Care Act.

The primary goals for the CHNA and this report are to:



This CHNA may be used as a source of information and guidance to:

- Clarify issues related to community characteristics, barriers to care, existing service gaps, unmet community need and other health-related factors;
- Prioritize and promote investments in community health initiatives;
- Inform and guide a comprehensive, collaborative community health improvement planning process;
- Facilitate discussion within and across sectors regarding community need, community health improvement, and health equity;
- Serve as a resource to others working to address health inequities

RRPH is committed to promoting health and well-being, addressing health disparities, and working to achieve health equity. Health equity, the attainment of the highest level of health for all people, requires focused and ongoing societal efforts to address avoidable inequalities, socioeconomic barriers to care, and both historical and contemporary injustices. Throughout the assessment process, efforts were made to understand the needs of populations that are often disadvantaged, face disparities in health-related outcomes, and are deemed most vulnerable. RRPH's Implementation Strategy will focus on reaching the geographic, demographic, and socioeconomic segments of the population most at-risk, as well as those with behavioral and physical health needs.

RRPH SERVICE AREA

RRPH's primary Community Benefits Service Area includes 11 cities and towns, most of which are in northern Bergen County, but also includes Wayne, Hawthorne, and Haledon in Passaic County. The data presented in this assessment will focus only on those municipalities in Bergen.

RRPH serves different geographic areas and populations - the communities that are part of the CBSA are an aggregate of these areas and populations. For this assessment, RRPH made every effort to identify the health needs of all residents within their CBSA, regardless of whether or not they use or have used services at the Hospital or any affiliated facilities.

APPROACH & METHODS

In September 2018, a Steering Committee was formed, comprised of representatives from each hospital and staff from BCDHS. The Steering Committee hired John Snow, Inc. (JSI), a public health research and consulting firm, to support their efforts and complete this CHNA. This Committee met regularly via inperson meetings and conference calls to plan and execute project activities, vet preliminary findings, address challenges, and ensure that the assessment process was inclusive, comprehensive, and objective.

During this process, each hospital and BCDHS engaged their senior leadership and clinical staff. These individuals helped to prioritize community health issues and priority population segments for inclusion in the Implementation Strategies.

The assessment was completed in three phases. Table 1 below provides a summary of each phase and the associated activities. The community engagement index (Appendix A) includes additional information and materials related to the engagement activities/approach.

Table 1: Summary of approach and methods

Phase 1 Preliminary Assessment and Engagement	Phase 2 Targeted Engagement	Phase 3 Strategic Planning and Reporting
 Secondary Data Collection Key Informant Interviews Resource Inventory Steering Committee Meetings 	 Bergen County Random Household Survey Focus Groups Community Listening Sessions Bergen County Community Health Perceptions Survey Steering Committee Meetings 	 Steering Committee Prioritization Meeting Individual Hospital and BCHDS/CHIP Prioritization Meeting Final Reporting

PHASE I

The preliminary needs assessment and engagement effort relied on **secondary data** collected via local, state, and national sources. This information included data on the population characteristics of Bergen County, including demographics, social determinants of health, health status, and morbidity/mortality. Whenever possible, confidence intervals were analyzed to test for statistically significant differences between municipal and State of New Jersey data points. A comprehensive Data Book is included in Appendix B. In this Data Book, data points are color-coded to visualize which municipal-level data points were significantly higher or lower compared to the State overall. Relative to most states, New Jersey does an excellent job at making comprehensive data available at the state, county, and municipal levels

through an interactive portal accessible via the New Jersey Department of Health (NJ DOH) website. The most significant limitation in regards to quantitative data was the availability of timely data related to morbidity, mortality, and service utilization. The data sets used in this report are the most up-to-date provided by NJ DOH. The data provided was valuable and allowed for identification of health needs relative to the State and specific communities. However, these data sets in some cases may not reflect recent trends in health statistics. Additionally, quantitative data was not stratified by age, race/ethnicity, income, or other characteristics, which limited the ability to identify health disparities in an objective way. The Bergen County Random Household Survey and the targeted community engagement and qualitative assessment activities allowed for exploration of these issues.

Key informant interviews were conducted with approximately 80 community stakeholders from throughout Bergen County. These interviews confirmed and/or refined the findings from quantitative data sources and provided valuable insight on community need, community health priorities, segments of the population most at-risk, and community health assets. Individual interviews were conducted byphone using a structured interview guide developed by JSI and the Steering Committee. At the outset, JSI worked with the Steering Committee to identify a representative list of key informants that could provide a deep and broad perspective on the health-related needs of the County. This list included administrative and clinical representatives from each of the hospitals and BCDHS, as well as representatives from across many sectors, including health, public health, social service, academic, and business. Detailed notes were taken for each interview. For a list of interviewees, their organizational affiliations, interview dates, and the interview guide, please see Appendix A. Key themes and findings from these interviews are included in the narrative sections of this report.

During this Phase, JSI staff worked with the Steering Committee to develop a **Resource Inventory**. This inventory was meant to inform what services are available in Bergen County to address community needs as well as to determine the extent to which there are gaps in health-related services. The CHIP and BCDHS staff supported this effort by providing a list of community partners and known resources from across the broad continuum of services, including clinical health care services, community health and social services, and public health resources. This was done primarily by compiling information from existing resource inventories and partner lists from the CHIP, BCDHS, hospitals, and other service providers. The Resource Inventory can be found in Appendix C.

PHASE I: PRELIMINARY ASSESSMENT AND ENGAGEMENT

SECONDARY DATA - 200+ INDCATORS

Including:

Demographics and socioeconomic status
Social determinants of health (e.g., housing, transportation, employment)
Risk factors
Health status and morbidity/mortality
Access to care and service utilization

- Municipal-level data for all cities and towns in Bergen County
- National, New Jersey, and Bergen County comparison data when possible

KEY INFORMANT INTERVIEWS — 80 PHONE AND IN-PERSON

- Interviews conducted using structured interview guide
- Representation across sectors, including:

Clinicians
Hospital leadership and staff
Health and public health officials
Faith-based community
Community organizations
Schools and youth/adolescent services
Older adults/elder services
Cultural organizations and advocates

Hospital leadership and staff
Faith-based community
Schools and youth/adolescent services
Social service providers
Behavioral health providers and advocates

RESOURCE INVENTORY

Identified existing Bergen County assets/resources across health-related sectors

PHASE II

Phase II included several activities aimed at further engaging community residents and stakeholders — including segments that are typically hard to reach. JSI conducted a mail-based **Bergen County Random Household Survey**, which captured information directly from community residents on health status and overall well-being, service utilization, and barriers to care. To generate the survey sample, a comprehensive survey was distributed to more than 4,000 randomly identified households in the County. The initial random sample of 4,000 households included an oversample of communities with large proportions of Black/African American, Hispanic/Latino, and low-income residents to ensure that enough surveys were generated from households with often under-represented segments of the population. In all, 1,372 community residents responded to the survey, representing a survey response rate of approximately 31%. Table 2 includes respondent characteristics. Detailed findings from the survey are included in the body of the report and in tabular form in Appendix B.

Table 2: Respondent characteristics (unweighted) for the Bergen County Random Household Survey (N=1,372)

IIOOSCIIOIU S									
	All	Male	Female	White	Black/African	Hispanic/	Asian	Income	Over 65
					American	Latino		<\$50,000*	years old
Number of									
respondents									
to survey	1,372	518	832	959	126	188	151	331	475
Average age	57	59	56	59	55	50	51	61	75
Female (%)	62	-	100	61	68	71	54	71	57
Less than a									
high school									
education (%)	4	4	4	4	2	12	1	13	7
Advanced									
degree									
(Masters or									
beyond) (%)	25	28	23	27	20	16	23	4	23
Total									
Household									
income (%)									
<\$50,000	26	20	30	24	38	41	24	100	36
\$50,000 -						•			
\$124,999	40	43	39	40	31	41	48		43
>\$125,000	33	37	31	36	31	18	27		21

^{*}Throughout the report, the "low-income" cohort refers to are those whose total household income was less than \$50,000.

Focus groups were conducted with population segments and health/social service provider groups to gather more precise and nuanced information on the needs of specific segments of the population or from individuals with specific expertise. Focus groups were held at locations that were considered safe and accessible for participants and were facilitated in appropriate languages to ensure full participation. JSI and co-facilitators conducted all focus groups using a guide that was similar to the one used for key informant interviews to ensure consistent data collection. JSI, the BCHDS, the CHIP, and hospital partners worked with organizations in the County to plan these events and identify focus group participants.

JSI facilitated two **community listening sessions**, one in Ridgewood and one in Englewood. These sessions provided an opportunity for anyone who was interested to participate and allowed for the capture of information directly from community residents, staff from community-based organizations, and local service providers. Participants were asked to react to preliminary data findings and to share thoughts on community health needs, barriers to care, vulnerable populations, and community assets and resources. Both sessions were held in locations that were easily accessible, safe, and well known.

Finally, JSI worked with the Steering Committee to develop a web-based **Bergen County Community Health Perceptions Survey** to solicit additional information directly from community residents.

Respondents were asked to provide their opinion and perceptions of leading social determinants of health and barriers to care, clinical health issues, vulnerable populations, access to health care services, and opportunities for the hospital to improve community health programming. Surveys were available online, through the SurveyGizmo platform, in multiple languages. Surveys were also made available in hard copy for distribution; hard-copy surveys were collected and the responses were included in the final analysis. The CHIP, BCDHS, hospitals, and public health partners worked in close collaboration with local community organizations, businesses, and stakeholders to distribute the survey to community residents, including those who are typically hard-to-reach (e.g. non-English speakers, diverse populations). Findings from the survey are integrated into the narrative sections of this report.

PHASE II: TARGETED ENGAGEMENT

BERGEN COUNTY RANDOM HOUSEHOLD SURVEY

County-wide sample

Distributed via mail to 4,000 randomly selected households; oversampled in Black/African American, Hispanic/Latino, and low-income populations

1,372 surveys collected (31% response rate)

Average age of respondent = 57 14% Hispanic/Latino (N=188)

61% female (N=832) 11% Asian (N=151)

38% male (N=518) 35% over 65 years of age (N=475)

70% White (N=959) 24% low-income (total household income <\$50,000

9% Black/African American (N=126) (N=331)

BERGEN COUNTY COMMUNITY HEALTH PERCEPTIONS SURVEY

County-wide sample
 Distributed via email, newsletters, social media, and other web-based sources

357 surveys collected

FOCUS GROUPS

60-90 minute sessions with population and provider segments

Black/African Americans Mental health providers and advocates
Koreans Substance use disorder providers

Spanish-speakers Older adult health/elder services providers

LGBTQ+ School nurses

Individuals in recovery from Bergen County Health Officers

substance use disorder

COMMUNITY LISTENING SESSIONS

2-hour sessions, open to the public

Englewood Ridgewood

PHASE III

Phase III included prioritization and strategic planning meetings with the Steering Committee, individual hospitals, and BCDHS/CHIP members. Meeting participants were presented with findings from the CHNA

and were asked to weigh on a set of proposed community health priorities and priority populations. Participants were also asked to contribute information and ideas on current community and population health programs/initiatives that were working well and potential responses to identified needs. JSI used this information to finalize community health priorities and populations for the County overall and for each individual hospital.

Following the prioritization and strategic planning meetings, JSI worked with individual hospitals to draft CHNA reports and Implementation Strategies. These documents were presented for adoption to the governing bodies at each hospital in fall 2019.

POPULATION CHARACTERISTICS AND SOCIAL DETERMINANTS OF HEALTH

To understand community needs and health status for individuals in Bergen County, we begin with a description of community characteristics, including demographics, socioeconomics, and the social determinants of health. This information is critical to recognizing inequities, identifying vulnerable populations and health related disparities, and targeting strategic responses.

The social determinants of health (SDOH) are the conditions in which people live, work, learn and play.
These conditions influence and define quality of life for many segments of the population in the CHNA service area. To augment the lack of quantitative data, the key informant interviews, focus groups, listening sessions, and Bergen County Community Health Perceptions Survey specifically solicited feedback on SDOH and barriers to care. A dominant theme from community engagement activities was the impact that the underlying social determinants, particularly housing, transportation, and income/employment have on the residents of Bergen County.


More expansive data tables are included in RRPH's Data Book (Appendix B).

¹ "Social Determinants of Health: Know What Affects Health," *Centers for Disease Control and Prevention*, 29 Jan. 2018. https://www.cdc.gov/socialdeterminants/

AGE, RACE/ETHNICITY, AND FOREIGN BORN²

- Bergen County has the second highest percentage of adults 65 and over among all counties in New Jersey. The percentage of Bergen County residents over the age of 65 (16.4%) was significantly high compared to New Jersey overall (15.1%). The median age in Bergen County (41.6) was also higher than New Jersey overall (39.6).
- Bergen County is predominantly white, though there is a large Asian population. The percentage of the population that was white (57.8%) was significantly higher than New Jersey overall (56.1%). The percentage of Asian residents in Bergen County (16.2%) was significantly high compared to the state overall (9.4%).

Figure 1: Percentage of population over 65, by municipality



Source: US Census Bureau, American Community Survey 5-Year Estimates (2013-2017). The red circle indicates RRPH's primary service area.

- Among municipalities in RRPH's primary service area, the percentage of Asian residents was significantly high in Mahwah (13.0%) and Ridgewood (14.7%) compared to the state overall.
- The percentage of Black/African American residents in Bergen County (5.3%) was significantly low compared to the state overall (12.7%).
- The percentage of Hispanic/Latino residents in Bergen County (18.9) was similar to the state overall (19.7%).
- Nearly one-third (30.5%) of Bergen County residents were foreign-born.

² All statistics from US Census Bureau, American Community Survey, 2013-2017

Table 3: Age distribution (2013-2017)

	United States	New Jersey	Bergen County
Median age (years)	37.8	39.6	41.6
Under 18 (%)	22.9	22.3	21.5
Ages 20-34 (%)	20.7	19.3	17.4
Ages 35-44 (%)	12.7	13.0	13.3
Ages 45-54 (%)	13.4	14.7	15.3
Ages 55-64 (%)	12.7	13.1	13.6
Ages over 65 (%)	14.9	15.1	16.4

Source: US Census Bureau, American Community Survey, 2013-2017

Shading represents statistical significance compared to the state. Data points highlighted in orange were statistically higher compared to the state overall, while figures highlighted in blue were significantly lower.

Table 4: Race, ethnicity, and foreign-born (2013-2017)

	United States	New Jersey	Bergen County
Non-Hispanic White (%)	73.0	56.1	57.8
Non-Hispanic Black (%)	12.7	12.7	5.3
Non-Hispanic Asian (%)	5.4	9.4	16.2
Non-Hispanic Korean (%)	0.5	1.1	6.1
Hispanic or Latino of any race (%)	17.6	19.7	18.9
Foreign-born (%)	13.4	22.1	30.5

Source: US Census Bureau, American Community Survey, 2013-2017

Shading represents statistical significance compared to the state. Data points highlighted in orange were statistically higher compared to the state overall, while figures highlighted in blue were significantly lower.

LANGUAGE³

- Over a third of Bergen County residents speak a language other than English. A significantly high percentage of Bergen County residents speak a language other than English in the home (39.9%) compared to the state overall (31%).
 - The percentage of these residents with limited English proficiency (LEP) defined as speaking English "less than very well" – was also significantly high compared to the state (14.5% vs. 12.2%).
- Over 1 in 10 Bergen County residents speak an Asian or Pacific Islander language in the home. The percentage of Bergen County residents 5 years and older who spoke Asian and Pacific Islander languages (11.5%) was significantly high compared to the state overall.
- Over 1 in 10 residents speak Spanish in the home. The percentage of Bergen County residents 5 years and older who spoke Spanish in their home (14.9%) was significantly low compared to the state overall (16.1%).

³ All statistics from US Census Bureau, American Community Survey, 2013-2017

 Over 1 in 10 residents speak Indo-European languages (e.g., French, Portuguese, German, Russian, Polish) in the home. The percentage of Bergen County residents who spoke Indo-European languages (11.1%) and other languages (2.4%) were all significantly high compared to the state overall.

Table 5: Percent of population 5+ who speak language other than English in the home (2013-2017)

	United States	New Jersey	Bergen County
Language other than English at			
home (%)	21.3%	31.0	39.9
With LEP (%)*	8.5%	12.2	14.5
Spanish at home (%)	13.2%	16.1	14.9
With LEP (%)	5.4%	7.1	5.1
Indo-European languages (%)	3.6%	8.3	11.1
With LEP (%)	1.1%	2.8	3.6
Asian/Pacific Islander languages (%)	3.5%	4.8	11.5
With LEP (%)	1.6%	1.9	5.1
Other languages (%)	0.3%	1.7	2.4

Source: US Census Bureau, American Community Survey, 2013-2017

Shading represents statistical significance compared to the state. Data points highlighted in orange were statistically higher compared to the state overall, while figures highlighted in blue were significantly lower.

SOCIOECONOMICS

Socioeconomic status (SES), as measured by income, employment status, occupation, education and the extent to which one lives in areas of economic disadvantage, is closely linked to morbidity, mortality and overall well-being.⁴

- High educational attainment.
 - The percentage of Bergen County residents with less than a high school diploma (8%) was significantly low compared to New Jersey overall (10.8%).⁵
 - The percentage of ninth-grade cohorts in Bergen that graduates in four years (95%) was higher than New Jersey overall (91%).⁶
 - The percentage of Bergen County adults ages 25-44 with some post-secondary education (77%) was higher than New Jersey overall (68%).⁷
- Low unemployment rate. The unemployment rate in Bergen County was significantly low compared to the state of New Jersey overall (3.4% vs. 4.6%).⁸

⁴ Nancy E. Adler and Katherine Newman, "Socioeconomic Disparities in Health: Pathways and Policies," HealthAffairs, 2002; 21(2), doi: https://doi.org/10.1377/hlthaff.21.2.60

⁵ US Census Bureau, American Community Survey, 2013-2017


⁶ County Health Rankings 2016-2017, from New Jersey Department of Education

⁷ US Census Bureau, American Community Survey, 2013-2017

⁸ US Census Bureau, American Community Survey, 2013-2017

- Low percentage of individuals and families in poverty. Despite this, key informant interviewees and focus group participants reported that there were pockets of poverty throughout Bergen County, even in towns that were considered affluent.
 - The percentage of Bergen County families (5.5%) and individuals (7.2%) living below the poverty level were significantly low compared to the state overall (7.9% and 10.7%, respectively).⁹
 - In Bergen County, the percentage of individuals with income below 200%, 300%, and 400% of the federal poverty level was lower than the state overall (Table 6).

Figure 2: Percentage of residents below 200% of the federal poverty level, by municipality



Source: US Census Bureau, American Community Survey 5-Year Estimates (2013-2017). The red circle indicates RRPH's primary service area

⁹ US Census Bureau, American Community Survey, 2013-2017

Table 6: Unemployment and poverty (2013-2017)

	United States	New Jersey	Bergen County
Unemployment rate (%)	4.1	4.6	3.4
Individuals with income below the federal poverty level (%)	14.6	10.7	7.2
Families with income below the federal poverty level (%)	10.5	7.9	5.5
Individuals with income <200% of federal poverty level	32.7	24.1	17.6
Individuals with income <300% of federal poverty level	49.1	37.1	28.3
Individuals with income <400% of federal poverty level	62.6	48.9	39.1

Source: US Census Bureau, American Community Survey, 2013-2017

Shading represents statistical significance compared to the state. Data points highlighted in orange were statistically higher compared to the state overall, while figures highlighted in blue were significantly lower.

HOUSING

- Housing issues including lack of housing stock and affordability were identified as barriers to health and well-being. Many key informants and focus group/forum participants expressed concern over the limited options for affordable housing throughout Bergen County. This was particularly an issue for older adults, who often bear the burden of household costs (e.g. taxes, maintenance, adaptabilities) while living on fixed incomes.
 - The percentage of owner-occupied units in which ownership costs exceed 35% of total household income, representing a major financial burden, was significantly high in Bergen (56.5%) compared to New Jersey overall (50.7%).¹⁰
- The Community Health
 Perceptions Survey asked
 people to name the issues
 they thought prevented
 people from living a healthy
 life. "Housing is expensive
 or unsafe" was the most
 common response (54.1%).
- The percentage of renter-occupied households whose gross rent exceeded 35% of total household income was significantly low (41.1%) compared to New Jersey overall (43.6%).¹¹
- Over one-fifth of households (22%) had at least one severe housing problem (overcrowding, high housing costs, lack of kitchen facilities, or lack of plumbing) - the same as New Jersey overall. ¹²

FOOD INSECURITY

• The percentage Bergen County's population who lacked adequate access to food (8%) was slightly lower than New Jersey overall (10%). However, this number equates to 70,200 individuals who reported that they did not have access to a reliable source of food during the past year.¹³

¹⁰ US Census Bureau, American Community Survey, 2013-2017


¹¹ US Census Bureau, American Community Survey, 2013-2017

¹² Comprehensive Housing Affordable Strategy (US Department of Housing and Urban Development), 2011-2015, from County Health Rankings

¹³ Map the Meal Gap, 2016, from County Health Rankings

- Nearly one-fifth of all respondents to the Bergen County Random Household Survey reported that they had been somewhat or very worried about food running out sometime in the past year (19%).
 - Percentages were highest among low-income (46.8%) and Hispanic/Latino (42.2%) respondents.
- Nearly one-fifth of all respondents to the Bergen County Random Household Survey reported that it was very or somewhat difficult to buy fresh produce or vegetables (18.5%).
 - Percentages were highest among Hispanic/Latino (38.4%) and low-income (32.4%) respondents.

Figure 3: Bergen County Random Household Survey — Very or Somewhat Worried About Food Running Out Sometime During Past Year (%)



^{*}Total annual household income less than \$50,000. This group is described as the "low-income" cohort throughout this report.

Figure 4: Bergen County Random Household Survey — Difficult to Buy Fresh Produce or Vegetables (%)




CRIME & VIOLENCE

- Violent crime and property crime rates were low.
 - The violent crime rate (e.g., murder/non-negligent manslaughter, forcible rape, robbery, aggravated assault) in Bergen County was significantly low compared to New Jersey overall (228.6). 14
 - The property crime rates (e.g., burglary, larceny/theft, motor vehicle theft, arson) in
 Bergen County (966.9) was significantly low compared to New Jersey overall (1537.9).¹⁵
- 6% of Bergen County Random Household Survey respondents reported that they had experienced intimate partner violence. Among these respondents:
 - Hispanic/Latino respondents were more likely to report intimate partner violence (8.0%) and Asian respondents were least likely to report intimate partner violence (1.1%).
 - Female respondents were more than twice as likely to report intimate partner violence compared to male respondents (8.7% vs. 3.1%).

¹⁴ FBI Uniform Crime Reporting: Offenses Known to Law Enforcement 2017

 $^{^{15}}$ FBI Uniform Crime Reporting: Offenses Known to Law Enforcement 2017

Figure 5: Bergen County Random Household Survey — Had Experienced Intimate Partner Violence (%)



KEY FINDINGS: WELLNESS, PREVENTION, AND RISK FACTORS

At the core of the CHNA process is understanding leading risk factors and the extent to which individuals participate in certain risky behaviors. This information is critical to assessing health status, clarifying health-related disparities and identifying health priorities. The CHNA captures a wide range of quantitative data from federal and municipal data sources and from the Bergen County Random Household Survey. Qualitative information gathered from key informant interviews, focus groups, listening sessions, and the web-based Community Health Perceptions Survey informed the key findings sections of this report by providing perspective on the confounding and contributing factors of illness, health priorities, barriers to care, service gaps and possible strategic responses to the issues identified.

OVERALL HEALTH STATUS

- Overall health status among Bergen County residents was good.
 - Among all Bergen County Random Household Survey respondents, 87% reported that their general health was excellent, very good, or good. Only 13% reported their health status as fair or poor.
 - Over one fourth (25.3%) of low-income respondents reported fair or poor health
 - o 19.7% of respondents to the Bergen County Random Household Survey responded that they are limited in some way because of a physical, mental, or emotional problem. Percentages were highest among low-income respondents (31.9%), respondents over 65 (31.1%), and Black/African American respondents (27.7%).
- All-cause mortality and premature mortality was lower than the state overall.
 - The all-cause mortality rate was significantly lower in Bergen County (760) than New Jersey overall (810.7).¹⁶
 - The premature mortality rate or the years of life lost before age 75 was lower in Bergen County (3,800) than the state overall (5,700).¹⁷
 - The average age of death in Bergen County (78.2) was significantly higher than New Jersey overall (75.0).¹⁸

¹⁶ Deaths per 100, New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

¹⁷ Years of potential life lost before age 75 per 100,000 (age-adjusted); National Center for Health Statistics – Mortality Files, 2015-2017

¹⁸ New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

Figure 6: Bergen County Random Household Survey - Self Reported Health Status as Fair or Poor (%)





Figure 7: Bergen County Random Household Survey - Limited in Some Way Due to Physical, Mental, or Emotional Problems (%)



NUTRITION & WEIGHT

- One-third (33.2%) of all respondents to the Bergen County Random Household Survey were overweight, while 22.8% were obese.
 - 41% of Black/African American respondents reported being overweight, and 30.6% reported as obese. These percentages were highest among all racial/ethnic cohorts.
 - Obesity percentages were also high among low-income (29.25) and Hispanic/Latino (29%) respondents.

Figure 8: Bergen County Random Household Survey - Overweight (%)





Figure 9: Bergen County Random Household Survey - Obese (%)



- 75.4% of Bergen County Random Household Survey respondents reported that, on average, they had less than three servings of fruit per day in the past month. Daily fruit consumption was lowest among Asian (86.6%) and Hispanic/Latino (85.9%) respondents.
- 78.8% of survey respondents reported that, on average, they had less than three servings of vegetables per day in the past month. Percentages were highest among Hispanic/Latino (83.1%) and Asian (83.1%) respondents.

Figure 10: Bergen County Random Household Survey — Less Than 3 Servings of Fruit a Day (%)






Figure 11: Bergen County Random Household Survey — Less Than 3 Servings of Vegetables a Day (%)



- 19.1% of survey respondents reported drinking sugar sweetened drinks (e.g., Kool-Aid, lemonade, sweet tea, sports drinks, energy drinks) on more than 5 days in the past week.
 - Percentages were nearly double among Hispanic/Latino (37.4%) and Black/African American (37.3%) survey respondents.

Figure 12: Bergen County Random Household Survey — Has Sugar Sweetened Drinks 5+ Days a Week (%)




PHYSICAL ACTIVITY

- The Bergen County Random Household Survey revealed disparities in regular physical activity. 32.9% of all respondents reported that they did not participate in any physical activity or exercise, outside of their normal job, in the past 30 days; only 18.6% reported moderate exercise in the past 30 days.
 - Low-income respondents (47.9%),
 Hispanic/Latino respondents (43.2%),
 Black/African American respondents (41.6%), and Asian (41.2%) respondents reported less exercise than other cohorts.

The Bergen County Community Health
Perceptions Survey asked people to
name the issues they thought
prevented people from living a healthy
life. "Physical inactivity or sedentary
lifestyle" was the second most common
response (44.5%).

Figure 13: Bergen County Random Household Survey — No Physical Activity in Past 30 Days (%)



ROUTINE HEALTH VISITS

- **Primary care providers.** Among all respondents to the Bergen County Random Household Survey, 83.9% reported that they had one person they considered their personal care doctor or primary care provider. Percentages were lowest among Hispanic/Latino respondents (77.2%).
- Primary care visits. Among all respondents to the Bergen County Random Household Survey, 70.3% reported that they had a primary care visit within the last year. Percentages were similar across racial/ethnic cohorts. Percentages were highest among respondents over 65 years old (87.4%).
- **Disparities in dental visits.** Approximately 70% of respondents reported having been to the dentist within the past year. Percentages were lowest among low-income respondents (54.1%) and Black/African American respondents (55.9%).

Figure 14: Bergen County Random Household Survey — Has Primary Doctor/Primary Care Provider (%)




Figure 15: Bergen County Random Household Survey — Had Primary Care Visit within Past Year (%)





Figure 16: Bergen County Random Household Survey — Had Dental Visit within Past Year (%)



KEY FINDINGS: CHRONIC AND COMPLEX CONDITIONS

Chronic and complex conditions such as heart disease, cancer, stroke, Alzheimer's disease, and diabetes are the leading causes of death and disability in the United States, and are the leading drivers of the nation's \$3.3 trillion annual healthcare costs. ¹⁹ Over half of American adults have at least one chronic condition, while 40% have two or more. ²⁰ Perhaps most significantly, chronic diseases are largely preventable despite their high prevalence and dramatic impact on individuals and society.

This section discusses specific conditions in rough order of how they were prioritized in the assessment process. Age-specific findings (older adult health/healthy aging and children/families) follow the discussion of specific conditions.

CARDIOVASCULAR & CEREBROVASCULAR DISEASES

- Heart disease was the leading cause of death in Bergen County in 2017, representing 25.7% of all deaths.²¹
- Cardiovascular and cerebrovascular disease mortality, inpatient hospitalization, and emergency discharge rates were significantly low in Bergen County compared to the state overall. Despite this, key informants, focus group/listening session participants, and community residents identified these issues as priorities.

The Bergen County Community Health Perceptions Survey asked respondents what health issues they think people in their community struggle with the most. "Cardiovascular conditions (e.g., high blood pressure/hypertension, heart disease)" was the most common response (49.2%).

¹⁹ "Chronic Diseases in America," *Centers for Disease Control and Prevention,* 15 April 2019, https://www.cdc.gov/chronicdisease/resources/infographic/chronic-diseases.htm ²⁰ CDC, *Chronic Diseases in America*

²¹ New Jersey Department of Health, Death Certificate Database, Office of Vital Statistics and Registry (2017)

Table 7: Cardiovascular and cerebrovascular disease mortality, inpatient hospitalizations, and emergency room discharges (crude rates per 100,000)

	New Jersey	Bergen County
Cardiovascular disease		
Mortality	207.3	199.3
Inpatient hospitalizations*	1082.6	871.1
Emergency department discharges*	303.6	252.5
Cerebrovascular disease		
Mortality	38.3	36.7
Inpatient hospitalizations*	243.0	206.3
Emergency department discharges*	38.0	19.2

Source: New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

Shading represents statistical significance compared to the state data point. Figures highlighted in orange were significantly higher compared to the state overall, while figures highlighted in blue were significantly lower.

- Racial/ethnic, age, and income disparities. The Bergen County Random Household Survey revealed disparities in the percentage of residents who had been told by a doctor that they had high blood pressure, had a heart attack, or had a stroke.
 - Approximately 1 in 4 Bergen County Random Household Survey respondents had been diagnosed with high blood pressure by a physician (26.5%).
 - Percentages were highest among respondents over 65 (57.8%) and Black/African American respondents (37.5%).
 - 2.7% of Bergen County Random Household Survey respondents had experienced a physician-diagnosed myocardial infarction (heart attack).
 - Percentages were highest among respondents over 65 (8.1%) and male respondents (4.0%).
 - 1.8% of Bergen County Random Household Survey respondents had experienced a stroke.
 - Percentages were highest among respondents over 65 (6.1%), Black/African
 American respondents (4.0%), and low-income respondents (3.8%).

^{*}Source: New Jersey Discharge Data Collection System, Office of Health Care Quality Assessment, New Jersey Department of Health, 2016

Figure 17: Bergen County Random Household Survey — Has Physician-Diagnosed High Blood Pressure (%)




Figure 18: Bergen County Random Household Survey — Has Had a Physician-Diagnosed Heart Attack (%)





Figure 19: Bergen County Random Household Survey — Has Had a Physician-Diagnosed Stroke (%)



CANCER

SCREENINGS

- Low-income respondents reported less frequent mammograms. Among respondents to the Bergen County Random Household Survey, a smaller percentage of low-income women over 40 reported having had a recent mammogram (57.3%) compared to all female respondents over 40 (68.1%).
- Disparities for recent PSA tests among men over 40. Among men over 40 who responded to the Bergen County Random Household Survey, 44.9% reported a recent prostate antigen test (PSA).
 Percentages were lowest among low-income respondents (31.7%) and Hispanic/Latino respondents (33.5%).
- **Disparities in sigmoidoscopies/colonoscopies.** Among individuals over 50 who responded to the Bergen County Random Household Survey, 70.4% reported having ever had a sigmoidoscopy/colonoscopy. Percentages were lowest among Hispanic/Latino respondents (55.0%) and low-income respondents (56.7%).

• **Disparities in recent Pap tests.** Among women over 18 who responded to the Bergen County Random Household Survey, 58.9% reported having had a recent Pap test. Percentages were lowest among Asian respondents (39.2%) and low-income respondents (40.0%).

Figure 20: Bergen County Random Household Survey — Recent Mammogram among Women Over 40 (%)






Figure 21: Bergen County Random Household Survey — Recent PSA among Men Over 40 $(\%)^*$




²The Prostate-Specific Antigen (PSA) test is primarily used to screen for prostate cancer.

Figure 22: Bergen County Random Household Survey — Ever Had Sigmoidoscopy/Colonoscopy among Men and Women Over 50(%)*



^{*}Sigmoidoscopies and colonoscopies are the two main procedures to screen for colorectal cancer

Figure 23: Bergen County Random Household Survey — Recent Pap among Women Over 18 (%)**




^{**}The Papanicolaou (Pap) test is a method of cervical screening used to detect potentially precancerous and cancerous processes in the cervix.

DIAGNOSES

• Approximately 1 in 10 Bergen County Random Household Survey respondents had ever been diagnosed with cancer (9.7%). The percentage was higher among respondents over 65 (26.5%) and White respondents (12.0%).

Figure 24: Bergen County Random Household Survey — Ever Been Diagnosed With Cancer (Any Type) (%)



MORTALITY

• Cancer was the second leading cause of death in Bergen County in 2017, representing 22.6% of all deaths. ²²

Key informants and focus group/listening session participants identified several needs for individuals with cancer and their caregivers, including more support groups, alternative/integrative therapies, assistance with care navigation and management, and respite services.

²² New Jersey Department of Health, Death Certificate Database, Office of Vital Statistics and Registry (2017)

 Cancer mortality rates similar to New Jersey. Across all-types of cancer, breast cancer, colorectal cancer, lung cancer, and prostate cancer, mortality rates were similar to New Jersey overall (Figure 25).

200 182.6 180.1 180 160 140 120 100 80 60 42.5 39.3 40 17.3 16.6 14.6 14.8 20 8.6 8.0 0 All-types **Breast** Colorectal Lung Prostate ■ New Jersey ■ Bergen County

Figure 25: Cancer Mortality (crude rates per 100,000), 2013-2017

Source: New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

DIABETES

- Over 10% of survey respondents reported that they had diabetes.
 - Among respondents to the Bergen County Random Household Survey, 11.5% reported that they had been diagnosed with diabetes.
 - o Percentages were highest among respondents over 65 (22.1%), low-income respondents (16.7%), and Black/African American respondents (15.7%).
 - 11.2% Bergen County Random Household Survey respondents reported that a physician had told them that they had borderline or pre-diabetes.
 - Percentages were highest among respondents over 65 (19.8%) and low-income respondents (16.3%).

Key informants and focus
group/listening session
participants prioritized many of
the risk factors for diabetes —
poor nutrition, physical
inactivity, and obesity — and
discussed the need for diabetes
management and support
services for those affected.

Figure 26: Bergen County Random Household Survey — Ever Been Diagnosed With Diabetes (%)





Figure 27: Bergen County Random Household Survey — Ever Been Told They Had Borderline/Pre-Diabetes (%)




- Diabetes mortality, inpatient hospitalizations, and emergency discharges significantly low.
 - o In Bergen County, the diabetes mortality rate (17.9) was significantly low compared to New Jersey overall (22.1).²³
 - o In Bergen County, the rates of inpatient hospitalizations (105.6) and emergency department discharges (100.4) due to diabetes were significantly low compared to New Jersey overall (177.1 and 189.9, respectively).

ASTHMA

- 14.1% of respondents to the Bergen County Random Household Survey reported that a doctor had told them that they had asthma.
 - o Percentages were highest among Black/African American (19.2%) respondents.

²³ New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

Figure 28: Bergen County Random Household Survey — Ever Been Told They Had Asthma (%)



INFECTIOUS DISEASE

- **Pneumonia/Influenza** The Influenza/pneumonia mortality rate was significantly high in Bergen County (16.5) compared to New Jersey overall (14.6).²⁴
 - Over half of Bergen County residents had not received a flu vaccination within the past 12 months.²⁵
- Hospitalizations The rate of inpatient hospitalizations due to pneumoconiosis and other lung diseases due to external agents was similar in Bergen County (55.8) and New Jersey overall (58.3).
- **Sexually transmitted diseases** Chlamydia, gonorrhea, and syphilis case counts were significantly low in Bergen County compared to New Jersey overall (Table 8).

Table 8: Sexually transmitted diseases

	New Jersey	Bergen County
Chlamydia cases (counts per 100,000), 2013-2017	1772.8	947.8
Gonorrhea cases (counts per 100,000), 2013-2017	427.7	147.2
Syphilis cases - primary, secondary, latent (counts per	77.4	47.4
100,000), 2013-2017		

Source: Communicable Disease Reporting and Surveillance System, New Jersey Department of Health, 2013-2017

²⁴ New Jersey Death Certificate Database, Office of Vital Statistics and Registry, crude death rate per 100,000 2013-2017

²⁵ New Jersey Behavioral Risk Factor Survey, Center for Health Statistics, New Jersey Department of Health, age-adjusted rates per 100,000 (2012-2016)

• Other communicable diseases - Hepatitis B and Tuberculosis incidence in Bergen County was similar to New Jersey overall. Incidence of Hepatitis C, in all forms, was significantly lower than the state. HIV prevalence was lower than the state (Table 9).

Table 9: Communicable diseases

	New Jersey	Bergen County
Hepatitis B – acute, chronic, and perinatal (counts per	4.2	4.3
100,000), 2013-2017		
Hepatitis C – acute, chronic, and perinatal (counts per	85.5	40.9
100,000), 2013-2017		
HIV prevalence among those 13 years or older (cases per	474	222
100,000) 2015*		
Tuberculosis (cases per 100,000), 2018**	3.3	3.7

Source: Communicable Disease Reporting and Surveillance System, New Jersey Department of Health, 2013-2017

OLDER ADULT HEALTH/HEALTHY AGING

Additional information on the health of older adults is included throughout this report, where data is stratified by age.

- Falls 14.9% of Bergen County Random
 Household Survey respondents 65 or older
 reported that they had fallen at least once in
 the past 3 months.
- Advanced Directives/End of Life Care 58.7%
 of Bergen County Random Household Survey
 respondents 65 or older reported that they
 had no legal documents that provide end of
 life instructions (e.g., medical power of
 attorney, health care proxies, and advanced
 directives).

The Bergen County Community Health
Perceptions Survey asked people to
name the populations with the greatest
health needs. "Older adults (65+)" was
the most common response (66.2%).

Many key informants and focus group/listening session participants were concerned about social isolation and depression for older adults, especially those that are frail, live alone, and lack a regular caregiver.

- Social and emotional support 12.7% of Bergen County Random Household Survey respondents 65 or older reported that they rarely or never get the social and emotional support they need.
 - Within this same age cohort, 32% reported that they do not regularly participate in activities that allow them to socialize.

^{*}Source: National Center for HIV/AIDS, Viral Hepatitis, STD, and TB prevention, 2015

^{**}Source: New Jersey Department of Health Tuberculosis Control Program

- Neurological and memory disorders.
 - The Alzheimer's disease mortality rate was significantly high in Bergen County (30.6) compared to New Jersey overall (25.2).
 - The Parkinson's disease mortality rate in Bergen County (8.3) was similar to the state overall (9.5)

Table 10: Alzheimer's and Parkinson's disease mortality

	New Jersey	Bergen County
Alzheimer's Disease mortality (crude rate per 100,000)	25.2	30.6
Parkinson's disease mortality (crude rate per 100,000)	8.3	9.5

Source: Crude rates per 100,000; New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017 Shading represents statistical significance compared to the state data point. Figures highlighted in orange were significantly higher compared to the state overall, while figures highlighted in blue were significantly lower.

MATERNAL & INFANT HEALTH

- **Teen births** The adolescent birth rate was significantly low in Bergen County (20.1) compared to the state overall (61.0).
- Adequate prenatal care Approximately 66% of individuals in Bergen County received adequate prenatal care. ²⁶
- Low birthweight and preterm births The percentage of low birthweight (<2500 g) infants and preterm births (<37 weeks) in Bergen County were lower than New Jersey overall.

Table 11: Maternal and infant health

	New Jersey	Bergen County
Adolescent (15-19) birth rate	61.0	20.1
Adequate prenatal care (%)	67.1	66.4
Low birthweight (%)	8.1	7.9
Preterm births <37 weeks (%)	9.6	9.7

Source: New Jersey Birth Certificate Database, Office of Vital Statistics and Registry, 2013-2017

Shading represents statistical significance compared to the state data point. Figures highlighted in orange were significantly higher compared to the state overall, while figures highlighted in blue were significantly lower

²⁶ The Kotelchuck Index, also called the Adequacy of Prenatal Care Utilization (APNCU) Index, uses two crucial elements obtained from birth certificate data-when prenatal care began (initiation) and the number of prenatal visits from when prenatal care began until delivery (received services). The Kotelchuck Index classifies the adequacy of initiation as follows: pregnancy months 1 and 2, months 3 and 4, months 5 and 6, and months 7 to 9, with the underlying assumption that the earlier prenatal care begins the better. To classify the adequacy of received services, the number of prenatal visits is compared to the expected number of visits for the period between when care began and the delivery date. A ratio of observed to expected visits is calculated and grouped into four categories-Inadequate (received less than 50% of expected visits), Intermediate (50%-79%), Adequate (80%-109%), and Adequate Plus (110% or more). The final Kotelchuck index measure combines these two dimensions into a single summary score. The profiles define adequate prenatal care as a score of 80% or greater on the Kotelchuck Index.

KEY FINDINGS: MENTAL HEALTH AND SUBSTANCE USE

Information on access to mental health and substance use treatment and support services is included in the "Social Determinants of Health and Access to Care" section of this report.

MENTAL HEALTH

- Mental health impacts on all population segments, though there was emphasis on youth/adolescents, isolated older adults, and immigrants/refugees/non-English speakers.
 - Youth/Adolescents Depression, stress, and anxiety are mental health issues affecting youth and adolescents.
 Several individuals cited increased pressure to succeed in school and extracurricular activities, the impacts

Mental health, including depression, anxiety, stress, and other conditions — was overwhelmingly identified by key informants, focus group/listening session participants, and stakeholders as one of the leading health issue for residents of Bergen County.

- of social media, and increased social isolation due to use of technology as contributing factors.
- Older adults Many key informants and focus group/listening session participants identified social isolation as an issue for older adults. Participants suggested several reasons for this isolation a lack of friends or family, inability to leave the home due to frailty or limited access to transportation, or unwillingness to leave the home for unknown reasons. While there are many active senior centers and Councils on Aging in Bergen County, participants reported that it was difficult for some older adults to attend activities or utilize services because of transportation or mobility issues.
- Immigrants, Refugees, and non-English speakers In a focus group with Koreans in Bergen County – many of whom were older adults – social isolation was identified as a significant issue. Participants spoke about the loneliness that comes along with being a new immigrant, a non-English speaker, or someone who doesn't identify with a particular culture. Participants also noted that mental health issues have historically been considered taboo in Korean culture – many individuals do not feel comfortable speaking about these issues with family, friends, or health care providers.

- 6.8% of respondents to the Bergen County Random Household Survey reported that their mental health was poor for 15 or more days in the past month.
 - Percentages were highest among low-income (13.3%), Black/African American (10.9%), and Hispanic/Latino (9.5%) respondents.
- 7.5% of Bergen County Random Household Survey respondents reported that they had felt sad, blue, or depressed for more than 15 days within the past month. Percentages were highest among low-income (13.2%) and Hispanic/Latino (10.3%) respondents.
 - Nearly 1 in 10 with diagnosed depression. 9.7% of respondents had been diagnosed with a depressive disorder. Percentages were higher among female (11.9%) and low-income respondents (11.6%).

Figure 29: Bergen County Random Household Survey — Sad, Blue, Depressed More Than 15 Days in Last Month (%)

20




Figure 30: Bergen County Random Household Survey — Ever Been Diagnosed With Depressive Disorder (%)

20

15 11.1 11 10.1 9.7 9.4 10 7.2 5 3.0 0 ΑII Male Female White Black/Af. Hisp./Lat. Asian Income Over 65 (N=518) (N=1372) (N=832)(N=959)Amer (N=188)(N=151)<\$50K years old (N=126)(N=331)(N=475)

- 13.9% of respondents reported that they had felt worried, tense, or anxious for more than 15 days within the past month. Percentages were highest among low-income (22.4%), female (16.1%), and Hispanic/Latino (15.8%) respondents.
 - Over 1 in 10 with anxiety. 12.7% of respondents to the Bergen County Random
 Household Survey reported that they had been diagnossed with an anxiety disorder.
 Percentages were highest among white (15.6%) and female (15.2%) respondents.

Figure 31: Bergen County Random Household Survey — Worried, Anxious, Tense More Than 15 Days in Last Month (%)





Figure 32: Bergen County Random Household Survey — Ever Been Diagnosed With Anxiety Disorder (%)

25



 Mental and behavioral disorder inpatient hospitalization rate significantly high. The rate of mental and behavioral disorder inpatient hospitalizations was significantly high in Bergen County (557.3) compared to New Jersey overall (525.1).

Table 12: Mental and behavioral disorder hospitalizations and emergency department discharges

	New Jersey	Bergen County
Mental and behavioral disorder inpatient hospitalizations	525.1	557.3
Mental and behavioral disorder emergency department	1122.9	651.4
discharges		

Source: Crude rates per 100,000; New Jersey Discharge Data Collection System, Office of Health Care Quality Assessment, New Jersey Department of Health, 2016

Shading represents statistical significance compared to the state data point. Figures highlighted in orange were significantly higher compared to the state overall, while figures highlighted in blue were significantly lower

SUBSTANCE USE

TOBACCO USE AND E-CIGARETTE/VAPING

- 18.9% of Bergen County Random Household Survey respondents were smokers.
 - Nearly half of all Asian respondents (49%) smoked. The percentage was also high among low-income respondents (28.8%).
- 6.0% of Bergen County Random Household Survey respondents reported having used an ecigarette or vapor product within the past 12 months. It should be noted that the Bergen County Random Household Survey was aimed at reaching individuals over 18, thus the small percentage represents use among adult respondents only. According to the 2018 National

Key informants and focus group/listening session participants identified e-cigarette use among youth/adolescents as a critical issue.

Youth Tobacco Survey, e-cigarette use among high school students increased by a staggering 78% from 2017 to 2018.²⁷

 Among the Bergen County Random Household Survey respondents who reported using an e-cigarette/vapor product in the past 12 months, 24.7% reported that they used it to help them quit smoking.

²⁷ "2018 NYTS Data: A Startling Rise in Youth E-Cigarette Use." *U.S. Food and Drug Administration*. Feb 6 2019. https://www.fda.gov/tobacco-products/youth-and-tobacco/2018-nyts-data-startling-rise-youth-e-cigarette-use

Figure 33: Bergen County Random Household Survey — Current Cigarette Smokers (%)





Figure 34: Bergen County Random Household Survey — Used E-Cigarettes/Vapor Products in Past Year (%)




ALCOHOL USE

25

- Risky/heavy drinking 5.0% of respondents to the Bergen County Random Household Survey reported heavy/risky drinking in the past 30 days defined as having more than one alcoholic beverage per day on average (7 drinks per week) for women, and more than two alcoholic beverages per day on average (14 drinks per week) for men.
- **Binge drinking** 15.4% of respondents to the Bergen County Random Household Survey reported binge drinking in the past 30 days defined as more than four alcoholic beverages at any one sitting for women, and five alcoholic beverages at any one sitting for men. Percentages were highest among male (19.2%) respondents.

Figure 35: Bergen County Random Household Survey — Binge Drinking (%)




ILLICIT DRUG USE

- 7.8% of Random Household Survey respondents reported having used drugs (e.g., heroin, cocaine, crack, painkillers like Percocet, Dilaudid, Demerol, Vicodin, and OxyContin) within the past 12 months. It should be noted that individuals who responded that they used painkillers did not define whether these substances were used as-prescribed or for recreational purposes.
- Opioid overdose deaths have increased every year since 2013.


- The number of Naloxone (Narcan) administrations to rapidly reverse an opioid overdose have increased every year since 2015.
- Prescriptions dispensed decreased. Since 2015, the number of opioid prescriptions dispensed
 has steadily decreased. Approximately 47,000 fewer opioid prescriptions were dispensed in
 2018 than in 2017.

Figure 36: Suspected Opioid Overdose Deaths in Bergen County




Source: NJCares, Office of the New Jersey Coordinator for Addiction Responses and Enforcement Strategies; State of New Jersey Office of the Attorney General

Figure 37: Naloxone (Narcan) Administrations in Bergen County



Source: NJCares, Office of the New Jersey Coordinator for Addiction Responses and Enforcement Strategies; State of New Jersey Office of the Attorney General

Figure 38: Opioid Prescriptions Dispensed in Bergen County



Source: NJCares, Office of the New Jersey Coordinator for Addiction Responses and Enforcement Strategies; State of New Jersey Office of the Attorney General

MARIJUANA USE

(N=1372)

(N=518)

- 11% of Random Household Survey respondents reported that they currently use marijuana.
 - Percentages were highest among male (14.6%) and white (13.1%) respondents.

18 16 13.1 14 12.5 12.4 11 12 10.7 10 8.1 8 6 4 2.6 2.4 2 0 ΑII Male Female White Black/Af. Hisp./Lat. Asian Income Over 65

Figure 39: Bergen County Random Household Survey — Currently Uses Marijuana (%)

SUBSTANCE USE INPATIENT HOSPITALIZATIONS AND EMERGENCY DISCHARGES

(N=959)

(N=832)

• Inpatient hospitalizations and emergency department discharges due to injuries, poisonings, and toxic effects of drugs were significantly low in Bergen County compared to the state overall.

Amer

(N=126)

(N=188)

(N=151)

<\$50K

(N=331)

years old

(N=475)

Table 13: Substance use hospitalizations and emergency department discharges

	New Jersey	Bergen County
Injuries, poisonings, and toxic effect of drugs inpatient	145.9	103.2
hospitalizations		
Injuries, poisonings, and toxic effect of drugs emergency	1478.9	1120.4
department discharges		

Source: Crude rates per 100,000; New Jersey Discharge Data Collection System, Office of Health Care Quality Assessment, New Jersey Department of Health, 2016

Shading represents statistical significance compared to the state data point. Figures highlighted in orange were significantly higher compared to the state overall, while figures highlighted in blue were significantly lower


KEY FINDINGS: SOCIAL DETERMINANTS AND ACCESS TO CARE

PERCEIVED BARRIERS TO CARE

Just as it is important to understand and characterize disease burden, it is important to understand whether individuals are able to access health care services when they want them, where they want them, and how they want them. Throughout the assessment, key informants, focus/group listening session participants, and key stakeholders described the common barriers to care people when face when trying to access care in Bergen County. Many of these barriers are associated with the social determinants of the health – inability to pay for needed services or health insurance, lack of transportation, and linguistic/cultural barriers. Other barriers were related to issues within the health service system – lack of providers, inability to find appointments, and fragmented service systems.

- Receiving all needed medical services 10.1% of Bergen County Random Household Survey respondents reported that they did not receive all of the medical services they needed in the past 12 months. Percentages were highest among low-income (14.4%) respondents.
 - Among those who did not receive needed care (of any kind) within the past 12 months,
 4.1% of respondents reported that it was because of the high cost of care;
 2.2% reported that it was because they had no health insurance.
- Factors that limit access to care and impact health Bergen County Random Household Survey
 respondents were asked to identify the leading social factors or barriers that limit access to care
 or impact the health of those living in the community.
 - Lack of health insurance, poverty/low wages/limited job opportunities, lack of social support and social isolation, limited transportation, limited education/health literacy, and lack of affordable and/or safe housing were the top six responses.

Figure 40: Bergen County Random Household Survey - Leading factors that limit access to care/impact health (%)



HEALTH INSURANCE

Whether an individual has health insurance—and the extent to which it helps to pay for needed acute services and access to a full continuum of high-quality, timely and accessible preventive and disease management or follow-up services—has been shown to be critical to overall health and well-being. ²⁸

- Percent uninsured significantly low In Bergen County, the percentage of the population that was uninsured (9.2) was significantly low compared to New Jersey overall (9.7).²⁹
 - The percentage with public insurance (e.g., Medicaid, Medicare) in Bergen County (24.3%) was also significantly low compared to New Jersey overall (29.7%).
 - The percentage of the population with private insurance (76.4%) was significantly high compared to New Jersey overall (71.6%).

The Bergen County
Community Health
Perceptions Survey asked
people to name the issues
they thought prevented
people from living a healthy
life. "No or limited health
insurance" was the second
most common response

 ²⁸ "Health Insurance and Access to Care," National Center for Health Statistics, Feb. 2017, https://www.cdc.gov/nchs/data/factsheets/factsheet_hiac.pdf
 ²⁹ US Census Bureau, American Community Survey, 2013-2017

Table 14: Health Insurance (2013-2017)


	New Jersey	Bergen County
Uninsured (%)	9.7	9.2
Public health insurance (e.g., Medicaid,	29.7	24.3
Medicare) (%)		
Private health insurance (%)	71.6	76.4

Source: US Census Bureau, American Community Survey, 2013-2017

Shading represents statistical significance compared to the state. Figures highlighted in orange were significantly high compared to the state overall, while figures highlighted in blue were significantly low.

- Among respondents to the Bergen County Random Household Survey, 10.9% reported that they had been uninsured sometime within the past year.
 - Percentages were highest among low-income (26.4%), Hispanic/Latino (20.2%), and Black/African American (19.3%) respondents.

Figure 41: Bergen County Random Household Survey — Uninsured Sometime Within Past Year (%)



SERVICE UTILIZATION

- 20.2% of Bergen County Random Household Survey respondents reported that they had visited the emergency room one or more times in the past year.
 - Percentages were highest among Black/African American respondents (28.8%) and those over 65 (24.9%).
- 9.3% of Bergen County Random Household Survey respondents reported that they had stayed in a hospital overnight for care of observation one or more times in the past year.

 Percentages were highest among respondents over 65 (18.0%) and low-income respondents (14.8%).



Figure 42: Bergen County Random Household Survey — Visited Emergency Room At Least Once in Past Year (%)

One of the major themes of this assessment was that individuals struggle to access behavioral healthcare services, including psychiatry, inpatient/outpatient mental health treatment, substance use detoxification and rehabilitation, outpatient substance use treatment, and medication-assisted treatment. Many of the individuals engaged during this assessment reported that hospitals and community partners were working to fill service gaps and address the needs of individuals and the community at-large, yet people continue to face delays or barriers to care due to limited providers and specialists, limited treatment beds, and social determinants that impede access to care (e.g., insurance coverage, transportation, employment, health literacy). Many participants also discussed the comorbidity that often occurs between mental health and substance use issues, which complicates treatment options.

- 9.3% of Random Household Survey respondents that they received counseling, treatment, or medicine for mental health or substance use issues within the last 12 months. Percentages were highest among low-income (11.2%) respondents.
 - Percentages were highest among Asian (34.3%), low-income (25.6%), and male (23.5%) respondents.
 - 17.8% of Bergen County Random Household Survey respondents reported that they never or rarely get the social/emotional help they need. Percentages were highest among Asian (34.3%), low-income (25.6%), and male (23.5%) respondents.

- 16.5% of respondents reported that they did not receive needed mental health care in the
 past year. Percentages were highest among Black/African American (20.2%) and white (17.7%)
 respondents.
- 7.0% of respondents reported that they did not receive needed substance use treatment in the past year. Percentages were highest among low-income (10.8%) and Asian (9.0%) respondents.

Figure 43: Bergen County Random Household Survey — Received Counseling, Treatment, or Medicine for Mental Health/Substance Use Issue in Past Year (%)




Figure 44: Bergen County Random Household Survey - Did Not Receive Needed Mental Health Treatment (%)




Figure 45: Bergen County Random Household Survey — Did Not Receive Needed Substance Use Treatment (%)





Figure 46: Bergen County Random Household Survey — Never or Rarely Get Social/Emotional Help They Need (%)



SUMMARY IMPLEMENTATION STRATEGY

Below is a summary of the planning principles applied to the development of RRPH's Implementation Strategy. This section also includes a discussion of the priority populations that the Implementation Strategy aims to reach, and goals, objectives, and strategies within each identified priority area. A full Implementation Strategy, with goals, objectives, strategies, sample measures, and potential community partners may be found in Appendix D.

IMPLEMENTATION STRATEGY PLANNING PRINCIPLES

The following defines the types of programmatic strategies and interventions that were applied in the development of the Implementation Strategy.

- Identification of those At-risk (Outreach, Screening, Assessment and Referral): Screening and
 assessment programs reduce the risk of death or ill health from a specific condition by offering tests
 to help identify those who could benefit from treatment. A critical component of screening and
 referral efforts is to provide linkages to providers, treatment, and supportive services should an
 issue be detected.
- Health Education and Prevention: Initiatives that aim to prevent disease or injury before it ever
 occurs by reducing risks, preventing exposures to hazards, or altering unhealthy behaviors.
 Programs might include targeted efforts to raise awareness about a particular condition or provide
 information on risk and protective factors.
- Behavior Modification and Chronic Disease Management: Evidence-based behavioral modification and/or chronic disease management programs that encourage individuals to manage their health conditions, change unhealthy behaviors, and make informed decisions about their health and care.
- Care Coordination and Service Integration: Initiatives that integrate existing services and expand access to care by coordinating health services, patient needs, and information.
- Patient Navigation and Access to Care: Efforts which aim to help individuals navigate the health care system and improve access to services when and where they need them.
- Cross-Sector Collaboration and Partnership: Includes collaborations, partnerships, and support of
 providers and community organizations across multiple sectors (e.g., health, public health,
 education, public safety, and community health).

PRIORITY POPULATIONS

Ramapo Ridge Psychiatric Hospital is committed to improving the health status and well-being of all residents living in Bergen County - certainly all geographic, demographic, and socioeconomic segments of the population face challenges that may impede their ability to access care or maintain good health. Regardless of age, gender, race/ethnicity, income, family history, or other characteristics, everyone is impacted in some way by health-related disparities. With this in mind, RRPH's Implementation Strategy includes activities that will support all residents, across all segments of the population. However, based on the assessment's quantitative and qualitative findings, there was agreement that RRPH should prioritize certain demographic and socio-economic segments of the population that have complex needs or face especially significant barriers to care, service gaps, or adverse social determinants of health, which put them at greater risk.

Figure 47: RRPH Priority Populations 2020-2022

Older Adults

Youth and Adolescents

Low Resource Individuals and Families

Individuals with Chronic/Complex Conditions

Developmentally Disabled

OLDER ADULTS

The challenges faced by older adults came up in nearly every interview and focus group. Chronic disease, social isolation/lack of family support, living on fixed incomes, affordable housing, and transportation were identified as significant issues. In the U.S. and New Jersey, older adults are among the fastest growing age groups.

Older adults experience a higher risk of chronic and complex conditions such as heart disease, cancer, stroke, diabetes, and neurological disorders (e.g., dementia, Alzheimer's, Parkinson's disease). These conditions contribute to the leading causes of death for older adults and may affect an individual's quality of life, especially for those who manage two or more chronic conditions.³⁰

³⁰ "Older Adults." *HealthyPeople.gov, Office of Disease Prevention and Health Promotion,* https://www.healthypeople.gov/2020/topics-objectives/topic/older-adults

Significant proportions of this group experience hospitalizations, are admitted to nursing homes, and receive home health services and other social supports in home and community settings. Addressing these concerns demands a service system that is robust, diverse, and responsive.

YOUTH AND ADOLESCENTS

Individuals that were engaged during this assessment identified youth as one of the most vulnerable and at-risk populations in the region. Participants' reasons for believing this group should be prioritized varied, but centered on the prevalence and impact of mental health and substance use. Children and adolescents are both in critical formative and transitional period that include biological and developmental milestones that are important to establishing long-term identity and independence. Although adolescents are generally healthy, they do struggle with health and social issues, such as obesity (e.g., poor nutrition and lack of physical activity), mental health (e.g., depression, anxiety, stress), substance use (e.g., cigarettes/vaping, marijuana, alcohol, opiates), sexually transmitted infectious, and injuries due to accidents. In order to thrive children and adolescents need strong, supportive families and/or other support networks to guide them through the early stages of life.

LOW RESOURCE INDIVIDUALS AND FAMILIES

Key informants, focus group participants, and hospital leadership discussed the challenges that individuals and families face when they are forced to decide between housing, food, heat, health care services, childcare, transportation, and other essentials. These choices often lead to missed care or delays in care, due to either the direct costs of care (co-pays and deductibles) or the indirect costs of transportation, childcare, or missed wages. There was near consensus that lack of affordable housing was a leading issue in the region. Participants also spoke of the intense challenges that many moderate income individuals and families face due to the high cost of living in Bergen County, combined with the fact that most of those in middle-income cohorts are not eligible for subsidized public programs like Medicaid, food stamps, and Healthy Start.

INDIVIDUALS WITH CHRONIC AND COMPLEX CONDITIONS

Heart disease and cancer were the leading causes of death in New Jersey and in Bergen County. Along with other conditions, including asthma and diabetes, these conditions are considered to be chronic and complex and may strike early in one's life, possibly ending in premature death. It is important to note that the risk and protective factors for many chronic/complex conditions are the same, including lack of physical activity, poor nutrition, obesity, and substance misuse. Individuals with chronic/complex conditions often face significant barriers to care (e.g., transportation, lack of health literacy, fragmented care). These issues are exacerbated for frail elders, individuals without caregivers, those with limited mobility, those who lack financial resources, and individuals with complex behavioral health issues. Many key informants cited a need for care management, navigation, and care coordination for these populations. Several individuals also suggested a need for caregiver support programs and resources.

LOW RESOURCE INDIVIDUALS AND FAMILIES

Key informants, focus group participants, and hospital leadership discussed the challenges that individuals and families face when they are forced to decide between housing, food, heat, health care services, childcare, transportation, and other essentials. These choices often lead to missed care or delays in care, due to either the direct costs of care (co-pays and deductibles) or the indirect costs of transportation, childcare, or missed wages. There was near consensus that lack of affordable housing was a leading issue in the region. Participants also spoke of the intense challenges that many moderate income individuals and families face due to the high cost of living in Bergen County, combined with the fact that most of those in middle-income cohorts are not eligible for subsidized public programs like Medicaid, food stamps, and Healthy Start.

INDIVIDUALS WITH DEVELOPMENTAL DISABILITIES

Individuals with developmental disabilities experience substantial disparities with respect to the social determinants (e.g. housing, income and employment, access to transportation), health care access (e.g. navigation of health system, access to primary care), and health outcomes. Research has estimated that 30-35% of individuals with developmental or intellectual disabilities have a co-occurring psychiatric disorder.³¹

Improving health and well-being for individuals with developmental disabilities requires specialized clinical and community health programs that provide appropriate care and support, both for the individual and their caregivers. RRPH is committed to providing high-quality and compassionate care to this population.

GOALS, OBJECTIVES, AND STRATEGIES BY PRIORITY AREA

RRPH's community health priorities have been framed broadly to ensure that the full breadth of unmet needs and community health issues are recognized. The priorities have been identified to maximize impact, reduce disparities, and promote collaboration and cross-sector partnership.

Based on the findings from CHNA activities, and RRPH's clinical expertise, leadership opted to prioritize the following community health issues: behavioral health (mental health and substance use disorder), chronic/complex conditions and risk factors, social determinants of health and health disparities.

³¹ National Association for the Dually Diagnosed (NADD)

Figure 48: RRPH Community Health Priority Areas 2020-2022

Behavioral Health (Mental Health and Substance Use Disorder) Chronic/Complex Conditions and Risk Factors

Social Determinants of Health and Health Disparities

PRIORITY AREA: BEHAVIORAL HEALTH (MENTAL HEALTH AND SUBSTANCE USE DISORDER)

Goal	Objectives
(1) Support and/or implement strategies that promote mental, emotional, and social well-being	 Support efforts that aim to reduce the stigma associated with mental/behavioral health and substance use disorder Support initiatives that promote healthy mental, emotional, and social behaviors Expand access to behavioral health screening, treatment, and supportive services Collaborate with clinical and community-based partners to address mental/behavioral health and substance use disorder

PRIORITY AREA: CHRONIC/COMPLEX CONDITIONS AND RISK FACTORS

Goals	Objectives
 (1) Enhance access to health education, screening, and referral services (2) Support individuals with chronic/complex conditions and their caregivers 	 Provide education and counseling regarding wellness, health promotion, risk factors, and healthy behaviors Screen individuals for chronic and complex conditions and refer those at-risk to appropriate services Support community education and awareness of chronic and complex conditions Monitor and coordinate care for adults with chronic/complex conditions

PRIORITY AREA: SOCIAL DETERMINANTS OF HEALTH AND HEALTH DISPARITIES

Goals	Objectives
(1) Address the social determinants of health and access to care issues that inhibit the ability of individuals to lead happy, healthy, and productive lives (2) Reduce health disparities	 Support programs and policies that address the social determinants of health Address cultural competency, health literacy, and language issues

COMMUNITY HEALTH NEEDS NOT PRIORITIZED BY RRPH

It is important to note that there are community health needs that were identified through the Community Health Needs Assessment that were not prioritized for inclusion in the Implementation Strategy. Reasons for this include:

- Feasibility of Ramapo Ridge having an impact on this issue in the short or long term
- Clinical expertise of the organization
- The issue is currently addressed by community partners in a way that does not warrant additional support

Poverty/employment, housing stability, and transportation were identified as community needs, but were deemed to be outside of Ramapo Ridge's primary sphere of influence. Ramapo Ridge Psychiatric Hospital remains open and willing to work with hospitals and other public and private partners to address these issues should an opportunity arise.

APPENDIX A: COMMUNITY ENGAGEMENT INDEX

Bergen County Random Household Survey
Key informant interviews
Focus groups
Community listening sessions
Bergen County Community Health Perceptions Survey

RANDOM HOUSEHOLD SURVEY

2019 Bergen County Community Health Needs Assessment





NOTE: It is important that this survey be filled out by the adult (18 years or older) in the household whose birthday is coming up next.

This is important so we can accurately represent all ages of people in your community.

Si le gustaría recibir esta encuesta en español, por favor llame gratis al 1-844-728-6499 JSI y deje su nombre, dirección, ciudad y código postal y se la enviraremos.

If you need additional assistance in completing this survey please call XXXXXX at JSI: 1-844-728-6499.



Bergen County, NJ - Community Health Needs Assessment Survey

INSTRUCTIONS AND INFORMATION FOR COMPLETING THE SURVEY PLEASE READ CAREFULLY

Thank you for your willingness to complete this important survey. This survey is part of the Bergen County Community Health Needs Assessment. Your responses to this survey will help to identify primary health concerns and explore ways that health and social service agencies, and the community at-large can work together to meet the needs of and to improve the health and well-being of residents.

Your responses are completely <u>confidential</u> and your participation is voluntary. Information will never be presented in a way that could identify individual respondents. Questionnaires will be destroyed after the results have been compiled.

- If there is any question that you would prefer not to answer, you can skip over it. However, your response to each question is important to the project.
- The adult (18 years or older) in the household whose birthday is coming up next should complete this survey. This will help us to ensure that we obtain a representative sample of adults living in your area. As the adult whose birthday is coming up next, answer questions with respect to yourself, such as your age and your sex.
- If you need assistance filling out the survey due to poor eye sight or difficulty reading, then please ask another person in your household to help you read the survey and respond to each question. However, make sure that you are still answering questions specific to yourself (the adult in the household with the next upcoming birthday).

incorrect marks

• X X • Fill in circles darkly and completely.

Section A: About You

First we would like to find out some things about your ba yourself to other groups in the community.	ckground so that we can compare needs for people like
11. What is your age? Years	A8. What is the highest grade or year of school that you have completed?
A2. Do you consider yourself to be: O Male O Female O Transgender man/Female-to-male O Transgender woman/Male-to-female O Gender queer O Gender nonconforming O Neither exclusively male nor female O Other O Choose not to answer A3. Do you consider yourself to be: O Straight or heterosexual O Lesbian or gay O Bisexual O Queer/Pansexual/Questioning O Something else O Don't know O Choose not to answer	 Never attended school or only attended kindergarten Grades 1 through 8 (elementary) Grades 9 through 11 (some high school) Grade 12 or GED (high school graduate) College 1 year to 3 years (some college, Associate's degree, or technical) College 4 years (Bachelor's degree) Masters degree or beyond A9. Mark the one answer that best describes your current employment status. Employed for wages - full time Employed for wages - part time Self-employed Out of work for more than 12 months Out of work for less than 12 months A homemaker A student
44. Are you Hispanic or Latino? ○ Yes ○ No	○ Retired ○ Unable to work
A5. Which one or more of the following would you say is your race? Mark all that apply. O White O Black or African American O Asian O Native Hawaiian or Other Pacific Islander O American Indian or Alaska Native O Other:	A10. How many children (younger than 18 years of age) live in your household? Number of children A11. How many members of your household, including yourself, are 18 years or older? Number of adults
Mark all that apply. © English © Vietnamese © Russian © Spanish © Chinese © Other © Portuguese © Korean Please specify other language: Married © Divorced/Separated © Widowed © Never married © A member of an unmarried couple living in the same household	A12. Please estimate your total annual household income (before taxes) including all sources and types of income earned by all individuals in your household. Types of incomes include wages, public assistance, child support, interest income, social security, stocks, rental income, trust funds. ○ \$0 - \$14,999 ○ \$75,000 - \$124,999 ○ \$15,000 - \$24,999 ○ \$125,000 - \$249,999 ○ \$25,000 - \$34,999 ○ \$250,000 - \$349,999 ○ \$35,000 - \$49,999 ○ \$350,000 or more ○ \$50,000 - \$74,999
are same nousellolu	22272



Section B: Access to Services

	I
B1. In the past 12 months, was there any time that you did not have any health insurance/coverage? O Yes O No (If 'No' go to Question B3)	Primary care providers are the health care providers that people usually go to first if they are sick or have health care problems. Primary care providers can be physicians (e.g., family practitioners, internists, obstetricians, or gynecologists), nurse
Cites Ono (if No go to Question bs)	practitioners (NPs), or physician's assistants (PAs). They manage care for their patients, including referrals to specialist physicians
B2. In the past 12 months, why did you not have health insurance/coverage? Mark all that apply.	B6. Do you have at least one person you think of
	as your personal doctor or primary care provider?
O My employer does not offer it	○ Yes ○ No (If 'No' go to Question B8)
O I am self-employed	Tes ONO (1) NO go to Question bo)
O I am currently (or was) unemployed	B7. What type of primary care provider do
O I can't afford insurance	you usually see?
○ I am healthy and don't think I need it○ Other:	Family/General Practice/Internal Medicine Physician
B3. Do you currently have health insurance/coverage?	OB/GYN PhysicianNurse Practitioner/Physician's AssistantOther:
\bigcirc Yes \bigcirc No (If 'No' go to Question B6)	
B4. What kind(s) of health insurance do you currently have? Mark all that apply.	B8. Do you have one place (i.e., clinic, hospital, physician practice) that you usually go to for primary care?
○ Employer Sponsored/Commercial	○ Yes ○ No (If 'No' go to Question B10)
Insurance	B9. Where do you usually go for primary care
○ Medicare	services?
 Medicaid or other public insurance 	O Physician's office
O Veteran's Affairs, Military Health, TRICARE,	O Clinic in the community
or CHAMPUS	○ Hospital Emergency Room
O None of the above	○ Urgent Care/Immediate Care Center
B5. With your current health insurance plan,	Other:
do you have prescription drug coverage, which covers a share of the cost of prescription drugs? ○ Yes ○ No	B10. About how long has it been since you last visited a primary care provider for a routine check-up?
O res O No	○ Less than 12 months ago
	O 1 year but less than 2 years ago
	○ 2 years but less than 5 years ago○ 5 or more years ago
	O Never
	B11. In the past 12 months, how many times did you go to an emergency room to receive
	medical care?
	○ None ○ 1-2
	0 3-4
	○ 5 or more 38273

Section B: Access to Services

Specialty care providers are physicians (MDs), nurse practitioners (NPs), physicians assistants (PAs), or licensed therapists who are trained to identify and treat physical, mental, or oral health issues or substance use related illnesses. For example, a cardiologist treats conditions related to the heart; a dermatologist treats conditions and diseases of the skin; a psychiatrist treats mental health conditions. Most times, you need a referral from your primary care provider if you want to see a specialist for a particular problem.

B12. In the past 12 months, what kind of specia	lty
care did you receive? Mark all that apply.	

- Cardiology (heart)
- O Dermatology (skin)
- O Endocrinology (hormonal system, diabetes, metabolic disorders)
- GI (digestive system, stomach, colon)
- O General Surgery
- Mental Health Specialist (psychiatrist, counselor)
- Neurology (nervous system, brain disorders, stroke)
- OB/GYN (female reproductive system, maternity care)
- Oncology (cancer care)
- Orthopedics (bones, muscles)
- O Pain Management
- O Pulmonology (lungs)
- O Rheumatology (arthritis, joints)
- O Substance Use Specialist
- Urology (urinary system, prostate)
- Other: _____

B13. In the past 12 months, did you stay in a hospital overnight for care or observation?

- Yes No (If 'No' go to Question B17)
- B14. Please tell us how much you agree or disagree with the following statement: When I left the hospital, I had a good understanding of the things I was responsible for in managing my health.
 - O Strongly disagree
 - O Disagree
 - O Agree
 - O Strongly agree

- B15. Please tell us how much you agree or disagree with the following statement: When I left the hospital, I clearly understood the purpose for taking each of my medications.
 - O Strongly disagree
 - O Disagree
 - O Agree
 - O Strongly agree
 - O I was not given any medications
- B16. Please tell us how much you agree or disagree with the following statement: After I left the hospital, I was able to complete all of the activities in my follow-up plan.
 - O Strongly disagree
 - O Disagree
 - O Agree
 - O Strongly agree
 - O I was not given a follow-up plan
- B17. In the past 12 months, did you receive all of the <u>medical</u> services you needed, including primary care, specialty care, x-rays, lab test, etc.?
 - No O Yes O Did not need care/No health issues

 (If 'Yes' or 'Didn't need care' go to Question B19 on pg. 4)
 - B18. In the past 12 months, why did you <u>not</u> get the medical services you needed?

 Mark all that apply.
 - Cost of visits, co-payments, deductibles
 - O Did not have health insurance
 - O Did not have a health care doctor/provider
 - O Could not find a provider willing to serve me
 - O Did not feel comfortable with or trust a provider
 - O Did not have transportation to get to an appointment
 - Appointment times were not convenient
 - O Wait time for an appointment was too long
 - O Afraid of getting bad news

Other:				





Section B: Access to Medical Care

Section Billier	cos to ricultur dure
B19. Currently, how many, if any, different prescription medications are you taking?	B24. In the past 12 months, did you receive all of the mental health or emotional support
Number of prescription medications	services you needed? ○ No ○ Yes ○ Did not need care/No
B20. In the past 12 months, was there a time when you needed to fill a drug prescription	behavioral health issues (If 'Yes' or 'Didn't need care' go to Question B26)
or to buy a doctor-recommended non-prescription drug, but could not becaus of the cost?	B25. In the past 12 months, why did you <u>not</u> get the mental health or emotional support services you needed?
○ Yes ○ No	Mark all that apply.
B21. Do you currently have dental insurance/coverage? ○ Yes ○ No B22. How long has it been since you last visited a dentist or dental clinic for any reason? ○ Less than 12 months ago (go to Question B24) ○ 1 year but less than 2 years ago ○ 2 years but less than 5 years ago	Appointment times were not convenientWait time for an appointment was too long
○ 5 or more years ago ○ Never	○ Afraid of getting bad news ○ Other:
visit the dentist? Mark all that apply. Cost of visits, co-payments, deductibles Did not have dental insurance Did not have a dentist or dental provide Could not find a dentist or dental provide willing to serve me Did not feel comfortable with or trust a dentist or dental provider Did not have transportation to get to an appointment Wait time for an appointment was too long Afraid of getting bad news No reason to go/no oral health problems Other:	the substance use services you needed? No Yes Did not need care/No substance use services needed (If 'Yes' or 'Didn't need care' go to Question C1 on pg. 5) B27. In the past 12 months, why did you not get the substance use services that you needed? Mark all that apply. Cost of visits, co-payments, deductibles Did not have insurance Did not have a provider Could not find a doctor that takes my insurance Did not feel comfortable with or trust a provider Did not have transportation to get to an appointment Appointment times were not convenient Wait time for an appointment was too long Afraid of getting bad news
	Other:



C1. How tall are you? Feet Inches	C7. In the past 30 days, how often did you drink regular soda or pop that contains sugar? Do not include diet soda or diet pop.
C2. How much do you weigh?	Days
Pounds C3. In the past 30 days, other than your regular job, did you participate in any physical activities or exercises such as running, biking, yoga, golf, gardening, or	C8. In the past 30 days, how often did you drink sugar-sweetened fruit drinks (such as Kool-Aid and lemonade), sweet tea, and sports or energy drinks (such as Gatorade or Red Bull)? Do not include 100% fruit juice, diet drinks, or artificially sweetened drinks.
walking for exercise? ○ Yes ○ No (If 'No' go to Question C5)	Days
C4. In the past 30 days, on average, how many minutes did you exercise per week? Minutes per week For the following questions, think about all the foods you consumed during the past 30 days, including meals and snacks.	C9. Are you a vegetarian, semi-vegetarian, or vegan? O Yes, vegetarian O Yes, semi-vegetarian O Yes, vegan O No C10. How difficult is it for you to buy fresh
C5. In the past 30 days, on average, how many servings of fruit did you consume per day, including 100% fruit juice? A serving of fruit is defined as one piece of fruit or 6 ounces of 100% fruit juice. O servings per day O 1 servings per day O 2 servings per day O 3 servings per day O 4 servings per day O 5 or more servings per day	produce like fruit and vegetables at a price you can afford? O Very difficult O Somewhat difficult O Not too difficult O Not at all difficult C11. In the past 12 months, how worried were you that your food would run out before you had money to buy more? O Very worried
C6. In the past 30 days, on average, how many servings of vegetables did you eat per day? A serving of vegetables is a half cup of any vegetable (not including potatoes) or 1 cup of salad greens. O serving per day O 1 serving per day O 2 servings per day O 3 servings per day O 4 servings per day O 5 or more servings per day	○ Somewhat worried ○ Not at all worried



The next questions are about lifestyle behaviors, such as smoking, drinking alcoholic beverages, and use of illegal substances/drugs. We want to again reassure you that your answers to these questions will be kept completely confidential.

C12. Have you smoked at least 100 cigarettes or 5 packs, in your entire life?

○ Yes ○ No (If 'No' go to Question C16)

C13. Do you currently smoke cigarettes every day, some days or not at all?

- Every day
- O Some days
- O Not at all (go to Question C16)

C14. In the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

○ Yes ○ No

C15. Are you seriously planning to quit smoking within the next 30 days?

○ Yes ○ No

C16. In the past 12 months, have you used any of the following? Mark all that apply.

- Chewing tobacco, snuff, or Snus (go to Question C20)
- E-cigarettes or vapor cigarettes (go to Question C17)
- Cigars or pipes (go to Question C20)
- O I have not used any of these products (go to Question C20)

C17. Was your aim of using an e-cigarette/vapor cigarette to help you quit smoking?

○ Yes ○ No (If 'No' go to Question C20)

C18. Have you been successful in quitting smoking through the use of an e-cigarette/vapor cigarette?

○ Yes ○ No (If 'No' go to Question C20)

C19. Are you still using e-cigarettes/vapor cigarettes after having successfully quit smoking?

○ Yes ○ No

C20. In the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor? One drink is equivalent to a 12 ounce beer, a 5 ounce glass of wine, or a drink with one shot of liquor.

○ Yes ○ No (If 'No' go to Question C25 on pg. 7)

C21. In the past 30 days, how many days did you have at least one drink of any alcoholic beverage?

Days

C22. In the past 30 days, on the days you drank alcohol, how many drinks did you drink on average?

Drinks

C23. In the past 30 days, did you have 5 or more drinks (if you are a man) or 4 or more drinks (if you are a woman) on any one occasion? Consider all types of alcoholic beverages.

○ Yes ○ No (If 'No' go to Question C25 on pg. 7)

C24. In the past 30 days, how many times did you have 5 or more drinks (if you are a man) or 4 or more drinks (if you are a woman) on any one occasion? Consider all types of alcoholic beverages.

Times



C29. In the past 12 months, have you used opioids such as painkillers, heroin, cocaine, or crack? Painkillers include Codeine Darvon, Percocet, Dilaudid, Demerol, Morphine, Vicodin, Oxycontin, etc. Yes No (If 'No' go to Question C32) C30. Which have you used? Mark all that apply. Painkillers Heroin Cocaine Crack C31. If you have used opioids, where did you get them from? Mark all that apply. Doctor's prescription Other family member's prescription Friends Street dealer Other: C32. In the past 12 months, have you used any other drugs or substances recreationally? Yes, please specify: No C33. In the past 12 months, have you used any of the following medicines or drugs on your own? "On your own" means either without a doctor's prescription, in larger amounts than prescribed, or for a longer period than prescribed. Mark all that apply. Sedatives (sleeping pills, barbiturates, Seconal, Quaalude) Tranquilizers or anti-anxiety drugs (Valium, Librium, muscle relaxants, Xanax) Stimulants (Preludin, Benzadrine,
 Stimulants (Preludin, Benzadrine, Methadrine, uppers, speed, amphetamines, Ritalin) Other: I haven't used any of the above drugs in the past 12 months on my own



C34. In the past 30 days, have <u>you driven a car</u> within two hours after drinking any alcoholic beverages or using any drugs (e.g., marijuana, cocaine, heroin)? O Yes O No C35. In the past 30 days, have <u>you been in the car</u> with a driver who drank any alcoholic beverages or used any drugs (e.g., marijuana, cocaine, heroin) within the	C41. Are any of these firearms usually unlocked? By unlocked, we mean you do not need a key or combination to get the gun or to fire it. We do not count a safety a lock. Mark all that apply. O Yes, pistol(s) are usually unlocked O Yes, rifle(s) are usually unlocked O Yes, shotgun(s) are usually unlocked O No, all firearms are usually locked
previous two hours? O Yes O No C36. How often do you use seat belts when you drive or ride in a car?	C42. Are any of these firearms kept loaded? Mark all that apply. O Yes, pistol(s) are kept loaded O Yes, rifle(s) are kept loaded
AlwaysNearly alwaysSometimes	○ Yes, shotgun(s) are kept loaded ○ No, no firearms are kept loaded The next questions are about electronic devices. These
SometimesSeldomNever	include a television, computer, cellular phone, smartphone, tablet, video game console, MP3 or other electronic devices with a screen.
C37. In the past 12 months, have you gambled (bet) for money or valuables? O Yes O No (If 'No' go to Question C39)	C43. On average, how many hours per day do you spend using electronic devices? O Less than 1 hour O 1-2 hours
C38. In the past 12 months, have you tried to keep your family or friends from knowing how much you gambled?	 2-3 hours 3-4 hours 4-5 hours More than 5 hours
 ○ Yes ○ No C39. Has an intimate partner ever hit, slapped, pushed, kicked, or hurt you in any way? ○ Yes ○ No ○ Don't know/Not sure 	C44. On average, how many hours of electronic device usage per day are dedicated to professional or school-related activities? O Less than 1 hour
The next questions are about firearms. We are asking these in a health survey because of our interest in firearm-related injuries. Please include weapons such as pistols, shotguns, and rifles; but not BB guns, starter pistols or guns that cannot fire. Include those kept in a garage, outdoor storage area or motor vehicle.	 1-2 hours 2-3 hours 3-4 hours 4-5 hours More than 5 hours C45. On average, how many hours of electronic
C40. Are there any firearms kept in or around your home (see definition above)? Mark all that apply. O No (go to Question C43) O Yes, one or more pistols O Yes, one or more rifles O Yes, one or more shotguns	device usage per day are dedicated to recreational activities (e.g. social media, games)? O Less than 1 hour O 1-2 hours O 2-3 hours O 3-4 hours O 4-5 hours O More than 5 hours
Ramapo Ri dga gs	coatric Hospital: Community Health Needs Assessment 2019

Section D: Chronic Disease and Prevention

This next section asks about several medical conditions you might have.	D7. Have you ever been told by a doctor, nurse or other health professional that you have
 O1. Have you ever been told by a doctor, nurse or other health professional that you have diabetes (high blood sugar)? ○ Yes ○ Yes, but only during pregnancy (go to Question D7) ○ No (go to Question D7) 	asthma? ○ Yes ○ No (If 'No' go to Question D10) D8. In the past 3 months, have you used prescription inhalers? Do not include over-the-counter inhalers like Primatene Mist. ○ Yes ○ No
 D2. Have you ever been told by a doctor, nurse or other health professional that you have pre-diabetes or borderline diabetes? Yes No D3. Are you now taking diabetes pills and/or insulin? Yes No D4. In the past 30 days, how often did you check your blood level for glucose or sugar? Include times when checked by a family member or friend, but do not include times when checked by a health professional. Times 	D9. In the past 12 months, have you had to visit an emergency room or urgent care center/immediate medical care center because of asthma? ○ Yes ○ No D10. Have you ever been told by a doctor, nurse or other health professional that you have hypertension or high blood pressure? ○ Yes ○ Yes, but only during pregnancy (go to Question D12) ○ Told borderline high or pre-hypertensive (go to Question D12) ○ No (go to Question D12)
D5. In the past 12 months, about how many times have you seen a doctor, nurse, or other health professional for your diabetes? Times D6. In the past 12 months, about how many times has a doctor, nurse, or other health professional checked you for hemoglobin A1C? A test for "A1C" measures the average level of blood sugar over the past three months. Times Never had a hemoglobin A1C test	D11. Are you currently taking medicine for your high blood pressure or hypertension? O Yes O No D12. About how long has it been since you last had your blood cholesterol checked? Blood cholesterol is a fatty substance found in the blood. O Less than 12 months ago O 1 year but less than 2 years ago O 2 years but less than 5 years ago O 5 or more years ago O Never had a blood cholesterol test (go to Question D15 on pg. 10)



Section D: Chronic Disease and Prevention

	_
 D13. Have you ever been told by a doctor, nurse or other health professional that you have high blood cholesterol? ○ Yes ○ No (If 'No' go to Question D15) D14. Are you currently taking medicine to 	 D21. Have you ever had a pneumonia shot? A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. ○ Yes ○ No ○ Not sure
lower your cholesterol, like Lipitor™, Zocor ™, Pravachol™, Simvastatin™ or other statins?	D22. Have you ever been told by a doctor, nurse or other health professional that you had <u>cancer</u> ?
○ Yes ○ No	○ Yes ○ No (If 'No' go to Question D24 on pg. 11)
D15. Have you ever been told by a doctor, nurse or other health professional that you had a heart attack, also called a myocardial infarction? O Yes O No (If 'No' go to Question D17)	D23. What type of cancer(s) were you diagnosed as having? <i>Mark all that apply.</i> O Lung
D16. Were you prescribed a beta-blocker, such as Atenolol or Metoprolol, after you were treated for your heart attack? ○ Yes ○ No	ColorectalProstateBreastCervical, ovarian, or uterinePancreatic
D17. Have you ever been told by a doctor, nurse or other health professional that you had a stroke? ○ Yes ○ No	 ○ Stomach or esophageal ○ Liver or bile duct ○ Urinary, bladder, or kidney ○ Non-Hodgkin lymphoma ○ Leukemia
D18. Have you ever been told by a doctor, nurse or other health professional that you have Chronic Obstructive Pulmonary Disease (COPD)? ○ Yes ○ No	 ○ Thyroid ○ Oral cavity or pharynx ○ Skin (melanoma) ○ Other:
D19. Have you ever been told by a doctor, nurse or other health professional that you have Congestive Hearth Failure (CHF)? ○ Yes ○ No	
D20. In the past 12 months, have you had a flu shot? A flu shot is an influenza vaccine injected into the arm. ○ Yes ○ No	



Section D: Chronic Disease and Prevention

The next few questions are about cancer screening. Cancer screening tests help detect cancer at an early stage when it is still treatable and can help you live longer. Some tests everybody can get (like blood stool tests, sigmoidoscopy and colonoscopy for colorectal cancer), some tests are specific to men (like PSA tests for prostate cancer) and some tests are specific to women (like mammography for breast cancer and Pap tests for cervical cancer).

D24. Have you ever had a blood stool test using a home kit? A blood stool test is a test for colorectal cancer that may use a special kit at home to determine whether the stool contains blood.

○ Yes ○ No (If 'No' go to Question D26)

D25. How long has it been since your last blood stool test using a home kit?

- O Less than 12 months ago
- 1 year but less than 2 years ago
- 2 years but less than 3 years ago
- O 3 years but less than 5 years ago
- 5 or more years ago

D26. Have you ever had a sigmoidoscopy or colonoscopy? Sigmoidoscopy and colonoscopy are exams performed by a doctor or health care professional in which a tube is inserted in the rectum to view the colon for signs of colorectal cancer or other health problems.

○ Yes ○ No (If 'No' go to Question D28)

D27. How long has it been since you had your last sigmoidoscopy or colonoscopy?

- \circ Less than 12 months ago
- 1 year but less than 2 years ago
- \bigcirc 2 years but less than 5 years ago
- 5 years but less than 10 years ago
- 10 or more years ago

D28. Have you ever had a mammogram?

A mammogram is a type of x-ray that is taken of each breast to look for breast cancer.

○ Yes ○ No (If 'No' go to Question D30)

D29. How long has it been since you had your last mammogram?

- O Less than 12 months ago
- 1 year but less than 2 years ago
- 2 years but less than 3 years ago
- 3 years but less than 5 years ago
- 5 or more years ago

D30. Have you had a total hysterectomy? A total or complete hysterectomy is surgery to remove the entire uterus, including the cervix.

○ Yes ○ No ○ Does not apply (If 'Yes' or 'Does not apply go to Question D33)

D31. Have you ever had a Pap test?

A Pap test is a test for cancer of the cervix.

○ Yes ○ No ○ Does not apply (If 'No' or 'Does not apply go to Question D33)

D32. How long has it been since you had your last Pap test?

- O Less than 12 months ago
- O 1 year but less than 2 years ago
- 2 years but less than 3 years ago
- \bigcirc 3 years but less than 5 years ago
- 5 or more years ago

D33. Have you ever had a Prostate-Specific Antigen test? A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer.

○ Yes ○ No ○ Not sure ○ Does not apply (If 'No', 'Not sure', or 'Does not apply'go to Question E1 on pg. 12)

D34. How long has it been since you had your last PSA test?

- O Less than 12 months ago
- 1 year but less than 2 years ago
- O 2 years but less than 3 years ago
- 3 years but less than 5 years ago
- 5 or more years ago





Section E: Self-Reported Health Status

E1. Would you say in general your health is: O Excellent O Very Good O Good O Fair	E7. In the past 30 days, about how many days have you felt worried, tense, or anxious? Days
 ○ Poor E2. Are you limited in any way for any activities because of physical, mental, or emotional problems? ○ Yes ○ No 	E8. In the past 30 days, about how many days have you felt you did not get enough rest or sleep? Days
E3. Do you now have any health problems that require you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? Include occasional use or use in certain circumstances.	E9. In the past 30 days, about how many days have you felt like you had too much energy? Days
○ Yes ○ No E4. In the past 30 days, about how many days was your physical health not good? Physical health includes physical illness or injury. □ □ □ □ Days	E10. Has a doctor or other healthcare provider ever told you that you had an anxiety disorder? Include acute stress disorder, anxiety, generalized anxiety disorder, obsessive-compulsive disorder, panic disorder, phobia, posttraumatic stress disorder, or social anxiety disorder. ○ Yes ○ No
E5. In the past 30 days, about how many days was your mental health not good? Mental health includes stress, depression, and problems with emotions. Days	E11. Has a doctor or other healthcare provider ever told you that you have a depressive disorder? Include depression, major depression, dysthymia, or any mood disorder. O Yes O No
E6. In the past 30 days, about how many days have you felt sad, blue, or depressed? Days	E12. In the past 2 weeks, how often have you been bothered by thoughts that you would be better off dead, or of hurting yourself? O Not at all O Several days O More than half the days Nearly every day

Section F: Access to Mental Health Services

F1. In the past 12 months, did you receive counseling, treatment or medicine for mental health, or substance use reasons?

- No, I did not receive any services for mental health or substance use reasons (*qo to Ouestion G1 on pg. 14*)
- O Yes, mental health services
- O Yes, substance use services
- Yes, both mental health and substance use services

F2. What type(s) of treatment services did you receive? *Mark all that apply.*

- O Counseling from a professional therapist behavioral health counselor, or psychiatrist
- O Counseling from a clergy or religious counselor
- Counseling from a medical provider (nurse, primary care provider, other speciality care provider)
- Medication management from a psychiatrist or advanced practice nurse/nurse practitioner
- O Medication management from a primary care medical provider
- Other:

F3. In the past 12 months, did you need counseling or treatment right away?

- Yes No
- F4. In the past 12 months, when you needed counseling or treatment right away, how often did you see someone as soon as you wanted?
 - O Never
 - O Sometimes
 - O Usually
 - O Always

- F5. In the past 12 months, how many times did you go to an emergency room or crisis center to get counseling or treatment for yourself?
 - O None
 - 01
 - 02
 - O 3 or more
- F6. In the past 12 months, how many times did you go to an office, clinic or other treatment program to get counseling, treatment or medicine for yourself? Do not count emergency rooms or crisis centers.
 - O None
 - O 1 to 3
 - 4 to 10
 - 11 to 20
 - O 21 or more

Section G: Other Health Issues

G1. In the past 3 months, how many times have you fallen? A fall is when a person	G6. How often do you get the social and emotional support you need?
unintentionally comes to rest on the ground or another lower level.	○ Always
another lower level.	○ Usually
Times (If '0' times go to Question G3)	O Sometimes
	○ Rarely
G2. How many of these falls caused injury? By	○ Never
an injury, we mean the fall caused you to limit regular activities for at least a day or to go see a doctor.	G7. Do you regularly participate in activities (at least 3 times per week) that allow you to socialize?
Falls causing injury	○ Yes ○ No (If 'No' go to Question H1 on pg. 15)
G3. Do you have any care provisions or legal documents that provide end of life	G8. If yes, what types of activities do you participate in? Mark all that apply.
instructions or appoints a family member, friend, etc. to make health care decisions for you in the event that you are not able to provide instructions or make such decisions on your own?	 Meet people at a community center, church/mosque/synagogue, coffee shop or restaurant Participate in volunteer activities Meet people at my work or job location
○ Yes ○ No (If 'No' go to Question G6)	 Meet with people at my home or someone else's home
G4. Mark all of the provisions or legal	O Other:
documents you have:	o dilei.
○ POLST (Physician Orders for	
Life-Sustaining Treatment)	
○ Advanced Directive	
O Living Will	
○ Health Care Proxy	
Medical Power of Attorney	
○ 0ther:	
G5. Have you had a discussion with your health care proxy about your wishes regarding end of life care should you become incapable of communicating? ○ Yes ○ No	

Section H: Perceived Community Health Needs

O Poverty, low wages, and limited job	O Lack of social support and social isolation
opportunities	○ Lack of health insurance
○ Limited transportation○ Lack of healthy and/or affordable food	 Lack of access to health care services (e.g., lack o providers or availability of appointments)
 Crime and/or violence (including domestic violence, child abuse, and elder abuse) 	Limited education/health literacyLack of providers that meet cultural or
O Lack of parks & recreational opportunities	language needs of patients
O Lack of affordable and/or safe housing	○ Other:
In the following list, mark what you think are community. Mark only three (3).	the <u>3 leading health issues for the adults</u> in your
Alzheimer's, Parkinson's, and DementiaAutism/ADD/ADHD	 Infectious disease (e.g., sexually transmitted infections, HIV/AIDS, Hepatitis C, influenza)
○ Cancer○ Diabetes	 Respiratory disease (e.g., asthma, COPD, and Emphysema)
○ Heart disease/heart attacks	○ Stroke
O Intentional injuries (e.g., gun violence, assault, homicide)	Substance use (e.g., alcohol, opioids, and marijuana)
 Mental health (e.g., depression, anxiety, stress, and trauma) 	○ Tobacco use, vaping, and e-cigarettes○ Unintentional injuries (e.g., falls, poisonings,
Oral health/dental disease	motor vehicle accidents)
O Physical activity, nutrition, and weight	○ Other:
. In the following list, mark what you think are adolescents (12 to 17 years old) in your comm	nunity. Mark only three (3).
Bullying (including cyber bullying)Intentional injuries (e.g., gun violence,	 Too much screen time (e.g., TV, computers, smartphones, video games)
assault, homicide) O Mental health (e.g., depression, anxiety,	Substance use (e.g., alcohol, opioids, and marijuana)
stress, suicide, and trauma)	O Tobacco use, vaping, and e-cigarettes
O Oral health/dental disease	O Unhealthy relationships/dating violence
Physical activity, nutrition, and weightSexually transmitted infections and risky	 Unintentional injuries (e.g., falls, poisonings, motor vehicle accidents)
sexual behavior	○ Other:

O Respiratory disease (e.g., asthma)



Section H: Perceived Community Health Needs

H4. In the following list, mark what you think are the <u>3 segments of the population most at-risk</u>. Mark only three (3).

○ Youth/Adolescents (13-17 year old) ○ Low income populations O Young adults (18-21 years old) ○ Immigrants/Refugees Older adults (65 years old or older) O Racial/Ethnic minorities O Those with disabilities ○ Non-English speakers ○ Homeless/Unstably housed O LGBTQ

O Children (0 to 12 years old)

Thank you for your time and for the effort you have taken to provide us with this information. We want to assure you that your responses are completely confidential and the information from this survey will never be presented in a way that could identify individual respondents.

Other:

If you have any questions about this project, please feel free to contact XXXXXXX at JSI: 617-482-9485.

Please return this survey in the enclosed postage paid envelope or mail to:

John Snow, Inc. **ATTN - Bergen 44 Farnsworth Street** Boston, MA 02210

THANK YOU!



KEY INFORMANT INTERVIEWS

Behavioral Health

- Sue Debiak, Division Director, Office of Alcohol and Drug Dependency, Bergen County Department of Health Services
- Susan Devlin, Associate Executive Director, Comprehensive Behavioral Health Care
- Michelle Hart Loughlin, Director, Division of Mental Health Services, Bergen County Department of Health Services

Children and Families

- Carolyn DeBoer, Director of Corporation Planning, Partnership for Maternal and Child Health
- Thomas DeMaio, Principal, Pascack Valley High School
- Ellen Elias, Senior Vice President of Prevention and Community Services, Children's Aid and Family Services
- Mariam Gerges, Director of School Based Health Services, Dwight Morrow Zone, Bergen Family Center
- Wendy Lamparelli, School Nurse, Hackensack School District
- Illise Zimmerman, CEO, Partnership for Maternal and Child Health

Community Centers and Recreation

• Gary Buchheister, Director of Recreation, Westwood Recreation Department

County and Municipal Representatives

- Dr. Steven Clarke, Director, Wyckoff Board of Health
- Robert Esposito, Director, Bergen County Division of Community Development
- Ken Katter, Health Officer, Township of Teaneck
- Daniel Kotkin, Division of Disability Services, Bergen County Department of Health Services
- Darlene Reveille, Public Health Nurse, City of Garfield
- Karen Wolujewicz, Assistant Health Officer, Bergen County Department of Health Services

Cultural Advocates and Organizations

- Ann Guillory, Chairwoman of Health and Human Services Committee, Bergen County Links
- Jae Chun, Health Insurance Agent/Interpreter
- Bianca Mayes, Health and Wellness Coordinator, Garden State Equality

Food Resources

- Jeanne Martin, Executive Director, Meals on Wheels North Jersey
- Jaclyn Padovano, Registered Dietician, ShopRite of Hillsdale
- Jamie Pepper, Registered Dietician, ShopRite of Northvale

Healthcare/Clinical Providers

- Kevin Brendlen, Vice President of Strategic Partnerships, Van Dyk Health Care
- Susan Crandall, Bergen County Cancer Education and Early Detection (CEED) Program Coordinator, Bergen County Department of Health Services
- Carol Silver Elliott, CEO/President, Jewish Home Family
- Kimberly Gittines, Health System Manager, American Cancer Society

- Amanda Missey, President/CEO, Bergen Volunteer Medical Initiative
- Kathy Nugent, Director of Regional Programs, CancerCare
- Dr. Flordeliz Panem, Chief Medical Officer, North Hudson Community Action

Hospital Leadership

Bergen New Bridge Medical Center

- Senior Leadership Team (Group interview with approximately 12 attendees)
- Dr. Rajashree Kantha, Physician
- Adrienne Mariano, Director of Behavioral Health Services
- Deborah Visconi, President/CEO

Englewood Health

- Dr. Stephen Brunnquell, President, Englewood Health Physicians Network
- Dr. Hillary Cohen, Vice President of Medical Affairs
- Kathy Kaminsky, Senior Vice President, Chief Population Health Officer, Chief Nursing Officer
- Richard Lerner, Board of Trustees
- Dr. Anne Park, Director of Community Health
- Thomas Senter, Chairman of the Board
- Richard Sposa, Director of Emergency Medical Services
- JoAnn Venezia, Program Director of Behavioral Health Services

Hackensack Meridian Health Pascack Valley Medical Center

- Dr. Eric Avezzano, Gastroenterology
- Dawn DePalma, Manager of Patient Experience
- Dr. Edward Gold, Internal Medicine
- Ana Maria Restrepo, Director of the Emergency Services

Hackensack University Medical Center

Clinical and department leadership (Group meeting with approximately 20 attendees)

Holy Name Medical Center

- Kyung Hee Choi, VP of Asian Health Services
- Dr. Clenton Coleman, Internal Medicine
- Rekha Nandwani, Program Manager, Indian Medical Program
- Edward Torres, Administrative Director of Laboratory Services
- Anna Wang, Manager of Community Programs, Asian Health Services

Ramapo Ridge Psychiatric Hospital

Clinical and department leadership (Group meeting with approximately 10 attendees)

The Valley Hospital

- Dr. George Becker, Medical Director, Emergency Department
- Lafe Bush, Director of Emergency Services
- Toni Modak, Director of Population Health, Valley Health System
- Diane Tedeschi, Director of Community Care Clinic

Housing and Homelessness

- Elizabeth Davis, Executive Director, Senior Housing Services
- Julia Orlando, Director, Bergen County Housing Authority
- Sue Ullrich, Program Director, Ridgecrest Apartments

Law Enforcement, Fire, EMS

• Lt. Jay Hutchinson, Westwood Police Department

Older Adults/Healthy Aging

- Lisa Bontemps, Program Manager, Westwood for All Ages
- Sheila Brogan, Midland Park Senior Center and Age-Friendly Ridgewood
- Brianna Greenberg, Case Manager, Bergen County Division of Senior Services
- Janet Sharma, Project Coordinator, Age Friendly Englewood
- Joan Campanelli, Senior Services, Bergen County Division of Senior Services

Philanthropy

• Kaarin Varon, Program Officer, The Russell Berrie Foundation

Religious or Faith-Based Individuals/Representatives

• Rev. Mack Brandon, Metropolitan Church

Services for Low-Resource Individuals and Families

- Kate Duggan, Executive Director, Family Promise of Ridgewood
- Joan Quigley, President/CEO, North Hudson Community Action Corporation
- Denise Vollkommer, Executive Director, Social Service Association of Ridgewood and Vicinity

Key Informant Interview Guide

Introduction

As you may know, [Name of Hospital] is conducting a Community Health Needs Assessment (CHNA) to better understand the health needs of those living in its service area. This assessment, and a subsequent Implementation Strategy, is required of all non-profit hospitals to meet state Attorney General and Federal IRS requirements.

The Implementation Strategy will outline how the hospital will work to address health needs and factors leading to poor health, as well as ways in which it will build on the community's strengths. It is therefore extremely important that the Hospital hear from a broad range of people living, working, and learning in the community. JSI has been contracted by the Hospital to conduct the assessment, which will include interviews, a random household survey, an online survey, and Community forums. This interview is part of the data collection and should take between 30-60 minutes. To ensure our data reflects your community or the community you serve, it is important that you speak openly and honestly. We'll be taking notes during the conversation, but will not link your name or personal information to your quotes without your permission. Do you have any questions before we get started?

Question 1: Could you tell me more about yourself? How long have you worked at [name of organization]? Are you also a resident of a community within [Name of Hospital's] service area? (Will have list of towns for each hospital)

 Probe for information on programs/services offered through their organization, populations they work with, etc. Question 2: The assessment is looking at health defined broadly – beyond clinical health issues, we're also looking at the root causes most commonly associated with ill-health (e.g. housing, transportation, employment/workforce, etc.) What do you see as the major contributors to poor health for those in the service area?

Try to identify top 2-3

Question 3: What clinical health issues (e.g. substance use, mental health, cancer, overweight/obesity, etc.) do you think are having the biggest impact on those in the service area?

o Try to identify top 2-3

Question 4: What segments of the population have the most significant health needs or are most vulnerable? (e.g. young children, low-income, non-English speakers, older adults, etc.)

o Do you see this changing in the future? Improving? Getting worse?

Question 5: How effectively do you think [Hospital] is currently meeting the needs of the community? Are there specific programs offered by [Hospital] that stand out to you as working well to address the needs of the community?

Question 6: Where do you see opportunities for [Hospital] to implement programs/services to address community health needs?

Question 7: Are there programs or services offered by other community organizations that you think are working well to address the needs of the community?

Mention that we will be compiling a list of community organizations/resources for the Resource Inventory

Question 8: As we explained at the beginning of this interview, we will be making an effort to gather input from community residents as part of this assessment. Can you recommend any strategies to engage hard-to-reach populations?

- Any coalitions or advocacy groups that work with hard-to-reach populations?
- Any existing meeting groups you think it would be appropriate to reach out to?

Question 9: Finally, we are working to gather quantitative data to characterize health status – this includes demographic and socioeconomic data, and disease-specific incidence, hospitalization, emergency department, and mortality data wherever it is available. Do you know of, or use, any local data sources (e.g. reports, other needs assessments, etc.)?

FOCUS GROUPS

Name of group	Population/Sector Represented	Date	Location	Approx. number of attendees
Bergen County Health Officers	Health officers representing several municipalities throughout Bergen County	February 5, 2019	Paramus Borough Hall	7
LGBTQ	LGBTQ residents and advocates from throughout Bergen County	July 17, 2019	Bergen New Bridge Medical Center	7
Northern New Jersey Senior Care Network	Representatives from organizations throughout Northern New Jersey, serving the health and social service needs of older adults	March 25, 2019	The Actors Fund Home	12
Individuals in Recovery	Individuals who are currently in recovery from substance use disorders, with representation across ages and substance of use	May 9, 2019	The Valley Hospital	5
Bergen Mental Health Board	The Mental Health Board provides leadership to the County in the development of mental health services. The meeting included representation from individuals working across the mental health treatment and support spectrum, as well as residents with mental health issues and their caregivers	May 8, 2019	Bergen County Police Department	30
Spanish- speakers	Spanish-speaking residents of Bergen County, with representation across country of origin and age	May 9, 2019	Hackensack University Medical Center	12
Substance Use Disorder Providers	Providers who worked across age groups (children, adolescents, adults) in inpatient and outpatient settings	May 8, 2019	Bergen New Bridge Medical Center	5
School Nurses	Middle school and high school school nurses from municipalities throughout Bergen County.	March 25, 2019	The Valley Hospital	5
Korean Residents	Korean residents of Bergen County, with representation across age groups	July 31, 2019	Englewood Hospital	12
Black/African American Residents	Black/African American residents of Bergen County, with representation across age groups	June 27, 2019	Varick Memorial AME Zion Church	10

Focus Group Guide

Introduction

The 7 hospitals in Bergen County, along with the Bergen County Department of Health Services, are conducting a Community Health Needs Assessment (CHNA) to better understand local health needs, barriers to good health and health care, and what populations are most vulnerable. The assessment is required of all non-profit hospitals to meet Federal IRS requirements.

After the assessment, each hospital will produce an Implementation Strategy that will outline how the hospital plans to address the identified needs. It is extremely important that the Hospital hear from a broad range of people living, working, and learning in the community. John Snow, Inc. (JSI) has been contracted by the Hospitals to conduct the assessment, which includes interviews, focus groups, a Community Health Survey, and community forums. This focus group is part of our data collection and should take around 60 minutes.

It is important that you speak openly and honestly. We'll be taking notes during the conversation, but will not link your name or personal information to your quotes without your permission. Do you have any questions before we start?

(Consider doing introductions if the group is small enough, or if it seems people don't know each other)

Question 1: The assessment is looking at health defined broadly – beyond clinical health issues, we're also trying to understand the root causes most commonly associated with ill-health (e.g. housing, transportation, employment/workforce, etc.) What do you see as the major barriers to care for [population of focus]?

o Try to identify top 2-3

Question 2: What clinical health issues (e.g. substance use, mental health, cancer, overweight/obesity, etc.) do you think are having the biggest impact on [population of focus]?

- o Try to identify top 2-3
- Probe for unmet needs for example, if someone identifies substance use, be sure to ask which substances are most problematic/prevalent, which services and forms of treatment are most needed, etc.

Question 3: What segments of the population have the most significant health needs or are most vulnerable? (e.g. young children, low-income, non-English speakers, older adults, etc.)

Do you see this changing in the future? Improving? Getting worse?

Question 4: What health services are most difficult for [population of focus] to access, and why?

Question 5: Are there programs or services offered by community organizations that you think are working well to address the needs of [population of focus]?

Question 6: What sort of programs or activities should the Hospital offer (or support) to improve your health and wellbeing?

COMMUNITY LISTENING SESSIONS

Location	Date/Time	Approx. number of attendees
Englewood Hospital	May 22, 2019	10
350 Engle Street	5:30-7:00 PM	
Englewood, NJ		
Ridgewood Public Library	May 23, 2019	15
125 North Maple Street	5:30-7:30	
Ridgewood, NJ		

Presentation

Community Listening Session to inform the Community Health Needs Assessment Bergen County, NJ

MAY 2019

JSI

Agenda

- Welcome and Introductions
- Assessment Purpose and Overview
- Presentation of Secondary Data
- Discussion

JS

Introductions

- Name
- Organization or community you represent
- Whether you have been involved in prior CHNA process

JSI

Assessment Purpose and Overview

Je

Requirements

- Non-profit hospitals are required, by federal tax law, to spend some of their surplus on "community
- Community benefit programs/services are meant to improve access to services and enhance community
- Under the Affordable Care Act, non-profit hospitals must conduct a community health needs assessment (CHNA) every 3 years and develop an Implementation Strategy (IS) to meet the needs identified

Goals of CHNA

- Engage internal and external stakeholders
- Prioritize unmet community health and social service needs, and vulnerable populations
- Develop 3-year Implementation Strategies

Participating Institutions

- All hospitals will have their own unique CHNA and Implementation Strategy
- Bergen County Department of Health Services will also receive county-wide CHNA and IS
- This collaborative effort allows for increased efficiency, decreased costs, enhanced partnership, and other benefits

















Overview of Phase I:

Preliminary assessment and engagement

- · Formation of Steering Committee, with representatives from County and each hospital
- Collection/analysis of quantitative data
- · Key informant interviews (approximately 75, both internal and external leadership)

Overview of Phase II:

Approach

Targeted engagement


- Random household survey (approx. 1,350 responses)
- Focus Groups (6 complete, 2 pending)
- Older adult/healthy aging providers, school nurses, Spanish-speakers, Black/African Americans, mental health providers, substance use providers, individuals in recovery from substance use disorder
- · Community Listening Sessions (2)
- . Community Health Perceptions Survey (pending)
- Short, web-based survey available in multiple languages

Overview of Phase III:

Strategic Planning and Reporting


- · Resource and Asset Inventory (county-wide)
- Strategic Planning Retreats (each hospital, and 1 county-wide)
- Literature review of evidence-based strategies to respond to identified priorities
- Final CHNAs and IS (each hospital, and 1 countywide)


JSI





Secondary Data


JS

















Access to Care

In Bergen County, percentages were similar to the state overall.

	NJ	Bergen County
No health insurance (%)	14.4	14.7
Unable to get needed medical care due to cost (%)	14.5	12.9
No primary care provider (%)	19.3	21.7
No routine health visit in the last year (%)	25	27

Course Wildrighted Rati Person Consep. 2012/001

FEE.

Mortality

- In Bergen County, the all-cause mortality rate was significantly lower than the state.
- The average age of death in Bergen County was 78.2 significantly older than the average age of death in New Jersey (75.0)

Mortality Er	Emerson (977.4) Englewood Cliffs (932.2)	Rochelle Park (1279.8) Saddle River (1279.1)
Death	Maywood (976.1) New Milford (894.5) Norwood (1074.5) Paramus (1368.9) Park Ridge (1060.4)	Washington (903.6) Westwood (988.7) Wooddiff Lakes (1007.4) Wyckoff (933.2)

ETC.

Cardiovascular Disease

- · In Bergen County, the inpatient hospitalization rate for cardiovascular disease was significantly lower than the state overall (871 vs. 1082 per 100,000) in 2016
- · In Bergen County, the inpatient hospitalization rate for myocardial infarction (heart attacks) was significantly lower than the state overall (21.1 vs. 174.6 per 100,000) in 2016

	NJ	Bergen County	Significantly higher				
Diseases of the heart (Crude death rate per 100,000)	207.3	199.3	Allendale (325.3) Emerson (278.9) Fair Lawn (235.6) Maywood (271.6) Norwood (272.9) Oakland (287.7) Paramus (366.9)	Rochelle Park (387.8) Saddle River (313.8) Westwood (259.6) Wyckoff (257.7)			

Chronic/Complex Conditions

· In Bergen County, rates of mortality, hospitalizations, and ED discharge for most chronic/complex conditions were lower or significantly lower than the state overall

	NJ	Bergen County
Cancer mortality (crude rate per 100,000)	182.6	180.1
Cerebrovascular disease mortality (crude rate per 100,000)	38.3	36.7
Current asthma (age-adjusted rate per 100,000)*	8.4	6.7
Diabetes hospitalizations (rate per 100,000)**	177.1	105.6

Source New Service Conflictor Continues, Office of Visit Services and Regions, 2019-2017; "All Schoolsed Visit Researchings; Service Continues Con

Mental Health

- · In Bergen County, the mental and behavioral disorder hospitalization rate was significantly higher than the state
 - · Municipalities with significantly higher rates per 100,000 include Bogota (778), Dumont (697), Englewood (870), Fairview (671), Garfield (700), Hackensack (1462), Lodi (1095), Lyndhurst (811), Ridgefield Park (825), Rochelle Park (763), Teaneck (610), and Wallington (757)

	NJ	Bergen County
Frequent mental distress (age-adjusted rate per 100,000)	10.4	9.1
History of diagnosed depression (age- adjusted rate per 100,000)	13.0	11.3
Mental and behavioral disorder hospitalizations (crude rate per 100,000)*	525.1	557.3

Course Wildehalter! Not Peter County, 2017-2016; "West brown Contrary Con Collection Cycles, Office of Health Con County And Brown Supermon of World, 2018

Substance Use

- The binge drinking and current smoking rates were similar to the state overall
- The rate of drug-related (illicit and prescription drug) deaths was lower than the state of New Jersey overall in 2017


	2016	2017
Naloxona administrations	457	613
Opioid prescriptions dispensed	446,233	413,016

In Bergen County

	NJ	Bergen County
Binge drinking (age-adjusted rate per 100,000)	17.6	17.3
Current smoker (age-adjusted rate per 100,000)	15.7	14.2
Drug-related deaths – illicit and Rx (rate per 100,000)*	29.8	15.4
Course to Behavioral State Formery Course State Course Service Course Course Course State Course Service Course State Course Service Course State Course Service Course State Course Service Course Servi	and Personality, 2027	

Older Adult Health/ Healthy Aging

- In Bergen County, the percentage of residents 63 and older living alone was similar to the state overall (10.6% vs. 11%).
- In Bergen County, the Alzheimer's disease mortality rate was significantly higher than the state overall (30.6vs. 252 per 100,000).
 - Rates were significantly high in Emerson [70.4], Norwood [75], Paramus [86.9], Park Ridge (94.4), Westwood (69.4), and Wyckoff (103.6)
- In Bergen County, the influenza/pneumonia mortality rate was significantly higher than the state overall (16.5 vs. 14.6 per 100,000)
 - The rate was significantly high in Paramus (37.9)



% Residents 654 Living Alone

Maternal and Child Health

Across maternal and child health indicators, Bergen County faired similar to the state overall with the exception of adolescent birth rate.

The percentage of residents in Bergen County who received adequate prenatal care, while

similer, was significantly lower than the state oversal.

The percentage was significantly lower than the state in Cliffside Park (63%), Edgewater (97%), Englewood (38%), Rejenvood Cliffs (55%), Fort Lee (60%), Palisades Park (63%), Teneck (63%), Tenatly (56%)

	NJ.	Serges County
Adolescent (15-19) birth rate per 1,000 people	61.0	20.1
Adequate prenatal care (%)	67.1	66,4
Low birthweight (%)	8.1	7.9
Preterm births <37 weeks (%)	9.6	9.7

Discussion

QUESTION#1

Think of the data you've seen, and your own knowledge/experiences.

What are the most pressing barriers to good health for those in Bergen County?

JSI

JSI

QUESTION#2

Think of the data you've seen, and your own knowledge/experiences.
What health issues do you think people struggle with the most in Bergen County?

JSI

QUESTION#3

Think of the data you've seen and your own knowledge/experiences.
What populations do you think are most vulnerable and have the most significant health needs?

JS

QUESTION#4

What health services are most difficult to access in Bergen County, and why?

JSI

QUESTION #5

Are there programs and services offered by community organizations that you think are working well to address the needs of those who live in Bergen County?

I.

QUESTION#6

What types of programs or activities would you like to see Hospitals offer or support to improve community health?

Questions & Next Steps

JSI

538

Advertisement















Bergen County Hospitals and the Department of Health Services want to hear from you!

Please join us at a Bergen County Community Health Forum

Locations and Times

South County Community Forum Wednesday, May 22, 2019 5:30pm to 7:00pm

Englewood Health Conference A/B / Near Ferolie Gallery 350 Engle Street, Englewood North County Community Forum Thursday, May 23, 2019 5:30pm to 7:00pm

Ridgewood Public Library Main Community Room 125 North Maple Street, Ridgewood

Please come share your thoughts on barriers to good health, leading health issues, and the health services you need.



If you need more information, please contact Madison MacLean at Madison MacLean@jsi.com or (617) 482-9485

COMMUNITY HEALTH PERCEPTIONS SURVEY















Survey for Community Health Needs Assessment 2019

Bergen New Bridge Medical Center, Christian Health Care Center, Englewood Health, Hackensack University Medical Center, Holy Name Medical Center, Pascack Valley Medical Center, The Valley Hospital, and the Bergen County Department of Health Services are conducting Community Health Needs Assessments to understand health needs in the communities we serve. The information gathered will help us develop health improvement plans that address these issues, and guide our decisions on investments in community programs and services. Your input is extremely important to us.

Please take about 10 minutes to complete this survey. Your responses will be anonymous.

This survey has been shared widely. Please complete this survey only once.

Please email Madison MacLean (madison_maclean@jsi.com) with questions.

Question 1: What city/town do you live in?

Question 1: Wh	at city/town do you	ı liv <mark>e</mark> in?		
Question 2: Hov	w old are you?			
_ Under 18	18 to 24	25 to 34	35 to 44	
45 to 54	55 to 64	65 to 74	75 or older	
Question 3: Are	you Hispanic, La	tino/a, or of Span	ish origin?YesNo	
Question 4: Whi	ch of these best (describes your ra	ce? (Choose all that apply)	
White	Black or Afri	can American	Asian	
Native Hawaii	an or Pacific Island	ler American	Indian or Alaska Native	
OTHER (Pleas	se specify):			

Question 5: Think about your community. Choose the top three (3) issues that you think prevent people from being able to live a healthy life. Crime or violence Housing is expensive or unsafe Unsafe streets (bad roads or sidewalks) Transportation issues __ Physical inactivity or sedentary lifestyle Can't find or afford healthy foods Social isolation, lack of support, loneliness No or limited health insurance No or limited education Long commute to/from work or school __ Poverty, low wages, no jobs __ Discrimination, racism, distrust OTHER (Please specify): Question 6: Read the following statements. Check all that you agree with. __ Expensive co-payments for care and medication stop me from seeking care or filling prescriptions __ It's hard to find health care providers that understand my (or others) language, culture, or religion It's hard to find doctors that are taking new patients It's hard to find appointments that work with my schedule Question 7: Think about your community. Choose the top three (3) populations that you think have the greatest unmet health needs. School age children (6-11 years of age) Young children (0-5 years of age) __ Adolescents (12-17 years of age) Young adults (18-24 years of age) Older adults (older than 65 years of age) __ Immigrants/Refugees __ Non-English speakers __ Racial/Ethnic Minorities __ Homeless/Housing insecure __ Low-income populations

Those with disabilities (physical, cognitive, development, emotional)

Lesbian, Gay, Bisexual, Transgender, Queer/Questioning (LGBTQ)

OTHER (Please specify):

Question 8: Think about your community. Choose the top three (3) health issues that you think people struggle with the most. _ Cancer _ Cardiovascular conditions (e.g., hypertension/high blood pressure, heart disease, stroke) _ Respiratory diseases (e.g., asthma, chronic obstructive pulmonary disease [COPD], emphysema) _ Physical inactivity, nutrition, and/or obesity _ Maternal and child health issues (e.g., prenatal care, teen pregnancy, infant mortality) _ Diabetes _ Dental care _ Infectious disease (e.g., flu, HIV/AIDS, sexually transmitted infections, hepatitis C) _ Neurological disorders (e.g., Alzheimer's, Parkinson's, dementia) _ Mobility impairments (e.g., falls, arthritis, fibromyalgia) _ Mental health _ Depression _ Anxiety/Stress _ Other mental illness

Nicotine (including cigarettes, e-cigarettes/vaping, other tobacco products)

Opioids/Prescription drugs

Substance use

__ Alcohol

OTHER (Please specify):

Marijuana

APPENDIX B: DATA BOOK

Secondary Data Book Random Household Survey data

ALLENDALE – MAHWAH

	Higher tha	an State					
	Lower tha						
	CI Calculation	Ben	chmarks	Bergen County	Bergen County	Bergen County	Bergen County
Indicators		State of NJ	Bergen County	Allendale	Franklin Lakes	Glen Rock	Mahwah
Total Population (count) (ACS 2013-2017) ¹	ACS 2013-2017	8,960,161	937,920	6,820	10,953	11,962	26,581
Demographics							
Gender (ACS 2013-2017)							
Male (Percent) ¹	ACS 2013-2017	48.8	48.4	47.9	49.7	49.8	46.5
Female (Percent) ¹	ACS 2013-2017	51.2	51.6	52.1	50.3	50.2	53.5
Race/ethnicity (ACS 2013-2017)							
Non-Hispanic White (Percent) ¹	ACS 2013-2017	56.1	57.8	83.3	80.2	78.2	74.1
Non-Hispanic Black (Percent) ¹	ACS 2013-2017	12.7	5.3	1.1	1.8	0.9	3.0
Hispanic or Latino of Any Race (Percent) ¹	ACS 2013-2017	19.7	18.9	1.8	7.6	7.0	8.8
Non-Hispanic Asian (Percent) ¹	ACS 2013-2017	9.4	16.2	11.7	8.4	10.9	13.0
Non-Hispanic Native Hawaiian and Other Pacific Islander (Percent) ¹	ACS 2013-2017	0.0	0.0	0.0	0.2	0.0	0.1
Non-Hispanic American Indian/Alaskan Native (Percent) ¹	ACS 2013-2017	0.1	0.1	0.0	0.0	0.3	0.1
Non-Hispanic Other race (Percent) ¹	ACS 2013-2017	0.4	0.2	0.0	0.1	0.0	0.0
Korean alone of total population (Percent) ¹	NA	1.1	6.1	1.8	4.3	2.8	1.8
Foreign born (Percent) (ACS 2013-2017) ¹	ACS 2013-2017	22.1	30.5	12.2	17.3	12.4	19.3
Language Spoken at Home (Population 5+ yrs and over) (ACS 2013-2017) ¹							
English only (Percent) ¹	ACS 2013-2017	69.0	60.1	84.8	72.8	83.0	77.2
Language other than English in the home (Percent) ¹	ACS 2013-2017	31.0	39.9	15.2	27.2	17.0	22.8
Language other than English in the home - Speak English less than "very well" (Percent) 1	ACS 2013-2017	12.2	14.5	4.4	4.8	5.0	5.7
Spanish (Percent) ¹	ACS 2013-2017	16.1	14.9	2.0	8.2	4.9	5.9
Spanish - Speak English less than "very well" (Percent) ¹	ACS 2013-2017	7.1	5.1	0.2	1.2	0.9	1.4
Other Indo-European languages (Percent) ¹	ACS 2013-2017	8.3	11.1	5.2	9.3	4.7	10.2
Other Indo-European languages - Speak English less than "very well" (Percent) ¹	ACS 2013-2017	2.8	3.6	0.5	1.2	0.5	1.5
Asian and Pacific Islander languages (Percent) ¹	ACS 2013-2017	4.8	11.5	7.3	5.0	6.6	6.1
Asian and Pacific Islander languages -Speak English less than "very well" (Percent) 1	ACS 2013-2017	1.9	5.1	3.4	1.9	3.3	2.4
Other languages (Percent) ¹	ACS 2013-2017	1.7	2.4	0.7	4.8	0.7	0.6
Other languages - Speak English less than "very well" (Percent) ¹	ACS 2013-2017	0.5	0.6	0.3	0.5	0.3	0.4
Age (ACS 2013-2017)							
Median age (years) ¹	ACS 2013-2017	39.6	41.6	44.9	47.2	40.9	39.7
Under 18 yrs (Percent) ¹	ACS 2013-2017	22.3	21.5	28.0	23.1	28.5	18.7
0-4 yrs (Percent) ¹	ACS 2013-2017	5.9	5.3	4.6	3.8	7.0	4.4

	Higher tha	n State					
	Lower tha	n State					
	CI Calculation	Ben	chmarks	Bergen County	Bergen County	Bergen County	Bergen County
Indicators		State of NJ	Bergen County	Allendale	Franklin Lakes	Glen Rock	Mahwah
5-14 yrs (Percent) ¹	ACS 2013-2017	12.5	12.2	17.9	14.0	17.5	11.2
15-19 yrs (Percent) ¹	ACS 2013-2017	6.4	6.3	7.6	7.7	6.7	8.8
20-34 yrs (Percent) ¹	ACS 2013-2017	19.3	17.4	9.8	10.3	10.9	19.9
35-44 yrs (Percent)	ACS 2013-2017	13.0	13.3	10.2	10.9	13.5	11.4
45-54 yrs (Percent) ¹	ACS 2013-2017	14.7	15.3	18.9	18.6	17.0	14.8
55-64 yrs (Percent) ¹	ACS 2013-2017	13.1	13.6	15.8	13.5	13.6	12.8
Over 65 yrs (Percent) ¹	ACS 2013-2017	15.1	16.4	15.2	21.2	13.7	16.7
Households (ACS 2013-2017)							
Households one or more people under 18 years old (Percent) ¹	ACS 2013-2017	33.4	33.8	44.9	35.5	43.8	28.5
Households with one or more people 65+ years old (Percent) ¹	ACS 2013-2017	29.6	31.1	32.7	37.6	27.5	34.3
Individuals 65+ years older living alone (Percent) 1	NA	26.8	24.0	31.4	14.0	21.8	27.5
Social and Economic Characteristics (ACS 2013-2017)							
Families living below poverty level (Percent) 1	ACS 2013-2017	7.9	5.5	1.3	2.2	1.2	1.6
Persons living below poverty level (Percent) 1	ACS 2013-2017	10.7	7.2	3.1	3.2	2.6	3.8
Individuals with income below 200 percent of poverty level (Percent) ¹	NA	24.1	17.6	7.0	5.7	5.4	12.0
Individuals with income below 300 percent of poverty level (Percent) ¹	NA	37.1	28.3	14.5	12.2	8.9	19.9
Individuals with income below 400 percent of poverty level (Percent) ¹	NA	48.9	39.1	19.0	18.7	17.5	27.9
Single female households (no husband present) with children (<18 yrs old) living below poverty level (Percent) 1	ACS 2013-2017	32.2	25.3	0.0	12.5	14.0	12.6
Children <18 yrs old living below poverty level (Percent) 1	ACS 2013-2017	12.3	7.6	2.3	3.4	2.3	2.9
Unemployment (labor force that is unemployed) (Percent) ¹	ACS 2013-2017	4.6	3.4	5.1	3.0	3.4	5.1
High school graduate or higher (Percent) ¹	ACS 2013-2017	89.2	92.0	98.2	97.9	97.7	95.8
Health Insurance Coverage (ACS 2013-2017)							
Private Health Insurance Coverage							
Civilian noninstitutionalized population (Percent) 1	ACS 2013-2017	71.6	76.4	91.7	89.8	92.2	84.3
Employer-based health insurance alone or in combination (Percent) $^{\scriptsize 1}$	ACS 2013-2017	62.2	65.3	77.2	69.8	81.1	69.2
Direct-purchase health insurance alone or in combination (Percent) $^{\mathrm{1}}$	ACS 2013-2017	11.4	13.2	16.7	21.5	13.8	17.4
Tricare/military health insurance alone or in combination (Percent) $^{\mathrm{1}}$	ACS 2013-2017	0.9	0.4	0.0	0.6	0.7	0.5
Public Health Insurance Coverage							
Civilian noninstitutionalized population (Percent) 1	ACS 2013-2017	29.7	24.3	14.9	23.6	16.4	22.8
Medicare coverage alone or in combination (Percent) $^{\scriptsize 1}$	ACS 2013-2017	16.1	16.4	13.3	21.6	13.5	17.1
Medicaid/means-tested public coverage alone or in combination (Percent) $^{\scriptsize 1}$	ACS 2013-2017	16.0	10.0	2.9	4.5	3.5	6.9
VA health care coverage alone or in combination (Percent) $^{\mathrm{1}}$	ACS 2013-2017	1.1	0.9	0.6	0.7	1.1	0.8

	Higher than State						
	Lower tha	in State					
	CI Calculation	Calculation Benchmarks		Bergen County	Bergen County	Bergen County	Bergen County
Indicators		State of NJ	Bergen County	Allendale	Franklin Lakes	Glen Rock	Mahwah
Uninsured							
Civilian noninstitutionalized population (Percent) 1	ACS 2013-2017	9.7	9.2	2.5	2.7	2.1	5.3
Under 19 years (Percent) ¹	ACS 2013-2017	4.4	5.1	2.8	0.9	0.9	3.4
19 to 64 years (Percent) ¹	ACS 2013-2017	13.8	12.8	2.3	4.6	3.1	7.4
65 years and older (Percent) ¹	ACS 2013-2017	1.3	1.4	2.4	0.0	1.0	0.2
Affordable Housing (ACS 2013-2017)							
Number of housing units ¹	ACS 2013-2017	3595055	355632.0	2426.0	4024.0	3991.0	9586.0
Vacant housing units (Percent) ¹	ACS 2013-2017	11.0	5.0	6.1	4.2	2.3	2.5
Renter-occupied units (Percent) ¹	ACS 2013-2017	35.9	35.4	15.6	12.6	6.9	20.7
Occupied housing units with no vehicles available (Percent) ¹	ACS 2013-2017	11.4	8.0	5.8	1.2	2.8	3.5
Median house value (in dollars) ¹	ACS 2013-2017	321100	451200.0	682100.0	975000.0	621800.0	489900.0
Owner-occupied units with monthly owner costs \geq 35% of household income (Percent) ¹	ACS 2013-2017	50.7	56.5	57.3	47.5	45.8	56.2
Renter-occupied units with gross rent \geq 35% of household income (Percent) 1	ACS 2013-2017	43.6	41.1	50.0	42.3	47.7	39.2
Crime (per 100,000 population)							
Violent crime rates (UCR 2017) ²	JSI Calculation	228.6	73.1	0.0	9.1	16.6	33.6
Murder/non-negligent manslaughter rate (UCR 2017) ²	JSI Calculation	3.7	0.4	0.0	0.0	0.0	0.0
Forcible rape rate (UCR 2017) ²	JSI Calculation	15.9	6.7	0.0	0.0	8.3	11.2
Robbery rate (UCR 2017) ²	JSI Calculation	88.5	25.0	0.0	0.0	8.3	11.2
Aggravated assault rate (UCR 2017) ²	JSI Calculation	120.4	40.9	0.0	9.1	0.0	11.2
Property crime rates (UCR 2017) ²	JSI Calculation	1537.9	966.9	735.1	649.1	771.7	545.7
Burglary rate (UCR 2017) ²	JSI Calculation	263.8	122.9	158.5	118.8	33.2	59.8
Larceny-theft rate (UCR 2017) ²	JSI Calculation	1137.1	786.8	562.1	447.9	697.0	448.5
Motor vehicle theft rate (UCR 2017) ²	JSI Calculation	137.0	57.2	14.4	82.3	41.5	37.4
Arson rate (UCR 2017) ²	JSI Calculation	6.2	1.6	0.0	0.0	0.0	0.0
Indicators		State of NJ	Bergen County	Allendale	Franklin Lakes	Glen Rock	Mahwah
Maternal and Child Health							
Number of births (2013-2017) ³	NJDOH	510,789	46,715.0	249.0	398.0	542.0	840.0
Birth Rate (per 1,000 people)(2013-2017) ³	NJDOH	11.4	10.0	7.3	7.3	9.1	6.3
Adolescent (15-19 years) Birth Rate(2013-2017) ³	JSI Calculation	61	20.1		**		5.8
With Kotelchuck Prenatal Care=Adequate(Percent)(2013-2017) ³	NJDOH	67.1	66.4	68.7	71.4	66.4	68.8
Low Birthweight Infants (less than 2500 g)(Percent)(2013-2017) ³	NJDOH	8.1	7.9	5.2	8.3	6.5	8.7
Births that were Preterm (less than 37 weeks)(Percent)(2013-2017) ³	NJDOH	9.6	9.7	10.0	9.0	9.8	10.7

	Higher than State Lower than State						
	CI Calculation	Benchmarks		Bergen County	Bergen County	Bergen County	Bergen County
Indicators	Ci Calculation	State of NJ	Bergen County	Allendale	Franklin Lakes	Glen Rock	Mahwah
Sexually Transmitted Diseases (Counts per 100,000)(2013-2017)			beigen county				
Chlamydia 4	JSI Calculation	1,773	947.8	586.5	611.7	693.9	650.8
Gonorrhea ⁴	JSI Calculation	428	147.2	3333	332,1	3000	86.5
Syphilis (Primary, Secondary, Latent) ⁴	JSI Calculation	77	47.4				
Hospitalizations (Inpatient and Emergency Department)(Counts per 100,000)(2016)							
Acute Myocardial Infarction (Heart Attack)							
All Inpatient Hospitalizations ⁵	JSI Calculation	211.1	174.6	88.7	138.8	92.5	98.4
All Emergency Department Visits ⁵	JSI Calculation	14.6	7.8	14.8			
Acute Renal Failure							
All Inpatient Hospitalizations ⁵	JSI Calculation	156.7	134.1	177.3	46.3	67.3	79.4
All Emergency Department Visits ⁵	JSI Calculation	12.1	8.1	14.8			7.6
Alcohol/Drug Use or Induced Mental Disorders							
All Inpatient Hospitalizations ⁵	JSI Calculation	236.8	218.3	88.7	157.3	50.5	170.2
All Emergency Department Visits ⁵	JSI Calculation	789.3	578.5	295.6	222.0	210.3	287.5
Asthma							
All Inpatient Hospitalizations 5	JSI Calculation	84.4	48.8				22.7
All Emergency Department Visits 5	JSI Calculation	561.1	301.0	118.2	101.8	67.3	117.3
Cardiovascular Disease							
All Inpatient Hospitalizations ⁵	JSI Calculation	1,082	871	709.3	730.8	673.0	601.5
All Emergency Department Visits 5	JSI Calculation	304	252	295.6	286.8	193.5	196.7
Cerebrovascular Disease (Stroke)							
All Inpatient Hospitalizations ⁵	JSI Calculation	243.0	206.3	147.8	240.5	159.8	158.9
All Emergency Department Visits ⁵	JSI Calculation	38.0	19.2		9.3		18.9
Chronic Obstructive Pulmonary Disease (COPD)							
All Inpatient Hospitalizations ⁵	JSI Calculation	197.3	122.3		64.8	67.3	94.6
All Emergency Department Visits ⁵	JSI Calculation	282.0	154.7	147.8	27.8	101.0	79.4
Circulatory System							
All Inpatient Hospitalizations ⁵	JSI Calculation	1,372.7	1,081.7	871.9	832.6	849.7	794.4
All Emergency Department Visits ⁵	JSI Calculation	2,743.3	2,002.6	1,758.5	1,507.9	1,421.7	1,407.3
Congestive Heart Failure (CHF)							
All Emergency Department Visits 5	JSI Calculation	26.2	14.8	14.8	18.5	25.2	11.3
Diabetes							

	Higher tha	an State					
	Lower tha	in State					
	CI Calculation	Ben	chmarks	Bergen County	Bergen County	Bergen County	Bergen County
Indicators		State of NJ	Bergen County	Allendale	Franklin Lakes	Glen Rock	Mahwah
All Inpatient Hospitalizations ⁵	JSI Calculation	177.1	105.6	133.0		67.3	83.2
All Emergency Department Visits 5	JSI Calculation	189.9	100.4	88.7	27.8	101.0	68.1
Mental and behavioral disorders							
All Inpatient Hospitalizations ⁵	JSI Calculation	525.1	557.3	177.3	175.8	227.1	310.2
All Emergency Department Visits ⁵	JSI Calculation	1,122.9	651.4	443.3	601.3	614.1	537.2
Pneumoconioses and Other Lung Diseases Due to External Agents							
All Inpatient Hospitalizations ⁵	JSI Calculation	58.3	55.8	103.4			34.0
Respiratory System							
All Inpatient Hospitalizations ⁵	JSI Calculation	957.2	735.9	724.1	490.3	521.6	541.0
All Emergency Department Visits ⁵	JSI Calculation	2,238.6	1,360.1	916.2	656.8	774.0	798.2
Injuries, Poison And Toxic Effect of Drugs							
All Inpatient Hospitalizations ⁵	JSI Calculation	145.9	103.2	103.4	92.5	58.9	75.7
All Emergency Department Visits ⁵	JSI Calculation	1,478.9	1,120.4	1,108.3	934.3	1,152.5	779.3
Factors influencing health status and contact with health services							
All Inpatient Hospitalizations ⁵	JSI Calculation	51.9	31.6				
All Emergency Department Visits ⁵	JSI Calculation	1,426.8	822.3	901.4	388.5	538.4	639.3
Mortality							
Average Age of Death (Years)(2013-2017) ⁶	NJDOH	75.0	78.2	82.9	79.0	78.6	77.6
Crude Death Rate (Deaths per 100,000 Population)(2013-2017) 6	NJDOH						
All Causes ⁶	NJDOH	810.7	760.0	882.1	646.7	558.5	633.8
Alzheimer's Disease ⁶	NJDOH	25.2	30.6	**	**	**	33.1
Acute Myocardial Infarction ⁶	NJDOH	33.5	33.5	**	**	**	17.3
Asthma ⁶	NJDOH	1.3	0.9	**			**
Cerebrovascular Diseases ⁶	NJDOH	38.3	36.7	**	36.5	**	33.1
Chronic liver disease and cirrhosis ⁶	NJDOH	8.9	6.6	**	**	**	**
Chronic lower respiratory diseases (CLRD) ⁶	NJDOH	35.2	29	**	**	**	25.6
Diabetes mellitus ⁶	NJDOH	22.1	17.9	**	**	**	**
Diseases of the heart ⁶	NJDOH	207.3	199.3	325.3	193.6	145.5	156.6
Essential hypertension and hypertensive renal disease ⁶	NJDOH	8.7	7.8	**	**	**	**
HIV ⁶	NJDOH	2.8	0.8				
Homicide (assault) ⁶	NJDOH	4.3	1.4				**
Influenza and Pneumonia ⁶	NJDOH	14.6	16.5	**	**	**	**
Leukemia ⁶	NJDOH	7.3	8.2	**	**	**	**

	Higher tha						
	Lower tha	in State I					
	CI Calculation	Calculation Benchmarks		Bergen County	Bergen County	Bergen County	Bergen County
Indicators		State of NJ	Bergen County	Allendale	Franklin Lakes	Glen Rock	Mahwah
Motor Vehicle Crash ⁶	NJDOH	6.7	4.3		**		**
Parkinson's Disease ⁶	NJDOH	8.3	9.5	**	**	**	**
Suicide ⁶	NJDOH	8.5	7.9	**	**	**	**
Tuberculosis ⁶	NJDOH	0.2	**				
Unintentional injuries ⁶	NJDOH	39.2	28.3	**	**	**	21.1
Viral Hepatitis ⁶	NJDOH	1.6	1.3	**			**
Cancer Crude Death Rate (Deaths per 100,000 Population)(2013-2017)							
Cancer (malignant neoplasms) ⁶	NJDOH	182.6	180.1	143.6	158.9	155.5	152.1
Breast (malignant neoplasm of breast) ⁶	NJDOH	15	15	**	**	**	**
Ovary (malignant neoplasm of ovary) ⁶	NJDOH	5	4	**	**	**	**
Cervix (malignant neoplasm of cervix) ⁶	NJDOH	1	1			**	**
Prostate (malignant neoplasm of prostate) ⁶	NJDOH	9	8	**	**	**	**
Bladder (malignant neoplasm of bladder) ⁶	NJDOH	6	5	**	**	**	**
Colorectal (malignant neoplasms of colon, rectum, and anus) ⁶	NJDOH	17	17	**	**	**	**
Stomach (malignant neoplasm of stomach) ⁶	NJDOH	4	6	**	**	**	**
Lung (malignant neoplams of trachea, bronchus, and lung) ⁶	NJDOH	43	39	**	36.5	33.4	24.8

¹American Community Survey (ACS) 2013-2017

² FBI Uniform Crime Reporting (UCR): Offenses Known to Law Enforcement 2017

³ New Jersey Birth Certificate Database, Office of Vital Statistics and Registry

⁴ Communicable Disease Reporting and Surveillance System, New Jersey Department of Health

⁵ New Jersey Discharge Data Collection System, Office of Health Care Quality Assessment, New Jersey Department of Health, 2016

⁶ New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

MIDLAND PARK - WYCHOFF

	Higher tha	an State					
	Lower tha	an State					
	CI Calculation	Ben	chmarks	Bergen County	Bergen County	Bergen County	Bergen County
Indicators		State of NJ	Bergen County	Midland Park	Ridgewood Village	Upper Saddle River	Wychoff
Total Population (count) (ACS 2013-2017) ¹	ACS 2013-2017	8,960,161	937,920	7,336	25,554	8,339	17,231
Demographics							
Gender (ACS 2013-2017)							
Male (Percent) ¹	ACS 2013-2017	48.8	48.4	49.1	48.3	49.1	47.1
Female (Percent) ¹	ACS 2013-2017	51.2	51.6	50.9	51.7	50.9	52.9
Race/ethnicity (ACS 2013-2017)							
Non-Hispanic White (Percent) ¹	ACS 2013-2017	56.1	57.8	83.6	73.2	74.0	89.5
Non-Hispanic Black (Percent) ¹	ACS 2013-2017	12.7	5.3	0.8	1.6	3.7	0.6
Hispanic or Latino of Any Race (Percent) ¹	ACS 2013-2017	19.7	18.9	13.3	7.8	6.4	3.4
Non-Hispanic Asian (Percent) ¹	ACS 2013-2017	9.4	16.2	0.9	14.7	13.7	5.2
Non-Hispanic Native Hawaiian and Other Pacific Islander (Percent) ¹	ACS 2013-2017	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hispanic American Indian/Alaskan Native (Percent) ¹	ACS 2013-2017	0.1	0.1	0.0	0.1	0.0	0.0
Non-Hispanic Other race (Percent) ¹	ACS 2013-2017	0.4	0.2	0.0	0.1	0.0	0.0
Korean alone of total population (Percent) ¹	NA	1.1	6.1	0.0	7.3	3.2	2.7
Foreign born (Percent) (ACS 2013-2017) ¹	ACS 2013-2017	22.1	30.5	9.1	21.9	17.6	10.4
Language Spoken at Home (Population 5+ yrs and over) (ACS 2013-2017) ¹							
English only (Percent) ¹	ACS 2013-2017	69.0	60.1	90.5	76.4	77.0	87.5
Language other than English in the home (Percent) ¹	ACS 2013-2017	31.0	39.9	9.5	23.6	23.0	12.5
Language other than English in the home - Speak English less than "very well" (Percent) 1	ACS 2013-2017	12.2	14.5	2.7	8.1	5.7	4.0
Spanish (Percent) ¹	ACS 2013-2017	16.1	14.9	7.1	4.0	3.3	2.8
Spanish - Speak English less than "very well" (Percent) 1	ACS 2013-2017	7.1	5.1	2.1	1.1	0.6	0.7
Other Indo-European languages (Percent) 1	ACS 2013-2017	8.3	11.1	1.2	8.4	14.6	4.7
Other Indo-European languages - Speak English less than "very well" (Percent) 1	ACS 2013-2017	2.8	3.6	0.3	2.0	3.6	1.2
Asian and Pacific Islander languages (Percent) 1	ACS 2013-2017	4.8	11.5	0.5	10.5	4.3	3.6
Asian and Pacific Islander languages -Speak English less than "very well" (Percent) 1	ACS 2013-2017	1.9	5.1	0.3	4.7	1.4	1.8
Other languages (Percent) ¹	ACS 2013-2017	1.7	2.4	0.6	0.8	0.8	1.3
Other languages - Speak English less than "very well" (Percent) 1	ACS 2013-2017	0.5	0.6	0.0	0.2	0.2	0.4
Age (ACS 2013-2017)							
Median age (years) ¹	ACS 2013-2017	39.6	41.6	43.2	41.3	41.0	44.5
Under 18 yrs (Percent) 1	ACS 2013-2017	22.3	21.5	23.8	30.4	30.0	25.5
0-4 yrs (Percent) ¹	ACS 2013-2017	5.9	5.3	7.6	5.0	5.1	5.0

	Higher tha	ın State					
	Lower tha	n State					
	CI Calculation	Bend	chmarks	Bergen County	Bergen County	Bergen County	Bergen County
Indicators		State of NJ	Bergen County	Midland Park	Ridgewood Village	Upper Saddle River	Wychoff
5-14 yrs (Percent) ¹	ACS 2013-2017	12.5	12.2	13.3	19.7	19.2	15.5
15-19 yrs (Percent) ¹	ACS 2013-2017	6.4	6.3	3.9	7.9	7.3	7.7
20-34 yrs (Percent) ¹	ACS 2013-2017	19.3	17.4	15.0	10.4	15.1	10.9
35-44 yrs (Percent)	ACS 2013-2017	13.0	13.3	14.0	13.4	7.3	11.4
45-54 yrs (Percent) ¹	ACS 2013-2017	14.7	15.3	18.0	17.7	18.6	16.1
55-64 yrs (Percent) ¹	ACS 2013-2017	13.1	13.6	11.3	12.2	14.5	14.5
Over 65 yrs (Percent) 1	ACS 2013-2017	15.1	16.4	17.0	13.9	12.8	18.9
Households (ACS 2013-2017)							
Households one or more people under 18 years old (Percent) ¹	ACS 2013-2017	33.4	33.8	31.9	47.3	48.2	38.5
Households with one or more people 65+ years old (Percent) ¹	ACS 2013-2017	29.6	31.1	33.2	28.2	28.4	34.4
Individuals 65+ years older living alone (Percent) 1	NA	26.8	24.0	27.1	19.3	16.6	23.5
Social and Economic Characteristics (ACS 2013-2017)							
Families living below poverty level (Percent) ¹	ACS 2013-2017	7.9	5.5	1.8	3.8	0.9	1.2
Persons living below poverty level (Percent) ¹	ACS 2013-2017	10.7	7.2	4.1	4.4	0.8	2.3
Individuals with income below 200 percent of poverty level (Percent) ¹	NA	24.1	17.6	10.0	7.7	4.9	7.7
Individuals with income below 300 percent of poverty level (Percent) $^{ m 1}$	NA	37.1	28.3	22.4	11.2	8.0	13.2
Individuals with income below 400 percent of poverty level (Percent) ¹	NA	48.9	39.1	27.3	17.1	14.8	20.2
Single female households (no husband present) with children (<18 yrs old) living below	ACC 2012 2017	22.2	25.2	62.7	25.6	100.0	0.0
poverty level (Percent) ¹ Children <18 yrs old living below poverty level (Percent) ¹	ACS 2013-2017	32.2	25.3 7.6	4.3	5.0	1.5	0.4
Unemployment (labor force that is unemployed) (Percent) ¹	ACS 2013-2017 ACS 2013-2017	12.3	3.4	2.0	2.9	3.6	3.1
High school graduate or higher (Percent) ¹	ACS 2013-2017 ACS 2013-2017	4.6 89.2	92.0	95.2	97.1	97.4	97.6
Health Insurance Coverage (ACS 2013-2017)	ACS 2013-2017	89.2	92.0	93.2	97.1	37.4	97.0
Private Health Insurance Coverage							
Civilian noninstitutionalized population (Percent) ¹	ACS 2013-2017	71.6	76.4	86.1	89.9	87.8	91.0
Employer-based health insurance alone or in combination (Percent) ¹	ACS 2013-2017 ACS 2013-2017	62.2	65.3	70.7	78.5	73.1	78.4
Direct-purchase health insurance alone or in combination (Percent) ¹	ACS 2013-2017 ACS 2013-2017	11.4	13.2	17.8	13.8	16.2	14.2
Tricare/military health insurance alone or in combination (Percent) ¹	ACS 2013-2017 ACS 2013-2017	0.9	0.4	0.7	0.4	0.0	0.6
Public Health Insurance Coverage	ACS 2013-2017	0.5	0.4	0.7	0.1	0.0	0.0
Civilian noninstitutionalized population (Percent) ¹	ACS 2013-2017	29.7	24.3	22.7	15.5	15.6	20.8
Medicare coverage alone or in combination (Percent) ¹	ACS 2013-2017 ACS 2013-2017	16.1	16.4	17.8	13.0	12.0	17.6
Medicaid/means-tested public coverage alone or in combination (Percent) ¹	ACS 2013-2017 ACS 2013-2017	16.0	10.4	5.8	3.8	6.8	4.3
VA health care coverage alone or in combination (Percent) ¹	ACS 2013-2017 ACS 2013-2017	1.1	0.9	2.1	0.6	0.2	0.8

	Higher th						
	Lower tha						
	CI Calculation		chmarks	Bergen County	Bergen County	Bergen County	Bergen County
Indicators		State of NJ	Bergen County	Midland Park	Ridgewood Village	Upper Saddle River	Wychoff
Uninsured							
Civilian noninstitutionalized population (Percent) 1	ACS 2013-2017	9.7	9.2	5.7	3.2	3.2	1.4
Under 19 years (Percent) ¹	ACS 2013-2017	4.4	5.1	4.8	2.0	1.6	1.1
19 to 64 years (Percent) 1	ACS 2013-2017	13.8	12.8	7.7	4.5	4.8	2.1
65 years and older (Percent) ¹	ACS 2013-2017	1.3	1.4	0.0	0.4	0.0	0.0
Affordable Housing (ACS 2013-2017)				2040.0	0570.0	2505.0	5044.0
Number of housing units ¹	ACS 2013-2017	3595055	355632.0	2818.0	8573.0	2606.0	5941.0
Vacant housing units (Percent) ¹	ACS 2013-2017	11.0	5.0	4.5	2.6	5.0	1.9
Renter-occupied units (Percent) ¹	ACS 2013-2017	35.9	35.4	31.7	23.2	10.7	8.3
Occupied housing units with no vehicles available (Percent) ¹	ACS 2013-2017	11.4	8.0	6.2	2.5	2.3	3.0
Median house value (in dollars) ¹	ACS 2013-2017	321100	451200.0	488500.0	739300.0	920400.0	724100.0
Owner-occupied units with monthly owner costs >35% of household income (Percent) 1	ACS 2013-2017	50.7	56.5	56.2	40.8	69.5	45.7
Renter-occupied units with gross rent >35% of household income (Percent) 1	ACS 2013-2017	43.6	41.1	30.2	37.3	12.2	40.6
Crime (per 100,000 population)							
Violent crime rates (UCR 2017) ²	JSI Calculation	228.6	73.1	54.2	23.3	23.9	46.0
Murder/non-negligent manslaughter rate (UCR 2017) 2	JSI Calculation	3.7	0.4	0.0	0.0	0.0	0.0
Forcible rape rate (UCR 2017) ²	JSI Calculation	15.9	6.7	13.6	3.9	0.0	23.0
Robbery rate (UCR 2017) ²	JSI Calculation	88.5	25.0	0.0	3.9	11.9	0.0
Aggravated assault rate (UCR 2017) ²	JSI Calculation	120.4	40.9	40.7	15.5	11.9	23.0
Property crime rates (UCR 2017) ²	JSI Calculation	1537.9	966.9	772.6	680.2	214.7	615.9
Burglary rate (UCR 2017) ²	JSI Calculation	263.8	122.9	54.2	62.2	47.7	149.7
Larceny-theft rate (UCR 2017) ²	JSI Calculation	1137.1	786.8	718.4	590.8	167.0	437.5
Motor vehicle theft rate (UCR 2017) ²	JSI Calculation	137.0	57.2	0.0	27.2	0.0	28.8
Arson rate (UCR 2017) ²	JSI Calculation	6.2	1.6	0.0	0.0	0.0	0.0
Indicators		State of NJ	Bergen County	Midland Park	Ridgewood Village	Upper Saddle River	Wychoff
Maternal and Child Health							
Number of births (2013-2017) ³	NJDOH	510,789	46,715.0	383.0	1,033.0	253.0	636.0
Birth Rate (per 1,000 people)(2013-2017) ³	NJDOH	11.4	10.0	10.4	8.1	6.1	7.4
Adolescent (15-19 years) Birth Rate(2013-2017) ³	JSI Calculation	61	20.1	**	**	**	**
With Kotelchuck Prenatal Care=Adequate(Percent)(2013-2017) ³	NJDOH	67.1	66.4	70.0	64.7	65.2	73.1
Low Birthweight Infants (less than 2500 g)(Percent)(2013-2017) ³	NJDOH	8.1	7.9	8.1	5.3	8.3	6.1
Births that were Preterm (less than 37 weeks)(Percent)(2013-2017) ³	NJDOH	9.6	9.7	9.4	8.0	8.3	8.2

	Higher th	an State					
	Lower that	an State					
	CI Calculation	Ben	chmarks	Bergen County	Bergen County	Bergen County	Bergen County
Indicators		State of NJ	Bergen County	Midland Park	Ridgewood Village	Upper Saddle River	Wychoff
Sexually Transmitted Diseases (Counts per 100,000)(2013-2017)							
Chlamydia ⁴	JSI Calculation	1,773	947.8	613.4	677.0	467.7	592.0
Gonorrhea ⁴	JSI Calculation	428	147.2		58.7		69.6
Syphilis (Primary, Secondary, Latent) ⁴	JSI Calculation	77	47.4				
Hospitalizations (Inpatient and Emergency Department)(Counts per 100,000)(2016)							
Acute Myocardial Infarction (Heart Attack)							
All Inpatient Hospitalizations ⁵	JSI Calculation	211.1	174.6	109.8	98.3		140.2
All Emergency Department Visits 5	JSI Calculation	14.6	7.8		3.9		11.7
Acute Renal Failure							
All Inpatient Hospitalizations ⁵	JSI Calculation	156.7	134.1	82.4	82.6		122.7
All Emergency Department Visits 5	JSI Calculation	12.1	8.1				
Alcohol/Drug Use or Induced Mental Disorders							
All Inpatient Hospitalizations ⁵	JSI Calculation	236.8	218.3	82.4	102.2	60.2	134.4
All Emergency Department Visits ⁵	JSI Calculation	789.3	578.5	274.6	381.4	84.3	420.6
Asthma							
All Inpatient Hospitalizations ⁵	JSI Calculation	84.4	48.8				35.0
All Emergency Department Visits 5	JSI Calculation	561.1	301.0	164.8	106.2		111.0
Cardiovascular Disease							
All Inpatient Hospitalizations 5	JSI Calculation	1,082	871	1,057.3	668.5	108.4	835.3
All Emergency Department Visits ⁵	JSI Calculation	304	252	274.6	180.9	24.1	280.4
Cerebrovascular Disease (Stroke)							
All Inpatient Hospitalizations ⁵	JSI Calculation	243.0	206.3	288.3	149.4		140.2
All Emergency Department Visits 5	JSI Calculation	38.0	19.2		7.9	12.0	17.5
Chronic Obstructive Pulmonary Disease (COPD)							
All Inpatient Hospitalizations ⁵	JSI Calculation	197.3	122.3		47.2		70.1
All Emergency Department Visits ⁵	JSI Calculation	282.0	154.7	219.7	78.6	12.0	81.8
Circulatory System							
All Inpatient Hospitalizations ⁵	JSI Calculation	1,372.7	1,081.7	1,194.6	770.7	108.4	993.0
All Emergency Department Visits ⁵	JSI Calculation	2,743.3	2,002.6	2,251.8	1,549.4	180.7	1,711.5
Congestive Heart Failure (CHF)							
All Emergency Department Visits ⁵	JSI Calculation	26.2	14.8	13.7	19.7		23.4
Diabetes							

	Higher tha	an State					
	Lower tha	n State					
	CI Calculation	Ben	chmarks	Bergen County	Bergen County	Bergen County	Bergen County
Indicators		State of NJ	Bergen County	Midland Park	Ridgewood Village	Upper Saddle River	Wychoff
All Inpatient Hospitalizations ⁵	JSI Calculation	177.1	105.6	68.7	51.1		52.6
All Emergency Department Visits ⁵	JSI Calculation	189.9	100.4	54.9	70.8		40.9
Mental and behavioral disorders							
All Inpatient Hospitalizations ⁵	JSI Calculation	525.1	557.3	480.6	342.1	108.4	169.4
All Emergency Department Visits ⁵	JSI Calculation	1,122.9	651.4	892.5	574.1	84.3	531.6
Pneumoconioses and Other Lung Diseases Due to External Agents							
All Inpatient Hospitalizations ⁵	JSI Calculation	58.3	55.8		35.4		35.0
Respiratory System							
All Inpatient Hospitalizations ⁵	JSI Calculation	957.2	735.9	645.3	483.7	84.3	765.2
All Emergency Department Visits ⁵	JSI Calculation	2,238.6	1,360.1	1,249.5	821.9	84.3	876.2
Injuries, Poison And Toxic Effect of Drugs							
All Inpatient Hospitalizations ⁵	JSI Calculation	145.9	103.2		62.9		105.1
All Emergency Department Visits ⁵	JSI Calculation	1,478.9	1,120.4	1,359.3	1,073.5	156.6	1,051.5
Factors influencing health status and contact with health services							
All Inpatient Hospitalizations ⁵	JSI Calculation	51.9	31.6		35.4		
All Emergency Department Visits 5	JSI Calculation	1,426.8	822.3	768.9	641.0	253.0	537.4
Mortality							
Average Age of Death (Years)(2013-2017) ⁶	NJDOH	75.0	78.2	79.3	79.9	80.2	81.1
Crude Death Rate (Deaths per 100,000 Population)(2013-2017) 6	NJDOH						
All Causes ⁶	NJDOH	810.7	760.0	832.3	547.0	577.6	933.2
Alzheimer's Disease ⁶	NJDOH	25.2	30.6	**	25	**	105.6
Acute Myocardial Infarction ⁶	NJDOH	33.5	33.5	**	23.5	**	38.3
Asthma ⁶	NJDOH	1.3	0.9				
Cerebrovascular Diseases ⁶	NJDOH	38.3	36.7	**	31.3	**	32.5
Chronic liver disease and cirrhosis ⁶	NJDOH	8.9	6.6	**	**	**	**
Chronic lower respiratory diseases (CLRD) ⁶	NJDOH	35.2	29	**	18	**	32.5
Diabetes mellitus ⁶	NJDOH	22.1	17.9	**	**	**	**
Diseases of the heart ⁶	NJDOH	207.3	199.3	240.1	169	155.8	257.7
Essential hypertension and hypertensive renal disease ⁶	NJDOH	8.7	7.8	**	**	**	**
HIV ⁶	NJDOH	2.8	0.8				
Homicide (assault) ⁶	NJDOH	4.3	1.4	**		**	
Influenza and Pneumonia ⁶	NJDOH	14.6	16.5	**	**	**	**
Leukemia ⁶	NJDOH	7.3	8.2	**	**	**	**

	Higher that						
	CI Calculation	Ben	chmarks	Bergen County	Bergen County	Bergen County	Bergen County
Indicators		State of NJ	Bergen County	Midland Park	Ridgewood Village	Upper Saddle River	Wychoff
Motor Vehicle Crash ⁶	NJDOH	6.7	4.3	**	**		**
Parkinson's Disease ⁶	NJDOH	8.3	9.5	**	**	**	**
Suicide ⁶	NJDOH	8.5	7.9	**	**	**	**
Tuberculosis ⁶	NJDOH	0.2	**				
Unintentional injuries ⁶	NJDOH	39.2	28.3	**	15.6	**	26.7
Viral Hepatitis ⁶	NJDOH	1.6	1.3			**	**
Cancer Crude Death Rate (Deaths per 100,000 Population)(2013-2017)							
Cancer (malignant neoplasms) ⁶	NJDOH	182.6	180.1	188.3	117.4	139.0	182.2
Breast (malignant neoplasm of breast) ⁶	NJDOH	15	15	**	**	**	23.2
Ovary (malignant neoplasm of ovary) ⁶	NJDOH	5	4		**	**	**
Cervix (malignant neoplasm of cervix) ⁶	NJDOH	1	1	**	**		**
Prostate (malignant neoplasm of prostate) ⁶	NJDOH	9	8	**	**	**	**
Bladder (malignant neoplasm of bladder) ⁶	NJDOH	6	5	**	**	**	**
Colorectal (malignant neoplasms of colon, rectum, and anus) ⁶	NJDOH	17	17	**	**	**	**
Stomach (malignant neoplasm of stomach) ⁶	NJDOH	4	6	**		**	**
Lung (malignant neoplams of trachea, bronchus, and lung) ⁶	NJDOH	43	39	**	22.7	**	25.5

¹American Community Survey (ACS) 2013-2017

² FBI Uniform Crime Reporting (UCR): Offenses Known to Law Enforcement 2017

³ New Jersey Birth Certificate Database, Office of Vital Statistics and Registry

⁴ Communicable Disease Reporting and Surveillance System, New Jersey Department of Health

⁵ New Jersey Discharge Data Collection System, Office of Health Care Quality Assessment, New Jersey Department of Health, 2016

⁶ New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

HALEDON – WAYNE

	Higher tha					
	Lower tha					
	CI Calculation	Ben	chmarks	Passaic County	Passaic County	Passaic County
Indicators		State of NJ	Bergen County	Haledon	Hawthorne	Wayne
Total Population (count) (ACS 2013-2017) ¹	ACS 2013-2017	8,960,161	937,920	8440	19065	55154
Demographics						
Gender (ACS 2013-2017)						
Male (Percent) ¹	ACS 2013-2017	48.8	48.4	50	49.6	47.2
Female (Percent) ¹	ACS 2013-2017	51.2	51.6	50	50.4	52.8
Race/ethnicity (ACS 2013-2017)						
Non-Hispanic White (Percent) ¹	ACS 2013-2017	56.1	57.8	35.1	75.1	77
Non-Hispanic Black (Percent) ¹	ACS 2013-2017	12.7	5.3	8	2.7	1.6
Hispanic or Latino of Any Race (Percent) ¹	ACS 2013-2017	19.7	18.9	48.2	20.6	12.1
Non-Hispanic Asian (Percent) ¹	ACS 2013-2017	9.4	16.2	4.8	0.8	8
Non-Hispanic Native Hawaiian and Other Pacific Islander (Percent) $^{\mathtt{1}}$	ACS 2013-2017	0.0	0.0	0	0	0
Non-Hispanic American Indian/Alaskan Native (Percent) ¹	ACS 2013-2017	0.1	0.1	0.1	0	0.1
Non-Hispanic Other race (Percent) ¹	ACS 2013-2017	0.4	0.2	2.6	0	0
Korean alone of total population (Percent) 1	NA	1.1	6.1	0.0	0.2	1.7
Foreign born (Percent) (ACS 2013-2017) ¹	ACS 2013-2017	22.1	30.5	34.9	14.2	19.1
Language Spoken at Home (Population 5+ yrs and over) (ACS 2013-2017) ¹						
English only (Percent) ¹	ACS 2013-2017	69.0	60.1	40.2	74.8	72.3
Language other than English in the home (Percent) ¹	ACS 2013-2017	31.0	39.9	59.8	25.2	27.7
Language other than English in the home - Speak English less than "very well" (Percent) $^{\rm 1}$	ACS 2013-2017	12.2	14.5	18.2	7.3	8.3
Spanish (Percent) ¹	ACS 2013-2017	16.1	14.9	39.4	15.3	8.6
Spanish - Speak English less than "very well" (Percent) 1	ACS 2013-2017	7.1	5.1	11.4	5.2	2.6
Other Indo-European languages (Percent) ¹	ACS 2013-2017	8.3	11.1	9.8	5.7	11.3
Other Indo-European languages - Speak English less than "very well" (Percent) 1	ACS 2013-2017	2.8	3.6	3.8	1	2.9
Asian and Pacific Islander languages (Percent) ¹	ACS 2013-2017	4.8	11.5	1.5	1.4	5.7
Asian and Pacific Islander languages -Speak English less than "very well" (Percent) $^{\mathrm{1}}$	ACS 2013-2017	1.9	5.1	0.5	0.3	2.1
Other languages (Percent) ¹	ACS 2013-2017	1.7	2.4	9	2.9	2.1
Other languages - Speak English less than "very well" (Percent) 1	ACS 2013-2017	0.5	0.6	2.5	0.8	0.6
Age (ACS 2013-2017)						
Median age (years) 1	ACS 2013-2017	39.6	41.6	33.9	39.2	43.3
Under 18 yrs (Percent) ¹	ACS 2013-2017	22.3	21.5	23.8	23.1	20.5
0-4 yrs (Percent) ¹	ACS 2013-2017	5.9	5.3	5.9	6.9	5

	Higher than State					
	Lower tha	n State				
	CI Calculation	Ben	chmarks	Passaic County	Passaic County	Passaic County
Indicators		State of NJ	Bergen County	Haledon	Hawthorne	Wayne
5-14 yrs (Percent) ¹	ACS 2013-2017	12.5	12.2	13.6	12.7	11.8
15-19 yrs (Percent) ¹	ACS 2013-2017	6.4	6.3	8.4	5.1	7.3
20-34 yrs (Percent) ¹	ACS 2013-2017	19.3	17.4	23.9	19	17.1
35-44 yrs (Percent)	ACS 2013-2017	13.0	13.3	11.8	13.4	11.4
45-54 yrs (Percent) ¹	ACS 2013-2017	14.7	15.3	12.8	14.9	15.4
55-64 yrs (Percent) ¹	ACS 2013-2017	13.1	13.6	11.4	13	13.9
Over 65 yrs (Percent) ¹	ACS 2013-2017	15.1	16.4	12.4	15.1	18.3
Households (ACS 2013-2017)						
Households one or more people under 18 years old (Percent) ¹	ACS 2013-2017	33.4	33.8	40	31.8	34.2
Households with one or more people 65+ years old (Percent) $^{ m 1}$	ACS 2013-2017	29.6	31.1	28.6	29.4	35.3
Individuals 65+ years older living alone (Percent) 1	NA	26.8	24.0	16.3	23.5	24.2
Social and Economic Characteristics (ACS 2013-2017)						
Families living below poverty level (Percent) ¹	ACS 2013-2017	7.9	5.5	9.2	3.8	3.2
Persons living below poverty level (Percent) ¹	ACS 2013-2017	10.7	7.2	13	5.1	4.5
Individuals with income below 200 percent of poverty level (Percent) ¹	NA	24.1	17.6	28.6	15.4	12.5
Individuals with income below 300 percent of poverty level (Percent) $^{\mathrm{1}}$	NA	37.1	28.3	44.5	27.7	20.9
Individuals with income below 400 percent of poverty level (Percent) ¹	NA	48.9	39.1	57.7	40.8	30.3
Single female households (no husband present) with children (<18 yrs old) living below	166 2012 2017	22.2	25.2	25.5	15.1	17.4
poverty level (Percent) ¹	ACS 2013-2017	32.2	25.3	14.5	7.2	3.6
Children <18 yrs old living below poverty level (Percent) ¹ Unemployment (labor force that is unemployed) (Percent) ¹	ACS 2013-2017 ACS 2013-2017	12.3 4.6	7.6 3.4	6.4	3.9	3.7
High school graduate or higher (Percent) ¹	ACS 2013-2017 ACS 2013-2017	89.2	92.0	90.2	91.2	93.5
Health Insurance Coverage (ACS 2013-2017)	ACS 2013-2017	89.2	92.0	90.2	91.2	93.3
Private Health Insurance Coverage						
Civilian noninstitutionalized population (Percent) ¹	ACS 2013-2017	71.6	76.4	60.6	75.7	83.2
Employer-based health insurance alone or in combination (Percent) ¹	ACS 2013-2017	62.2	65.3	54.2	66.4	72
Direct-purchase health insurance alone or in combination (Percent) ¹	ACS 2013-2017	11.4	13.2	6.4	11.1	13.4
Tricare/military health insurance alone or in combination (Percent) ¹	ACS 2013-2017 ACS 2013-2017	0.9	0.4	0.5	0.3	0.5
Public Health Insurance Coverage		0.5				
Civilian noninstitutionalized population (Percent) ¹	ACS 2013-2017	29.7	24.3	35.7	28.8	23.7
Medicare coverage alone or in combination (Percent) ¹	ACS 2013-2017	16.1	16.4	13.1	14.7	17.5
Medicaid/means-tested public coverage alone or in combination (Percent) ¹	ACS 2013-2017	16.0	10.0	25.3	15.9	8.2
VA health care coverage alone or in combination (Percent) ¹	ACS 2013-2017	1.1	0.9	0.6	1.5	0.9

	Higher tha					
	Lower tha					
	CI Calculation		chmarks	Passaic County	Passaic County	Passaic County
Indicators		State of NJ	Bergen County	Haledon	Hawthorne	Wayne
Uninsured						
Civilian noninstitutionalized population (Percent) 1	ACS 2013-2017	9.7	9.2	10.1	7.7	5.1
Under 19 years (Percent) ¹	ACS 2013-2017	4.4	5.1	2.4	2.5	4.1
19 to 64 years (Percent) ¹	ACS 2013-2017	13.8	12.8	14.9	11.3	6.8
65 years and older (Percent) ¹	ACS 2013-2017	1.3	1.4	2.1	1.3	0.6
Affordable Housing (ACS 2013-2017)						
Number of housing units ¹	ACS 2013-2017	3595055	355632.0	2623	7162	18941
Vacant housing units (Percent) ¹	ACS 2013-2017	11.0	5.0	1.6	3.2	3.5
Renter-occupied units (Percent) 1	ACS 2013-2017	35.9	35.4	52.3	40.1	20.5
Occupied housing units with no vehicles available (Percent) 1	ACS 2013-2017	11.4	8.0	8.3	3.5	3.9
Median house value (in dollars) 1	ACS 2013-2017	321100	451200.0	264100	377700	454500
Owner-occupied units with monthly owner costs ≥35% of household income (Percent) ¹	ACS 2013-2017	50.7	56.5	71.6	63.7	52.2
Renter-occupied units with gross rent ≥35% of household income (Percent) ¹	ACS 2013-2017	43.6	41.1	42.6	43	44.3
Crime (per 100,000 population)						
Violent crime rates (UCR 2017) ²	JSI Calculation	228.6	73.1	213.3	10.5	52.8
Murder/non-negligent manslaughter rate (UCR 2017) ²	JSI Calculation	3.7	0.4	0.0	0.0	1.8
Forcible rape rate (UCR 2017) ²	JSI Calculation	15.9	6.7	0.0	0.0	1.8
Robbery rate (UCR 2017) ²	JSI Calculation	88.5	25.0	59.2	0.0	14.6
Aggravated assault rate (UCR 2017) ²	JSI Calculation	120.4	40.9	154.0	10.5	34.6
Property crime rates (UCR 2017) ²	JSI Calculation	1537.9	966.9	1872.3	1192.2	1783.1
Burglary rate (UCR 2017) ²	JSI Calculation	263.8	122.9	379.2	141.8	154.8
Larceny-theft rate (UCR 2017) ²	JSI Calculation	1137.1	786.8	1339.0	1008.4	1550.0
Motor vehicle theft rate (UCR 2017) ²	JSI Calculation	137.0	57.2	154.0	42.0	78.3
Arson rate (UCR 2017) ²	JSI Calculation	6.2	1.6	0.0	0.0	0.0
Indicators		State of NJ	Bergen County	Haledon	Hawthorne	Wayne
Maternal and Child Health						
Number of births (2013-2017) ³	NJDOH	510,789	46,715.0	552	962	2174
Birth Rate (per 1,000 people)(2013-2017) ³	NJDOH	11.4	10.0	13.2	10.2	8.0
Adolescent (15-19 years) Birth Rate(2013-2017) ³	JSI Calculation	61	20.1	84.1	49.1	5.7
With Kotelchuck Prenatal Care=Adequate(Percent)(2013-2017) ³	NJDOH	67.1	66.4	68.5	71.0	78.6
Low Birthweight Infants (less than 2500 g)(Percent)(2013-2017) ³	NJDOH	8.1	7.9	6.9	7.3	8.2
Births that were Preterm (less than 37 weeks)(Percent)(2013-2017) ³	NJDOH	9.6	9.7	9.2	8.8	9.8

	Higher that Lower that					
	CI Calculation		chmarks	Passaic County	Passaic County	Passaic County
Indicators	Ci Calculation	State of NJ	Bergen County	Haledon	Hawthorne	Wayne
		State Of NJ	bergen county	Haledon	Hawthome	wayne
Sexually Transmitted Diseases (Counts per 100,000)(2013-2017)	ICI Cala Jalia a	4.772	047.0	2620.2	1020.6	750.6
Chlamydia ⁴	JSI Calculation	1,773	947.8	2630.3	1038.6	750.6
Gonorrhea ⁴	JSI Calculation	428	147.2	462.1	178.3	121.5
Syphilis (Primary, Secondary, Latent) 4	JSI Calculation	77	47.4			34.4
Hospitalizations (Inpatient and Emergency Department)(Counts per 100,000)(2016)						
Acute Myocardial Infarction (Heart Attack)						
All Inpatient Hospitalizations ⁵	JSI Calculation	211.1	174.6	273.8	158.3	209.4
All Emergency Department Visits ⁵	JSI Calculation	14.6	7.8	95.2	10.6	7.3
Acute Renal Failure						
All Inpatient Hospitalizations ⁵	JSI Calculation	156.7	134.1	250.0	100.3	72.8
All Emergency Department Visits 5	JSI Calculation	12.1	8.1	11.9	15.8	5.5
Alcohol/Drug Use or Induced Mental Disorders						
All Inpatient Hospitalizations ⁵	JSI Calculation	236.8	218.3	500.1	158.3	209.4
All Emergency Department Visits 5	JSI Calculation	789.3	578.5	1047.7	543.5	331.4
Asthma						
All Inpatient Hospitalizations ⁵	JSI Calculation	84.4	48.8	107.2		10.9
All Emergency Department Visits 5	JSI Calculation	561.1	301.0	904.9	248.0	163.9
Cardiovascular Disease						
All Inpatient Hospitalizations 5	JSI Calculation	1,082	871	1750.2	1066.0	1136.2
All Emergency Department Visits ⁵	JSI Calculation	304	252	500.1	337.7	245.8
Cerebrovascular Disease (Stroke)						
All Inpatient Hospitalizations ⁵	JSI Calculation	243.0	206.3	464.3	216.4	327.7
All Emergency Department Visits ⁵	JSI Calculation	38.0	19.2	35.7	10.6	9.1
Chronic Obstructive Pulmonary Disease (COPD)						
All Inpatient Hospitalizations ⁵	JSI Calculation	197.3	122.3	250.0	79.2	173.0
All Emergency Department Visits 5	JSI Calculation	282.0	154.7	297.7	142.5	142.0
Circulatory System						
All Inpatient Hospitalizations ⁵	JSI Calculation	1,372.7	1,081.7	2393.1	1282.3	1498.5
All Emergency Department Visits ⁵	JSI Calculation	2,743.3	2,002.6	5131.6	2506.6	2121.3
Congestive Heart Failure (CHF)						
All Emergency Department Visits ⁵	JSI Calculation	26.2	14.8	35.7	26.4	1.8
Diabetes						

	Higher tha	an State				
	Lower tha	in State				
	CI Calculation	Ben	chmarks	Passaic County	Passaic County	Passaic County
Indicators		State of NJ	Bergen County	Haledon	Hawthorne	Wayne
All Inpatient Hospitalizations ⁵	JSI Calculation	177.1	105.6	345.3	84.4	116.5
All Emergency Department Visits ⁵	JSI Calculation	189.9	100.4	285.7	63.3	65.5
Mental and behavioral disorders						
All Inpatient Hospitalizations ⁵	JSI Calculation	525.1	557.3	750.1	332.5	231.2
All Emergency Department Visits ⁵	JSI Calculation	1,122.9	651.4	1738.3	907.7	748.4
Pneumoconioses and Other Lung Diseases Due to External Agents						
All Inpatient Hospitalizations ⁵	JSI Calculation	58.3	55.8	71.4	95.0	18.2
Respiratory System						
All Inpatient Hospitalizations ⁵	JSI Calculation	957.2	735.9	1440.6	791.6	1028.8
All Emergency Department Visits ⁵	JSI Calculation	2,238.6	1,360.1	3774.3	1504.0	1192.6
Injuries, Poison And Toxic Effect of Drugs						
All Inpatient Hospitalizations ⁵	JSI Calculation	145.9	103.2	214.3	89.7	89.2
All Emergency Department Visits ⁵	JSI Calculation	1,478.9	1,120.4	3131.3	1356.2	1365.6
Factors influencing health status and contact with health services						
All Inpatient Hospitalizations ⁵	JSI Calculation	51.9	31.6	83.3	47.5	12.7
All Emergency Department Visits ⁵	JSI Calculation	1,426.8	822.3	2583.6	955.1	815.7
Mortality						
Average Age of Death (Years)(2013-2017) ⁶	NJDOH	75.0	78.2	74.4	77	79.8
Crude Death Rate (Deaths per 100,000 Population)(2013-2017) ⁶	NJDOH					
All Causes ⁶	NJDOH	810.7	760.0	620.6	768.2	1085.9
Alzheimer's Disease ⁶	NJDOH	25.2	30.6	**	**	53.3
Acute Myocardial Infarction ⁶	NJDOH	33.5	33.5	**	46.2	58.8
Asthma ⁶	NJDOH	1.3	0.9			**
Cerebrovascular Diseases ⁶	NJDOH	38.3	36.7	**	33.6	46.4
Chronic liver disease and cirrhosis ⁶	NJDOH	8.9	6.6	**	**	10.9
Chronic lower respiratory diseases (CLRD) 6	NJDOH	35.2	29	**	26.2	44.2
Diabetes mellitus ⁶	NJDOH	22.1	17.9	**	**	32.6
Diseases of the heart ⁶	NJDOH	207.3	199.3	154	240.3	263
Essential hypertension and hypertensive renal disease ⁶	NJDOH	8.7	7.8	**	**	12.7
HIV ⁶	NJDOH	2.8	0.8	**		**
Homicide (assault) ⁶	NJDOH	4.3	1.4	**		**
Influenza and Pneumonia ⁶	NJDOH	14.6	16.5	**	**	28.6
Leukemia ⁶	NJDOH	7.3	8.2	**	**	8.7

		Higher than State				
		Lower than State				
	CI Calculation	Ben	chmarks	Passaic County	Passaic County	Passaic County
Indicators		State of NJ	Bergen County	Haledon	Hawthorne	Wayne
Motor Vehicle Crash ⁶	NJDOH	6.7	4.3	**	**	**
Parkinson's Disease ⁶	NJDOH	8.3	9.5	**	**	22.5
Suicide ⁶	NJDOH	8.5	7.9	**	**	7.6
Tuberculosis ⁶	NJDOH	0.2	**			
Unintentional injuries ⁶	NJDOH	39.2	28.3	**	30.4	34.5
Viral Hepatitis ⁶	NJDOH	1.6	1.3		**	**
Cancer Crude Death Rate (Deaths per 100,000 Population)(2013-2017)						
Cancer (malignant neoplasms) ⁶	NJDOH	182.6	180.1	125.5	174.2	211.1
Breast (malignant neoplasm of breast) 6	NJDOH	15	15	**	**	14.5
Ovary (malignant neoplasm of ovary) ⁶	NJDOH	5	4	**	**	**
Cervix (malignant neoplasm of cervix) 6	NJDOH	1	1		**	**
Prostate (malignant neoplasm of prostate) ⁶	NJDOH	9	8	**	**	8.7
Bladder (malignant neoplasm of bladder) ⁶	NJDOH	6	5	**	**	7.6
Colorectal (malignant neoplasms of colon, rectum, and anus) 6	NJDOH	17	17	**	**	18.1
Stomach (malignant neoplasm of stomach) ⁶	NJDOH	4	6	**	**	**
Lung (malignant neoplams of trachea, bronchus, and lung) ⁶	NJDOH	43	39	**	30.4	43.9

¹ American Community Survey (ACS) 2013-2017

² FBI Uniform Crime Reporting (UCR): Offenses Known to Law Enforcement 2017

³ New Jersey Birth Certificate Database, Office of Vital Statistics and Registry

⁴ Communicable Disease Reporting and Surveillance System, New Jersey Department of Health

⁵ New Jersey Discharge Data Collection System, Office of Health Care Quality Assessment, New Jersey Department of Health, 2016

⁶ New Jersey Death Certificate Database, Office of Vital Statistics and Registry, 2013-2017

NJ BEHAVIORAL RISK FACTOR SURVEY

	CI Calculation	Bench	marks
Indicators		State of NJ	Bergen County
NJ Behavioral Risk Factor Survey (among 18+ years)*			
General Health Status - Good or Better Health (2012-2016)			
Crude Rate	NJDOH	83.5	85.3
Age-adjusted Rate	NJDOH	84.1	86.2
General Health Status - Fair or Poor Health (2012-2016)			
Crude Rate	NJDOH	16.5	14.7
Age-adjusted Rate	NJDOH	15.9	13.8
Physical Health Status in Past 30 days - 14 or more days not good (2012-2016)			
Crude Rate	NJDOH	10.5	8.6
Age-adjusted Rate	NJDOH	10.1	8.0
Frequent Mental Distress - 14 or more of the past 30 Days Not Good (2012-2016)			
Crude Rate	NJDOH	10.3	8.9
Age-adjusted Rate	NJDOH	10.4	9.1
History of Diagnosed Depression (2016)			
Crude Rate	NJDOH	13.1	11.5
Age-adjusted Rate	NJDOH	13.0	11.3
Current Arthritis(2012-2016)			
Crude Rate	NJDOH	22.6	21.3
Age-adjusted Rate	NJDOH	20.5	18.0
Asthma - Ever(2012-2016)			
Crude Rate	NJDOH	12.5	10.9
Age-adjusted Rate	NJDOH	12.7	11.0
Asthma - Current(2012-2016)			
Crude Rate	NJDOH	8.3	6.9
Age-adjusted Rate	NJDOH	8.4	6.7
No Health Coverage(2012-2016)			
Crude Rate	NJDOH	13.5	13.2
Age-adjusted Rate	NJDOH	14.4	14.4
Unable to Get Needed Medical Care Due to Cost(2012-2016)			
Crude Rate	NJDOH	14.1	12.3
Age-adjusted Rate	NJDOH	14.5	12.9
No Primary Care Provider(2012-2016)			
Crude Rate	NJDOH	18.0	19.4
Age-adjusted Rate	NJDOH	19.3	21.7
- ,			
Drank Any Alcohol in the Last 30 Days(2012-2016)			
Crude Rate	NJDOH	57.8	62.2

	CI Calculation	Bench	nmarks
Indicators		State of NJ	Bergen County
Age-adjusted Rate	NJDOH	58.2	62.1
Binge Drinking (4>for women, 5>men)(2012-2016)			
Crude Rate	NJDOH	16.5	15.4
Age-adjusted Rate	NJDOH	17.6	17.3
Heavy Drinking(2012-2016)			
Crude Rate	NJDOH	4.9	4.4
Age-adjusted Rate	NJDOH	5.0	4.6
Current Smoker(2012-2016)			
Crude Rate	NJDOH	15.4	13.3
Age-adjusted Rate	NJDOH	15.7	14.2
Attempted to quit smoking(2012-2016)			
Crude Rate	NJDOH	63.8	63.7
Age-adjusted Rate	NJDOH	63.3	62.4
Current Smokeless Tobacco User(2012-2016)			
Crude Rate	NJDOH	1.7	1.6
Age-adjusted Rate	NJDOH	1.8	1.8
Obesity(2012-2016)			
Crude Rate	NJDOH	26.0	21.2
Age-adjusted Rate	NJDOH	26.1	21.1
BMI (Obese -BMI over 30)(2016)	NJDOH	27.3	22.1
No leisure time activity(2012-2016)			
Crude Rate	NJDOH	26.0	24.7
Age-adjusted Rate	NJDOH	25.6	24.4
Does not meet recommended physical activity(2015)			
Crude Rate	NJDOH	51.1	50.4
Age-adjusted Rate	NJDOH	51.2	51.1
No Routine Health Visit in Last Year (2012-2016)			
Crude Rate	NJDOH	24	25
Age-adjusted Rate	NJDOH	25	27
No Seasonal Flu Vaccination (2012-2016)			
Crude Rate	NJDOH	63	61
Age-adjusted Rate	NJDOH	53	54
No Cholesterol Check in Last Five Years (2015)			
Crude Rate	NJDOH	17	13
Age-adjusted Rate	NJDOH	19	16
Has been tested for HIV			
Crude Rate	NJDOH	38	33

	CI Calculation	Benchm	narks
Indicators		State of NJ	Bergen County
Age-adjusted Rate	NJDOH	40	36
Colorectal Cancer Screening - Not up-to-date			
Crude Rate	NJDOH	35	33
Age-adjusted Rate	NJDOH	35	33

^{*}Data Source: New Jersey Behavioral Risk Factor Survey, Center for Health Statistics, New Jersey Department of Health

Table 1: Respondent characteristics (unweighted)

Table 1. Respondent		•	<u> </u>		51 1/1/				
	All	Male	Female	White	Black/African	Hispanic/	Asian	Income	Over 65
		(38%)	(61%)	(70%)	American	Latino	(11%)	<\$50,000*	years old
					(9%)	(14%)		(24%)	(35%)
Number of									
respondents to									
survey	1,372	518	832	959	126	188	151	331	475
Average age	57	59	56	59	55	50	51	61	75
Female (%)	62	-	100	61	68	71	54	71	57
Less than a high									
school education									
(%)	4	4	4	4	2	12	1	13	7
Advanced degree									
(Masters or									
beyond) (%)	25	28	23	27	20	16	23	4	23
Total Household									
income (%)									
<\$50,000	26	20	30	24	38	41	24	100	36
\$50,000 -									
\$124,999	40	43	39	40	31	41	48		43
>\$125,000	33	37	31	36	31	18	27		21

Table 2: Health Status (%)

	All	Male	Female	White	Black/	Hispanic	Asian	Income	Over 65
	(N=1372)	(N=518)	(N=832)	(N=959)	AfrAmer.	/Latino	(N=151)	<\$50K	years old
					(N=126)	(N=188)		(N=331)	(N=475)
Self-reported health									
status as excellent,									
very good, or good	87.0	87.2	86.7	89.4	83.5	82.7	81.7	74.7	82.6
Self-reported health									
status as fair or									
poor	13.0	12.8	13.3	10.6	16.5	17.3	18.3	25.3	17.4
Poor physical health									
15 or more days in									
past month	6.0	4.9	7.0	6.5	9.3	9.0	1.2	11.8	8.9
Limited in some									
way physically,									
mentally, or									
emotionally	19.7	18.2	20.9	21.4	27.7	20.3	10.0	31.9	31.1

Table 3: Access to Services (%)

Table 3: Access to Se		44.1	F 1	WI .	DI I		A .		0 (5
	All	Male	Female	White	Black/	Hispanic	Asian	Income	Over 65
	(N=1372)	(N=518)	(N=832)	(N=959)	AfrAmer.	/Latino	(N=151)	<\$50K	years old
Llas basitik					(N=126)	(N=188)		(N=331)	(N=475)
Has health	04.2	02.4	05.2	06.2	07 4	07 F	02.1	015	00.0
insurance	94.3	93.4	95.2	96.3	87.4	87.5	93.1	84.5	99.8
Uninsured in past 12 months	10.9	12.0	9.9	8.5	19.3	20.2	11.2	26.4	2.0
	10.9	12.0	3.3	6.3	19.3	20.2	11.2	20.4	2.0
Has 1 person as personal doctor or									
primary care									
provider	83.9	82.4	85.4	85.7	85.1	77.2	80.9	79.1	94.4
Primary care visit in	03.3	02.4	03.4	05.7	03.1	,,,_	00.5	73.1	34.4
past year	70.3	68.7	72.0	70.3	70.8	67.1	73.6	70.6	87.4
Stayed overnight in	7 0.0	00	, =	7 0.0	7 0.0	07.12	70.0	70.0	0711
hospital for									
care/observation in									
past year	9.3	8.3	10.3	9.4	12.4	8.9	7.6	14.8	18.0
Received all									
specialty medical									
care needed in past									
year	73.8	62.9	84.2	78.3	69.5	70.5	58.2	72.9	87.0
ER visit 1 or more									
times in past year	20.2	19.0	21.4	20.1	28.8	21.7	14.7	22.0	24.9
Dentist visit in past									
year	70.6	71.0	70.3	73.8	55.9	65.1	70.1	54.1	68.5
Couldn't fill									
prescription									
because of cost in	40.0	40.0	47.0	400	40.0		40.6		40.4
past year	13.8	10.3	17.0	12.8	18.0	22.4	10.6	23.9	13.1
Did not receive									
needed medical									
care in past 12	10.1	9.5	10 F	10.2	13.2	0.2	10.2	111	2.5
months Did not receive	10.1	9.5	10.5	10.3	15.2	9.2	10.2	14.4	3.5
care in past year									
due to cost of									
care	4.1	3.4	4.8	4.0	3.7	3.7	5.9	5.3	1.1
Did not receive		J			3.,	J.,	3.3	3.3	
care in past year									
due to no									
insurance	2.2	1.9	2.4	1.5	4.4	5.0	3.1	7.4	.6
Has legal				-		-			-
documents about									
end of life care									
(e.g., will, DNR,									
advanced									
directives)	25.8	23.8	27.5	30.9	17.2	11.4	13.8	19.1	58.7

Table 4: Health Behaviors (%)

Table 4. Health bella								_	
	All	Male	Female	White	Black/	Hispanic	Asian	Income	Over 65
	(N=1372)	(N=518)	(N=832)	(N=959)	AfrAmer.	/Latino	(N=151)	<\$50K	years old
					(N=126)	(N=188)		(N=331)	(N=475)
Overweight	33.2	39.7	27.5	33.6	41.0	34.8	21.1	31.8	35.6
Obese	22.8	21.5	24.1	24.7	30.6	29.0	8.4	29.2	23.5
Did not participate									
in any physical									
activity or exercise									
in past 30 days	32.9	26.5	38.5	28.9	41.6	43.2	41.2	47.9	41.0
Moderate exercise									
in past 30 days	18.6	22.7	15.2	20.2	13.6	14.1	16.5	12.9	19.6
Eats < 3 daily									
servings fruit	75.4	83.3	69.2	69.3	83.0	85.9	86.6	80.2	43.0
Eats < 3 daily									
servings vegetables	78.8	79.8	77.8	77.6	78.2	83.1	83.1	80.9	72.0
Has sugar									
sweetened drink >5									
days/week	19.1	25.2	13.9	14.9	37.3	37.4	22.8	27.4	11.5
Has soda >5									
days/week	4.1	5.7	2.7	4.2	5.2	6.0	1.2	7.2	3.3
Very or somewhat									
worried about food									
running out	19.0	14.0	23.7	16.9	27.2	42.2	13.5	46.8	14.0
Very or somewhat									
difficult to find									
fresh produce	18.5	13.8	22.8	18.0	24.3	38.4	11.8	32.4	15.3

Table 5: Chronic and complex conditions (%)

	All	Male	Female	White	Black/	Hispanic	Asian	Income	Over 65
	(N=1372)	(N=518)	(N=832)	(N=959)	AfrAmer.	/Latino	(N=151)	<\$50K	years old
					(N=126)	(N=188)		(N=331)	(N=475)
High blood pressure	26.5	26.9	26.0	26.7	37.5	19.1	21.4	32.4	57.8
Taking medication									
to lower BP	81.0	78.1	83.3	84.6	76.3	74.0	57.8	84.5	89.6
Ever had cholesterol									
checked	93.8	93.3	94.2	94.0	93.0	93.5	91.1	92.5	98.7
High cholesterol	34.3	37.0	32.0	34.9	31.6	28.6	36.2	41.4	59.1
Taking medication									
to lower cholesterol	58.1	59.5	56.2	61.8	61.3	46.1	40.8	65.1	83.1
Had myocardial									
infarction (heart									
attack)	2.7	4.0	1.2	2.6	3.1	2.8	.9	3.0	8.1
Had stroke	1.8	1.9	1.7	2.1	4.0	1.4		3.8	6.1
Ever been told had									
borderline or pre-									
diabetes	11.2	11.3	11.3	10.7	13.4	12.8	11.9	16.3	19.8
Had diabetes	11.5	12.2	10.9	11.1	15.7	7.8	12.1	16.7	22.1
Had asthma	14.1	11.0	17.0	13.6	19.2	10.4	13.3	13.7	9.7
Fell within the past 3									
months	9.3	7.9	10.7	10.2	6.7	6.4	6.1	14.1	14.9

Table 6: Cancer screenings and diagnoses (%)

	All (N=1372)	Male (N=518)	Female (N=832)	White (N=959)	Black/ AfrAmer. (N=126)	Hispanic /Latino (N=188)	Asian (N=151)	Income <\$50K (N=331)	Over 65 years old (N=475)
Ever had mammogram					(11 120)	(11 100)		(11 001)	(11 113)
(women >40)	89.6		89.6	90.8	86.9	87.1	80.5	87.2	92.9
Had recent									
mammogram (women									
>40)	68.1		68.1	67.9	66.1	68.2	68.2	57.3	60.7
Ever had PSA test									
(men >40)	53.6	53.6		56.3	49.6	40.8	46.1	39.8	79.3
Had recent PSA test									
(men >40)	44.9	44.9		46.9	37.9	33.5	44.2	31.7	70.7
Ever had Pap test	71.0		71.0	76.4	00.3	C0.3	45.2	C1 7	70.5
(women >18)	71.9		71.9	76.4	80.2	68.2	45.3	61.7	78.5
Had recent Pap test	58.9		58.9	62.7	66.3	58.3	39.2	40.0	48.3
(women >18) Ever had	36.9		36.9	02.7	00.5	36.3	39.2	40.0	40.5
sigmoidoscopy/colono				! ! !					
scopy (age >50)	70.4	70.3	70.5	72.9	63.2	55.0	64.7	56.7	78.5
Ever been diagnosed									
with cancer	9.7	8.9	10.5	12.0	7.6	5.1	3.9	10.9	26.5
Lung	.3	.3	.3	.4				.4	.2
Colorectal	.4	.5	.4	.4	1.2			1.2	1.8
Prostate	2.1	4.6		2.2	4.5	2.8	.4	1.3	5.7
Breast	2.8		5.2	3.2	2.2	1.1	2.0	4.0	6.4
Cervical, ovarian, or									
uterine	1.2		2.1	1.2	1.5	.5	.5	1.9	2.3
Skin	2.5	3.0	2.0	3.4		.4		2.3	6.8

Table 7: Mental Health (%)

Table 7: Mental Heal	able 7: Mental Health (%)											
	All	Male	Female	White	Black/	Hispanic	Asian	Income	Over 65			
	(N=1372)	(N=518)	(N=832)	(N=959)	AfrAmer.	/Latino	(N=151)	<\$50K	years old			
					(N=126)	(N=188)		(N=331)	(N=475)			
Poor mental health												
15+ days in past	6.0				400			40.0	- 0			
month	6.8	5.3	8.0	5.9	10.9	9.5	3.2	13.3	5.0			
Sad, blue, or		! ! !										
depressed 15+ days	7.5	6.0	0.2	6.3		40.2	0.0	42.2	5 4			
in past month	7.5	6.9	8.2	6.2	7.7	10.3	8.8	13.2	5.4			
Worried, tense, or												
anxious 15+ days in	12.0	11.5	16.1	12.1	140	1 . 0	10.3	22.4	10.2			
past month	13.9	11.5	16.1	13.1	14.9	15.8	10.3	22.4	10.2			
Diagnosed with	0.7	7.2	11.0	11.0	10.1	11 1	2.0	11.6	0.4			
depressive disorder	9.7	7.2	11.9	11.0	10.1	11.1	3.0	11.6	9.4			
Diagnosed with	12.7	10.0	15.2	15.6	7.8	11.9	2.2	11.2	9.7			
anxiety disorder	12.7	10.0	15.2	15.0	7.0	11.9	2.2	11.2	9.7			
Not enough sleep												
15+ days in past month	24.7	20.2	28.5	23.7	29.9	29.4	21.6	29.4	14.3			
	24.7	20.2	20.3	23.7	23.3	25.4	21.0	25.4	14.5			
Too much energy 15+ days in past												
month	2.5	1.9	3.1	1.5	5.0	6.2	5.4	4.5	1.6			
Intimate partner	2.5	1.5	3.1	1.5	3.0	0.2	3.4	4.5	1.0			
violence	6.0	3.1	8.7	6.9	6.5	8.0	1.1	7.0	4.8			
Rarely/never gets	0.0	3.1	0.7	0.5	0.5	0.0	1.1	7.0	7.0			
the social or												
emotional help they												
need	17.8	23.5	12.7	15.0	11.5	20.1	34.3	25.6	12.7			
Received												
counseling,												
treatment,		İ										
medicine for mental												
health /substance												
use issues in past												
year	9.3	7.6	10.8	9.7	10.3	8.3	6.9	11.2	5.9			
Of those,												
received												
treatment as												
soon as they												
wanted it	4.0	3.8	4.3	3.5			7.0	4.2	28.5			
Did not receive												
mental health care												
that was needed in	46.5	16.4	46.6	4	20.2	42.6	0.0	16.0	45.5			
past 12 months	16.5	16.4	16.8	17.7	20.2	12.6	8.9	16.0	15.5			
Did not receive care												
(health, mental		İ										
health, substance		į										
use) in past year due to cost of care	4.1	3.4	4.8	4.0	3.7	3.7	5.9	5.3	1.1			
Did not receive care	4.1	3.4	4.0	4.0	5./	3./	٦.٦	٥.٥	1.1			
(health, mental												
health, substance												
use) in past year												
due to no insurance	2.2	1.9	2.4	1.5	4.4	5.0	3.1	7.4	.6			
ade to no modifice		1 1.0		1.5		3.0	J.1	,.,				

Table 8: Substance Use (%)

Table 6. Substance Ose	All	Male	Female	White	Black/	Hispanic	Asian	Income	Over 65
	(N=1372)	(N=518)	(N=832)	(N=959)	AfrAmer. (N=126)	/Latino (N=188)	(N=151)	<\$50K (N=331)	years old (N=475)
Current cigarette									
smoker	18.9	14.8	23.5	15.0	24.3	14.4	49.0	28.8	10.9
E-cigarette or vapor									
product use in past									
year	6.0	6.9	5.3	4.5	7.9	8.1	3.4	0.9	5.6
Heavy/risky drinking*	5.0	2.8	7.1	5.6	2.8	2.3	5.5	5.8	5.4
Binge drinking**	15.4	19.2	12.1	14.8	12.0	16.9	15.7	14.1	6.5
Current marijuana									
user	11.0	14.6	8.1	13.1	12.5	10.7	2.4	12.4	2.6
Used heroin, cocaine,									
crack, opioid									
painkillers in past year	7.8	8.6	7.3	7.9	10.4	7.2	9.9	8.6	9.2
Did not receive									
substance use care									
that was needed in									
past 12 months	7.1	8.6	5.9	6.0	4.6	8.3	9.0	10.8	8.5
Did not receive care									
(health, mental									
health, substance use)									
in past year due to	4.4	2.4	4.0	4.0	2.7	2.7	- 0	F 2	4.4
cost of care	4.1	3.4	4.8	4.0	3.7	3.7	5.9	5.3	1.1
Did not receive care									
(health, mental									
health, substance use)									
in past year due to no	2.2	1.0	2.4	1 5	1.1	ΕO	2.1	7.4	6
insurance	2.2	1.9	2.4	1.5	4.4	5.0	3.1	7.4	.6

^{*}More than one alcohol beverage per day on average (7 days per week) for women, and more than two alcoholic beverages per day on average (14 drinks per week) for men.

^{**}More than four alcoholic beverages at any one sitting for women, and five alcoholic beverages at any one sitting for men.

APPENDIX C: RESOURCE INVENTORY

Behavioral Health

- American Foundation for Suicide Prevention, Northern New Jersey Saddle Brook
- Bergen County Addiction Recovery Program Hackensack
- Bergen County Department of Mental Health Services Hackensack
- CarePlus NJ Paramus and Fair Lawn
- Center for Discovery Paramus
- Changeworks, LLC County-wide
- Clinic of the New Jersey Institute, Inc. Teaneck
- Comprehensive Behavioral Healthcare, Inc. Multiple locations
- Crisis Intervention Team (CIT-NJ) Paramus
- Depression and Bipolar Support Alliance Paramus
- High Focus Centers Paramus
- National Alliance on Mental Illness Wood Ridge
- New Jersey Wellness Center Fair View
- North Jersey Friendship House Hackensack
- Spring House Paramus
- The Counseling Center Fair Lawn
- Vantage Mental Health Multiple locations
- West Bergen Mental Healthcare Mahwah

Business, Economic, and Workforce Development

- Bergen County Workforce Development Board
 Hackensack
- Bergen One Stop Career Center Hackensack
- Bridges to Employment Lyndhurst
- Community Network Association of Bergen New Milford

Children and Families

- Baby Basics Paramus
- Bergen County Council for Young Children Fair Lawn
- Bergen County Division of Child Protection and Permanency Hackensack
- Bergen County Office for Children Hackensack
- Bergen County Youth Services Commission Hackensack
- Birthright of Bergen County Maywood
- Boys and Girls Club of Lodi/Hackensack Lodi
- Bridges Family Success Center Englewood
- Children's Aid and Family Services (CAFS) Fair Lawn
- Children's Therapy Center Ridgewood
- Meadowlands Family Success Center Little Ferry
- Moving on Life Center, Inc. Teaneck
- Nurturing Parent Program (Prasada In Home)
- Partnership for Maternal and Child Healthcare

Zoe's Café - Paramus

Community Centers, Organizations, and Services

- Bergen County Community Wellness Center and Outreach Hackensack
- Bergen County Wellness Discount Program Hackensack
- Bergen Family Center Englewood
- Center for Family Wellness Emerson
- Community Health Law Project
- Garfield YMCA
- Municipal Parks and Recreation Departments
- Ridgewood YMCA Ridgewood
- Wyckoff YMCA
- YMCA of Greater Bergen County Hackensack
- YWCA Bergen County Hackensack

Community Health Collaboratives

- Bergen County Prevention Coalition
- Community Health Improvement Partnership (CHIP) of Bergen County

Cultural Advocates and Organizations

- Bergen County ESL Englewood
- Bergen County Chapter of the Links
- Korean American Senior Citizens Association of New Jersey (KASCANJ)
- NAACP, Bergen County Chapter

Disabilities/Differently-Abled

- Alpine Learning Group Paramus
- Autism Spectrum Education Network Oakland
- Autism Parent/Guardian Support Group Teaneck
- Bergen County Division of Disability Services Hackensack
- Bergen County Special Services CAPE Resource Center Paramus
- Heart to Heart Associates River Edge
- Modification Access Project Hackensack
- Programs Without Walls Paramus
- Spectrum for Living River Vale
- TeamUP Counseling Functional Learning Center Ridgefield
- The Felician School for Exceptional Children Lodi

Food Insecurity

- Center for Food Action Multiple locations
- Church of the Ephiphany Food Pantry Cliffside Park
- Church of St. Anne Food Pantry Fairlawn

- Closer Food Pantry Closter
- Community FoodBank of New Jersey Hillside
- Community Pantry Paramus
- Faith and Hope Food Pantry Teaneck
- Helping Hand Food pantry Hillsdale
- Holy Rosary Food pantry Edgewater
- Holy Trinity Church Food Pantry Hackensack
- Lyndhurst Food Pantry Lyndhurst
- Office of Concern Food Pantry Englewood
- Pascack Food Center Park Ridge
- Ridgefield Pantry Ridgefield
- Rutherford Community Food Pantry Rutherford
- Sacred Heart Food Pantry Lyndhurst
- St. Andrew's Church Westwood
- St. Francis Food Pantry Ridgefield
- St. John the Evangelist Food Pantry Bergenfield
- St. Joseph's Church Food Pantry Bogota

Healthcare

- Bergen County Health Care Center Rockleigh
- Bergen Volunteer Medical Initiative Hackensack
- Buddies of New Jersey, Inc. Hackensack
- Broadway Respite and Home Care Fair Lawn
- Englewood Family Health Center
- North Hudson Community Action Corporation Health Center Multiple locations
- Planned Parenthood Englewood and Hackensack
- Preferred Home Health Care & Nursing Services Elmwood
- Vantage Health System Englewood

Hospitals

- Bergen New Bridge Medical Center
- Christian Health Care Center
- Englewood Health
- Hackensack University Medical Center
- Hackensack Meridian Health at Pascack Valley
- Ramapo Ridge Psychiatric Hospital (part of Christian Health Care Center)
- The Valley Hospital

Housing and Homelessness

- Advance Housing, Inc. Teterboro
- Alliance Against Homelessness of Bergen County Washington
- Bergen County Home Improvement Program Hackensack

- Bergen County Housing, Health, and Human Services Center Hackensack
- Bergen's Place Youth Shelter Teterboro
- Fair Housing Council of New Jersey Hackensack
- Family Promise of Bergen County Ridgewood
- Greater Bergen Housing Coalition Hackensack
- Habitat for Humanity of Bergen County River Edge
- Housing Authority of Bergen County Hackensack
- Municipal Housing Authorities
- Rebuilding Together New Jersey
- Salvation Army Cornerstone House Montclair
- Urban League for Bergen County Englewood

Law Enforcement/Fire/EMS

- Municipal Police Departments
- Municipal Fire Departments
- Northwest Bergen EMS

LGBTQ+

- Families of LGBTQ Youth Support Group Wyckoff
- Garden State Equality
- Gay, Lesbian, and Straight Education Network (GLSEN)
- Marsha P. Johnson Social Paramus
- Rainbow Café Cresskill
- Parents, Families, and Friends of Lesbians and Gays (PFLAG) Washington Township

Older Adult Health/Healthy Aging

- Age Friendly Ridgewood
- Bergen County Division of Senior Services Hackensack
- Councils on Aging
- Senior Centers
- Seniors in Place Saddle Brook

Services for Low-Resource Individuals and Families

- Bergen County Board of Social Services Rochelle Park
- Catholic Charities
- Faith and Hope Food Pantry Teaneck
- Family Promise of Bergen County Ridgewood
- Greater Bergen Community Action Hackensack
- Helping Hands Food Pantry Hillsdale
- Jewish Family Services of Bergen and North Hudson Teaneck
- Low Income Heat and Energy Assistance Program Hackensack
- Meadowlands Family Success Center Little Ferry

- Meals on Wheels New Jersey
- Northeast New Jersey Legal Services Hackensack
- North Hudson Community Action Corporation
- Office of Concern Englewood
- Social Service Association of Ridgewood
- United Way of Bergen County Paramus

Transportation

- Bergen County Community Transportation Hackensack
- On Time Transport Fairlawn

Veterans

- Alfred J. Thomas Home for Veterans
- Bergen County Division of Veteran Services Hackensack
- Community Hope

Violence Prevention, Re-Entry, and Community Cohesion

- Alternatives to Domestic Violence Hackensack
- Center for Hope and Safety
- HealingSPACE Hackensack
- HOPE for Ex-Offenders Hackensack
- Transition Professionals Hackensack
- Violence Intervention Prevention Center Paramus

APPENDIX D: IMPLEMENTATION STRATEGY

INTRODUCTION

Between December 2018 and July 2019, the Bergen County Department of Health Services, the Community Health Partnership of Bergen County, and Bergen's eight acute care hospitals – including Ramapo Ridge Psychiatric Hospital – conducted a comprehensive Community Health Needs Assessment (CHNA). This CHNA included an extensive review of quantitative data and collected qualitative information through key informant interviews, focus groups, community listening sessions, and surveys. This extensive array of assessment and engagement activities allowed BCDHS, the CHIP, and hospitals to better understanding community health issues, vulnerable populations, and areas of opportunity in Bergen County. Assessment findings were used as the basis for which Ramapo Ridge developed this Implementation Strategy – a three-year plans that outlines how the Hospital will address community health needs in collaboration with community partners.

COMMUNITY HEALTH PRIORITY AREAS

The CHNA provided many opportunities to vet quantitative and qualitative findings. Based on these findings, and the Hospital's service lines and areas of expertise, leadership and staff from Ramapo Ridge identified three community health priority areas, which together embody the leading health issues and barriers to care for residents of the hospital's service area: behavioral health (mental health and substance use disorder), chronic/complex conditions and their risk factors, and social determinants of health and health disparities.

Behavioral Health (Mental Health and Substance Use Disorder)

Chronic/Complex
Conditions and Risk Factors

Social Determinants of Health and Health Disparities

COMMUNITY HEALTH PRIORITIES NOT ADDRESSED IN RAMAPO RIDGE PSYCHIATRIC HOSPITAL'S IMPLEMENTATION STRATEGY


It is important to note that there are community health needs that were identified through the Community Health Needs Assessment that were not prioritized for inclusion in the Implementation Strategy. Reasons for this include:

- Feasibility of Ramapo Ridge having an impact on this issue in the short or long term
- Clinical expertise of the organization
- The issue is currently addressed by community partners in a way that does not warrant additional support

Poverty/employment, housing stability, and transportation were identified as community needs, but were deemed to be outside of Ramapo Ridge's primary sphere of influence. Ramapo Ridge Psychiatric Hospital remains open and willing to work with hospitals and other public and private partners to address these issues should an opportunity arise.

PRIORITY POPULATIONS

Although Ramapo Ridge Psychiatric Hospital is committed to improving the health status of all residents living in its service area, based on the assessment's quantitative and qualitative findings there was agreement that the Implementation Strategy should prioritize certain demographic and socio-economic segments of the population that have complex needs or face especially significant barriers to care. Five priority populations were identified:



COMMUNITY HEALTH IMPROVEMENT — STRATEGIC FRAMEWORK

The following defines the types of programmatic strategies and interventions that were applied in the development of the Implementation Strategy.

- Screening and Identification: Screening and assessment programs reduce the risk of death or ill health
 from a specific condition by offering tests to help identify those who could benefit from treatment. A
 critical component of screening and referral efforts is to provide linkages to providers, treatment, and
 supportive services should an issue be detected.
- **Health Education and Prevention:** Initiatives that aim to prevent disease or injury before it ever occurs by reducing risks, preventing exposures to hazards, or altering unhealthy behaviors. Programs might include targeted efforts to raise awareness about a particular condition or provide information on risk and protective factors.
- Behavior Modification and Disease Management: Evidence-based behavioral modification and/or chronic disease management programs that encourage individuals to manage their health conditions, change unhealthy behaviors, and make informed decisions about their health and care.
- Care Coordination and Service Integration: Initiatives that integrate existing services and expand access to care by coordinating health services, patient needs, and information.
- **Patient Navigation and Access to Care:** Efforts which aim to help individuals navigate the health care system and improve access to services when and where they need them.

• Cross-Sector Collaboration and Partnership: Includes collaborations, partnerships, and support of providers and community organizations across multiple sectors (e.g., health, public health, education, public safety, and community health).

RESOURCES COMMITTED TO COMMUNITY HEALTH IMPROVEMENT

Ramapo Ridge Psychiatric Hospital will commit direct community health program investments and in-kind resources of staff time and materials to carry out the activities in this Implementation Strategy. Ramapo Ridge may also generate leveraged funds through grants from public and private sources on behalf of its own programs or services, and on behalf of its community partners.

PRIORITY AREA: BEHAVIORAL HEALTH (MENTAL HEALTH AND SUBSTANCE USE DISORDER)

Goal: Support and/or implement strategies that promote mental, emotional, and social well-being

OBJECTIVES

- Support efforts that aim to reduce the stigma associated with mental/behavioral health and substance use disorder
- Support initiatives that promote healthy mental, emotional, and social behaviors
- Expand access to behavioral health screening, treatment, and supportive services
- Collaborate with clinical and community-based partners to address mental/behavioral health and substance use disorder

STRATEGIES

Screening and Identification

 Collaborate with community partners to support universal mental health screenings by receiving referrals from primary care practices

Health Education and Prevention

- Host Mental Health First Aid trainings, as requested by the Bergen County Mental Health Board
- Support the Stigma Free Communities initiative
- Offer free lectures and educational seminars in community-based settings

Patient Navigation and Access to Care

• Host and/or support mental health and substance use disorder support groups

Cross-Sector Collaboration and Partnership

 Participate in collaborative regional and local efforts to address issues around mental/behavioral health and substance use disorder

SAMPLE OUTCOMES / MEASURES OF SUCCESS

- Number of referrals received from primary care practices
- Number of individuals connected to mental/behavioral health services after referral
- Number of Mental Health First Aid trainings and number of attendees
- Number of lectures/seminars offered and number of attendees
- Number of support groups offered
- Participation in regional/local collaborative efforts and any resources committed

PARTNERS

- Community-based organizations
- Primary care providers
- Municipal and County leadership
- Municipal and County departments focused on mental/behavioral health and substance use disorder
- Local community health partnerships and collaboratives (e.g., CHIP of Bergen County)

PRIORITY AREA: CHRONIC/COMPLEX CONDITIONS AND RISK FACTORS

Goal:

- (1) Enhance access to health education, screening, and referral services
- (2) Support individuals with chronic/complex conditions and their caregivers

OBJECTIVES

- Provide education and counseling regarding wellness, health promotion, risk factors, and healthy behaviors
- Screen individuals for chronic and complex conditions and refer those at-risk to appropriate services
- Support community education and awareness of chronic and complex conditions
- Monitor and coordinate care for adults with chronic/complex conditions

STRATEGIES

Screening and Identification

 Continue to screen for major chronic disease risk factors (obesity, high blood pressure, high cholesterol) upon admission and refer to additional services if appropriate

Health Education and Prevention

- Provide education on and refer patients to prevention and wellness programs that encourage healthy lifestyles and behavioral changes
- Continue to sponsor conferences for clinical providers that discuss issues related to mental/behavioral health and chronic and complex conditions

Behavior Modification and Disease Management

- Support active living programs that promote physical activity
- Continue to offer cooking demonstrations and workshops that educate residents, families, and caregivers engaged in our long-term care programs/services on healthy eating and food preparation
- Conduct or support evidence-based behavior change and self-management support programs related to dementia and intellectual/developmental disabilities

Patient Navigation and Access to Care

 Offer and/or host support groups for individuals with chronic/complex conditions, those affected by the loss of a loved one, and caregivers

Cross-Sector Collaboration and Partnership

 Participate in collaborative regional and local efforts to address issues around wellness, risk factors, and chronic/complex conditions

SAMPLE OUTCOMES / MEASURES OF SUCCESS

- Number of screenings offered and number of individuals referred to additional services
- Resources devoted to conferences/educational events, number of attendees, and results of pre- and post- tests to measure changes in knowledge, attitudes, or behavioral change (if available)
- Support for active living programs
- Number of cooking demonstrations/workshops offered and number of attendees
- Number of behavior change/self-management programs offered and number of individuals engaged
- Number of support groups offered/hosted and number of participants
- Participation in regional/local collaborative efforts and any resources committed

PARTNERS

- Community-based organizations
- Municipal and County leadership
- Municipal and County departments focused on chronic/complex conditions and risk factors
- Local community health partnerships and collaboratives (e.g., CHIP of Bergen County)

PRIORITY AREA: SOCIAL DETERMINANTS OF HEALTH AND HEALTH DISPARITIES

Goal:

- (1) Address the social determinants of health and access to care issues that inhibit the ability of individuals to lead happy, healthy, and productive lives
- (2) Reduce health disparities

OBJECTIVES

- Support programs and policies that address the social determinants of health
- Address cultural competency, health literacy, and language issues

STRATEGIES

Screening and Identification

• Screen for issues related to the social determinants of health that may inhibit a successful discharge (e.g., access to food, transportation, housing) and refer to community-based partners for assistance

Patient Navigation and Access to Care

- Provide annual cultural competency training for hospital clinicians and staff
- Provide resources that reduce barriers related to health literacy and language
- Support programs that enhance access to affordable and nutritious foods (e.g., Meals on Wheels)

Cross-Sector Collaboration and Partnership

• Participate in collaborative regional and local efforts to address issues around the social determinants of health and health disparities

SAMPLE OUTCOMES / MEASURES OF SUCCESS

- Number of referrals to community-based partners to address potential barriers to discharge from RRPH
- Number of cultural competency trainings offered
- Number of individuals who received resources (e.g., interpretation services) to overcome barriers related to health literacy and language
- Resources provided to support Meals on Wheels
- Participation in regional/local collaborative efforts and any resources committed

PARTNERS

- Community-based organizations
- Municipal and County leadership
- Municipal and County departments focused on social determinants of health/health disparities
- Local community health partnerships and collaboratives (e.g., CHIP of Bergen County)